

OUTFALL 013 (Bravo Test Stand)

**ANNUAL 2008 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2008

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	1/5/2008		1/24/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
Ammonia as Nitrogen (N)	mg/L	10.1/-	0.56	*	ND < 0.30	*
Biochemical Oxygen Demand (BOD 5 day)	mg/L	-/-	ND < 0.59	U	2.0	--
Chloride	mg/L	150/-	21	*	62	*
Fluoride	mg/L	1.6/-	0.39	*	0.30	*
Nitrate + Nitrite as Nitrogen (N)	mg/L	8.0/-	1.6	*	0.74	*
Nitrate as Nitrogen (N)	mg/L	8.0/-	1.6	*	0.74	*
Nitrite-N	mg/L	1.0/-	ND < 0.090	*	ND < 0.090	*
Oil & Grease	mg/L	15/-	ND < 1.3	*	ND < 1.3	*
Perchlorate	ug/L	6.0/-	ND < 1.5	*	ND < 1.5	*
pH (Field)	pH units	6.5-8.5/-	8.7	*	8.1	*
Total Settleable Solids	ml/L	0.3/-	ANR	ANR	ANR	ANR
Total Settleable Solids	ml/L	0.3/-	ND < 0.10	*	ND < 0.10	*
Sulfate	mg/L	300/-	8.6	*	13	*
Temperature	deg. F	86/-	54	*	48	*
Total Cyanide	ug/L	-/-	ANR	ANR	ANR	ANR
Total Dissolved Solids	mg/L	950/-	110	*	200	*
Hardness	mg/L	-/-	ANR	ANR	ANR	ANR
Hardness, dissolved	mg/L	-/-	ANR	ANR	ANR	ANR
Total Suspended Solids	mg/L	45/-	ND < 10	*	ND < 10	*
Turbidity	NTU	-/-	4.8	--	5.5	--
Volume Discharged	MGD	-/-	NR	*	NR	*
METALS						
Antimony	ug/L	-/-	ANR	ANR	ANR	ANR
Antimony, dissolved	ug/L	-/-	ANR	ANR	ANR	ANR
Arsenic	ug/L	-/-	ANR	ANR	ANR	ANR
Arsenic, dissolved	ug/L	-/-	ANR	ANR	ANR	ANR
Beryllium	ug/L	-/-	ANR	ANR	ANR	ANR
Beryllium, dissolved	ug/L	-/-	ANR	ANR	ANR	ANR
Boron	mg/L	1.0/-	ND < 0.020	*	0.038	J* (DNQ)
Boron, dissolved	mg/L	-/-	ND < 0.020	*	ND < 0.020	*
Cadmium	ug/L	3.1/-	5.2	--	2.1	J (*III)
Cadmium, dissolved	ug/L	-/-	4.3	--	1.7	--
Calcium	mg/L	-/-	ANR	ANR	ANR	ANR
Calcium, Dissolved	mg/L	-/-	ANR	ANR	ANR	ANR
Chromium	ug/L	-/-	ANR	ANR	ANR	ANR
Chromium, dissolved	ug/L	-/-	ANR	ANR	ANR	ANR
Copper	ug/L	13.5/-	5.2	--	3.0	--
Copper, dissolved	ug/L	-/-	4.0	--	2.0	--
Lead	ug/L	5.2/-	2.9	--	1.6	--
Lead, dissolved	ug/L	-/-	1.1	--	ND < 0.30	U
Magnesium	mg/L	-/-	ANR	ANR	ANR	ANR
Magnesium, Dissolved	mg/L	-/-	ANR	ANR	ANR	ANR
Mercury	ug/L	0.10/-	ND < 0.050	U	ND < 0.050	U
Mercury, dissolved	ug/L	-/-	ND < 0.050	U	ND < 0.050	U
Nickel	ug/L	-/-	ANR	ANR	ANR	ANR

OUTFALL 013 (Bravo Test Stand)

**ANNUAL 2008 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2008

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	1/5/2008		1/24/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
Nickel, dissolved	ug/L	-/-	ANR	ANR	ANR	ANR
Selenium	ug/L	-/-	ND < 0.30	U	ND < 0.30	U
Selenium, dissolved	ug/L	-/-	ND < 0.30	U	ND < 0.30	U
Silver	ug/L	-/-	ANR	ANR	ANR	ANR
Silver, dissolved	ug/L	-/-	ANR	ANR	ANR	ANR
Thallium	ug/L	-/-	ANR	ANR	ANR	ANR
Thallium, dissolved	ug/L	-/-	ANR	ANR	ANR	ANR
Zinc	ug/L	159/-	160	--	55	--
Zinc, dissolved	ug/L	-/-	140	--	44	--
ORGANICS						
Benzene	ug/L	-/-	ANR	ANR	ANR	ANR
Carbon Tetrachloride	ug/L	-/-	ANR	ANR	ANR	ANR
Chloroform	ug/L	-/-	ANR	ANR	ANR	ANR
1,1-Dichloroethane	ug/L	-/-	ANR	ANR	ANR	ANR
1,2-Dichloroethane	ug/L	-/-	ANR	ANR	ANR	ANR
1,1-Dichloroethene	ug/L	-/-	ANR	ANR	ANR	ANR
1,4-Dioxane	ug/L	3/-	ND < 1.0	*	ND < 1.0	*
Ethylbenzene	ug/L	-/-	ANR	ANR	ANR	ANR
Tetrachloroethene	ug/L	-/-	ANR	ANR	ANR	ANR
Toluene	ug/L	-/-	ANR	ANR	ANR	ANR
Xylenes (Total)	ug/L	-/-	ANR	ANR	ANR	ANR
1,1,1-Trichloroethane	ug/L	-/-	ANR	ANR	ANR	ANR
1,1,2-Trichloroethane	ug/L	-/-	ANR	ANR	ANR	ANR
Trichloroethene	ug/L	-/-	ANR	ANR	ANR	ANR
Trichlorofluoromethane	ug/L	-/-	ANR	ANR	ANR	ANR
Trichlorotrifluoroethane (Freon 113)	ug/L	-/-	ANR	ANR	ANR	ANR
Vinyl chloride	ug/L	-/-	ANR	ANR	ANR	ANR
TPH						
EFH (C13 - C22)	mg/L	0.1/-	ND < 0.094	*	ND < 0.095	*
DRO (C13 - C28)	mg/L	0.1/-	ANR	ANR	ANR	ANR
GRO (C4 - C12)	mg/L	0.1/-	ND < 0.025	*	ND < 0.025	*
TRPH	mg/L	0.1/-	ANR	ANR	ANR	ANR
ADDITIONAL ANALYTES						
2,4,5-Trichlorophenol	ug/L	-/-	ANR	ANR	ANR	ANR
1,1,2,2-Tetrachloroethane	ug/L	-/-	ANR	ANR	ANR	ANR
1,2,4-Trichlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
1,2,3-Trichloropropane	ug/L	-/-	ND < 0.40	U	ND < 0.40	U
1,2-Dibromoethane (EDB)	ug/L	50/-	ND < 0.40	U	ND < 0.40	U
1,2-Dichlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
1,2-Dichlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
1,2-Dichloropropane	ug/L	-/-	ANR	ANR	ANR	ANR
1,2-Diphenylhydrazine/Azobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
1,3-Dichlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
1,3-Dichlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
1,4-Dichlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
1,4-Dichlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR

OUTFALL 013 (Bravo Test Stand)

**ANNUAL 2008 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2008

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	1/5/2008		1/24/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
2,4,6-Trichlorophenol	ug/L	-/-	ANR	ANR	ANR	ANR
2,4-Dichlorophenol	ug/L	-/-	ANR	ANR	ANR	ANR
2,4-Dimethylphenol	ug/L	-/-	ANR	ANR	ANR	ANR
2,4-Dinitrophenol	ug/L	-/-	ANR	ANR	ANR	ANR
2,4-Dinitrotoluene	ug/L	-/-	ANR	ANR	ANR	ANR
2,6-Dinitrotoluene	ug/L	-/-	ANR	ANR	ANR	ANR
2-Chloroethylvinylether	ug/L	-/-	ANR	ANR	ANR	ANR
2-Chloronaphthalene	ug/L	-/-	ANR	ANR	ANR	ANR
2-Chlorophenol	ug/L	-/-	ANR	ANR	ANR	ANR
2-Methyl-4,6-dinitrophenol	ug/L	-/-	ANR	ANR	ANR	ANR
2-Methylnaphthalene	ug/L	-/-	ANR	ANR	ANR	ANR
2-Methylphenol	ug/L	-/-	ANR	ANR	ANR	ANR
2-Nitrophenol	ug/L	-/-	ANR	ANR	ANR	ANR
3,3'-Dichlorobenzidine	ug/L	-/-	ANR	ANR	ANR	ANR
4,4'-DDD	ug/L	-/-	ANR	ANR	ANR	ANR
4,4'-DDE	ug/L	-/-	ANR	ANR	ANR	ANR
4,4'-DDT	ug/L	-/-	ANR	ANR	ANR	ANR
4-Bromophenylphenylether	ug/L	-/-	ANR	ANR	ANR	ANR
4-Chloro-3-methylphenol	ug/L	-/-	ANR	ANR	ANR	ANR
4-Chloroaniline	ug/L	-/-	ANR	ANR	ANR	ANR
4-Chlorophenylphenylether	ug/L	-/-	ANR	ANR	ANR	ANR
4-Nitrophenol	ug/L	-/-	ANR	ANR	ANR	ANR
Acenaphthene	ug/L	-/-	ANR	ANR	ANR	ANR
Acenaphthylene	ug/L	-/-	ANR	ANR	ANR	ANR
Acrolein	ug/L	-/-	ANR	ANR	ANR	ANR
Acrylonitrile	ug/L	-/-	ANR	ANR	ANR	ANR
Acute Toxicity	% SURVIVAL	70-100/-	ANR	ANR	ANR	ANR
Aldrin	ug/L	-/-	ANR	ANR	ANR	ANR
alpha-BHC	ug/L	-/-	ANR	ANR	ANR	ANR
Aniline	ug/L	-/-	ANR	ANR	ANR	ANR
Anthracene	ug/L	-/-	ANR	ANR	ANR	ANR
Aroclor-1016	ug/L	-/-	ANR	ANR	ANR	ANR
Aroclor-1221	ug/L	-/-	ANR	ANR	ANR	ANR
Aroclor-1232	ug/L	-/-	ANR	ANR	ANR	ANR
Aroclor-1242	ug/L	-/-	ANR	ANR	ANR	ANR
Aroclor-1248	ug/L	-/-	ANR	ANR	ANR	ANR
Aroclor-1254	ug/L	-/-	ANR	ANR	ANR	ANR
Aroclor-1260	ug/L	-/-	ANR	ANR	ANR	ANR
Benzidine	ug/L	-/-	ANR	ANR	ANR	ANR
Benzo(a)anthracene	ug/L	-/-	ANR	ANR	ANR	ANR
Benzo(a)pyrene	ug/L	-/-	ANR	ANR	ANR	ANR
Benzo(b)fluoranthene	ug/L	-/-	ANR	ANR	ANR	ANR
Benzo(g,h,l)perylene	ug/L	-/-	ANR	ANR	ANR	ANR
Benzo(k)fluoranthene	ug/L	-/-	ANR	ANR	ANR	ANR
Benzoic acid	ug/L	-/-	ANR	ANR	ANR	ANR
Benzyl alcohol	ug/L	-/-	ANR	ANR	ANR	ANR

OUTFALL 013 (Bravo Test Stand)

**ANNUAL 2008 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2008

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	1/5/2008		1/24/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
beta-BHC	ug/L	-/-	ANR	ANR	ANR	ANR
bis (2-Chloroethyl) ether	ug/L	-/-	ANR	ANR	ANR	ANR
bis (2-ethylhexyl) Phthalate	ug/L	-/-	ANR	ANR	ANR	ANR
bis(2-Chloroethoxy) methane	ug/L	-/-	ANR	ANR	ANR	ANR
bis(2-Chloroisopropyl) ether	ug/L	-/-	ANR	ANR	ANR	ANR
Bromodichloromethane	ug/L	-/-	ANR	ANR	ANR	ANR
Bromoform	ug/L	-/-	ANR	ANR	ANR	ANR
Bromomethane	ug/L	-/-	ANR	ANR	ANR	ANR
Butylbenzylphthalate	ug/L	-/-	ANR	ANR	ANR	ANR
Chlordane	ug/L	-/-	ANR	ANR	ANR	ANR
Chlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
Chloroethane	ug/L	-/-	ANR	ANR	ANR	ANR
Chloromethane	ug/L	-/-	ANR	ANR	ANR	ANR
Chrysene	ug/L	-/-	ANR	ANR	ANR	ANR
cis-1,3-Dichloropropene	ug/L	-/-	ANR	ANR	ANR	ANR
delta-BHC	ug/L	-/-	ANR	ANR	ANR	ANR
Dibenzo(a,h)anthracene	ug/L	-/-	ANR	ANR	ANR	ANR
Dibenzofuran	ug/L	-/-	ANR	ANR	ANR	ANR
Dibromochloromethane	ug/L	-/-	ANR	ANR	ANR	ANR
Dieldrin	ug/L	-/-	ANR	ANR	ANR	ANR
Diethylphthalate	ug/L	-/-	ANR	ANR	ANR	ANR
Diisopropyl ether	ug/L	-/-	ND < 0.25	U	ND < 0.25	U
Dimethylphthalate	ug/L	-/-	ANR	ANR	ANR	ANR
Di-n-butylphthalate	ug/L	-/-	ANR	ANR	ANR	ANR
Di-n-octylphthalate	ug/L	-/-	ANR	ANR	ANR	ANR
Endosulfan I	ug/L	-/-	ANR	ANR	ANR	ANR
Endosulfan II	ug/L	-/-	ANR	ANR	ANR	ANR
Endosulfan sulfate	ug/L	-/-	ANR	ANR	ANR	ANR
Endrin	ug/L	-/-	ANR	ANR	ANR	ANR
Endrin aldehyde	ug/L	-/-	ANR	ANR	ANR	ANR
Endrin ketone	ug/L	-/-	ANR	ANR	ANR	ANR
Fluoranthene	ug/L	-/-	ANR	ANR	ANR	ANR
Fluorene	ug/L	-/-	ANR	ANR	ANR	ANR
Heptachlor	ug/L	-/-	ANR	ANR	ANR	ANR
Heptachlor epoxide	ug/L	-/-	ANR	ANR	ANR	ANR
Hexachlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
Hexachlorobutadiene	ug/L	-/-	ANR	ANR	ANR	ANR
Hexachlorocyclopentadiene	ug/L	-/-	ANR	ANR	ANR	ANR
Hexachloroethane	ug/L	-/-	ANR	ANR	ANR	ANR
Indeno(1,2,3-cd)pyrene	ug/L	-/-	ANR	ANR	ANR	ANR
Isophorone	ug/L	-/-	ANR	ANR	ANR	ANR
Lindane (gamma-BHC)	ug/L	-/-	ANR	ANR	ANR	ANR
Methoxychlor	ug/L	-/-	ANR	ANR	ANR	ANR
Methylene Chloride	ug/L	-/-	ANR	ANR	ANR	ANR
Methyl-tert-butyl ether	ug/L	-/-	ND < 0.32	U	ND < 0.32	U
m-Nitroaniline	ug/L	-/-	ANR	ANR	ANR	ANR

See attached notes for abbreviations, definitions and other explanations for the data presented.

OUTFALL 013 (Bravo Test Stand)

**ANNUAL 2008 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2008

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	1/5/2008		1/24/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
Monomethyl Hydrazine	ug/L	-/-	ANR	ANR	ANR	ANR
Naphthalene	ug/L	21/-	ND < 2.8	U	ND < 2.9	U
Nitrobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
n-Nitrosodimethylamine	ug/L	-/-	ND < 2.4	U	ND < 2.4	U
n-Nitroso-di-n-propylamine	ug/L	-/-	ANR	ANR	ANR	ANR
n-Nitrosodiphenylamine	ug/L	-/-	ANR	ANR	ANR	ANR
o-Nitroaniline	ug/L	-/-	ANR	ANR	ANR	ANR
p-Cresol	ug/L	-/-	ANR	ANR	ANR	ANR
Pentachlorophenol	ug/L	-/-	ANR	ANR	ANR	ANR
Phenanthrene	ug/L	-/-	ANR	ANR	ANR	ANR
Phenol	ug/L	-/-	ANR	ANR	ANR	ANR
p-Nitroaniline	ug/L	-/-	ANR	ANR	ANR	ANR
Pyrene	ug/L	-/-	ANR	ANR	ANR	ANR
tertiary Butyl Alcohol	ug/L	12/-	ND < 4.9	U	ND < 4.9	U
Toxaphene	ug/L	-/-	ANR	ANR	ANR	ANR
trans-1,2-Dichloroethene	ug/L	-/-	ANR	ANR	ANR	ANR
trans-1,3-Dichloropropene	ug/L	-/-	ANR	ANR	ANR	ANR

OUTFALL 013 (Bravo Test Stand)

**ANNUAL 2008 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2008

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	2/24/2008		12/15/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
Ammonia as Nitrogen (N)	mg/L	10.1/-	ND < 0.30	*	1.4	*
Biochemical Oxygen Demand (BOD 5 day)	mg/L	-/-	1.5	J (DNQ)	3.0	--
Chloride	mg/L	150/-	11	*	16	*
Fluoride	mg/L	1.6/-	0.12	*	0.17	B*
Nitrate + Nitrite as Nitrogen (N)	mg/L	8.0/-	0.72	*	2.1	*
Nitrate as Nitrogen (N)	mg/L	8.0/-	0.72	*	2.1	*
Nitrite-N	mg/L	1.0/-	ND < 0.090	*	ND < 0.090	*
Oil & Grease	mg/L	15/-	1.6	J* (DNQ)	3.3	B, J* (DNQ)
Perchlorate	ug/L	6.0/-	ND < 1.5	*	ND < 0.90	*
pH (Field)	pH units	6.5-8.5/-	7.3	*	7.8	*
Total Settleable Solids	ml/L	0.3/-	ANR	ANR	0.10	pH*
Total Settleable Solids	ml/L	0.3/-	ND < 0.10	*	ANR	ANR
Sulfate	mg/L	300/-	4.2	*	8.4	*
Temperature	deg. F	86/-	48	*	51	*
Total Cyanide	ug/L	-/-	ND < 0.0022	*	ANR	ANR
Total Dissolved Solids	mg/L	950/-	96	*	91	*
Hardness	mg/L	-/-	23	--	ANR	ANR
Hardness, dissolved	mg/L	-/-	23	--	ANR	ANR
Total Suspended Solids	mg/L	45/-	ND < 10	*	1.0	J* (DNQ)
Turbidity	NTU	-/-	3.0	--	0.67	J (DNQ)
Volume Discharged	MGD	-/-	NR	*	NR	*
METALS						
Antimony	ug/L	-/-	2.5	--	ANR	ANR
Antimony, dissolved	ug/L	-/-	2.4	--	ANR	ANR
Arsenic	ug/L	-/-	ND < 7.0	U	ANR	ANR
Arsenic, dissolved	ug/L	-/-	ND < 7.0	U	ANR	ANR
Beryllium	ug/L	-/-	ND < 0.90	U	ANR	ANR
Beryllium, dissolved	ug/L	-/-	ND < 0.90	U	ANR	ANR
Boron	mg/L	1.0/-	ND < 0.020	U	ND < 0.020	*
Boron, dissolved	mg/L	-/-	ND < 0.020	U	ND < 0.020	*
Cadmium	ug/L	3.1/-	1.9	--	2.5	*
Cadmium, dissolved	ug/L	-/-	1.6	--	ND < 0.11	*
Calcium	mg/L	-/-	7.7	--	ANR	ANR
Calcium, Dissolved	mg/L	-/-	7.7	--	ANR	ANR
Chromium	ug/L	-/-	ND < 2.0	U	ANR	ANR
Chromium, dissolved	ug/L	-/-	ND < 2.0	U	ANR	ANR
Copper	ug/L	13.5/-	2.8	--	4.9	*
Copper, dissolved	ug/L	-/-	1.6	J (DNQ)	1.3	B, J* (DNQ)
Lead	ug/L	5.2/-	1.7	--	2.2	*
Lead, dissolved	ug/L	-/-	0.50	J (DNQ)	ND < 0.30	*
Magnesium	mg/L	-/-	0.85	--	ANR	ANR
Magnesium, Dissolved	mg/L	-/-	0.88	--	ANR	ANR
Mercury	ug/L	0.10/-	ND < 0.050	U	ND < 0.027	UJ (Q)
Mercury, dissolved	ug/L	-/-	ND < 0.050	U	ND < 0.027	UJ (Q)
Nickel	ug/L	-/-	ND < 2.0	U	ANR	ANR

See attached notes for abbreviations, definitions and other explanations for the data presented.

OUTFALL 013 (Bravo Test Stand)

**ANNUAL 2008 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2008

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	2/24/2008		12/15/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
Nickel, dissolved	ug/L	-/-	ND < 2.0	U	ANR	ANR
Selenium	ug/L	-/-	ND < 0.30	U	ND < 0.30	*
Selenium, dissolved	ug/L	-/-	ND < 0.30	U	ND < 0.30	*
Silver	ug/L	-/-	ND < 0.30	U	ANR	ANR
Silver, dissolved	ug/L	-/-	ND < 0.30	U	ANR	ANR
Thallium	ug/L	-/-	ND < 0.20	U	ANR	ANR
Thallium, dissolved	ug/L	-/-	ND < 0.20	U	ANR	ANR
Zinc	ug/L	159/-	66	--	79	*
Zinc, dissolved	ug/L	-/-	64	--	3.8	B, J* (DNQ)
ORGANICS						
Benzene	ug/L	-/-	ND < 0.28	U	ANR	ANR
Carbon Tetrachloride	ug/L	-/-	ND < 0.28	U	ANR	ANR
Chloroform	ug/L	-/-	ND < 0.33	U	ANR	ANR
1,1-Dichloroethane	ug/L	-/-	ND < 0.27	U	ANR	ANR
1,2-Dichloroethane	ug/L	-/-	ND < 0.28	U	ANR	ANR
1,1-Dichloroethene	ug/L	-/-	ND < 0.42	U	ANR	ANR
1,4-Dioxane	ug/L	3/-	ND < 1.0	*	ND < 1.0	*
Ethylbenzene	ug/L	-/-	ND < 0.25	U	ANR	ANR
Tetrachloroethene	ug/L	-/-	ND < 0.32	U	ANR	ANR
Toluene	ug/L	-/-	ND < 0.36	U	ANR	ANR
Xylenes (Total)	ug/L	-/-	ND < 0.90	U	ANR	ANR
1,1,1-Trichloroethane	ug/L	-/-	ND < 0.30	U	ANR	ANR
1,1,2-Trichloroethane	ug/L	-/-	ND < 0.30	U	ANR	ANR
Trichloroethene	ug/L	-/-	ND < 0.26	U	ANR	ANR
Trichlorofluoromethane	ug/L	-/-	ND < 0.34	U	ANR	ANR
Trichlorotrifluoroethane (Freon 113)	ug/L	-/-	ND < 0.50	U	ANR	ANR
Vinyl chloride	ug/L	-/-	ND < 0.30	U	ANR	ANR
TPH						
EFH (C13 - C22)	mg/L	0.1/-	ND < 0.026	*	ANR	ANR
DRO (C13 - C28)	mg/L	0.1/-	ANR	ANR	0.055	J* (DNQ)
GRO (C4 - C12)	mg/L	0.1/-	ND < 0.030	*	ND < 0.030	*
TRPH	mg/L	0.1/-	ANR	ANR	ANR	ANR
ADDITIONAL ANALYTES						
2,4,5-Trichlorophenol	ug/L	-/-	ND < 2.9	*	ANR	ANR
1,1,1,2-Tetrachloroethane	ug/L	-/-	ND < 0.24	U	ANR	ANR
1,2,4-Trichlorobenzene	ug/L	-/-	ND < 2.4	*	ANR	ANR
1,2,3-Trichloropropane	ug/L	-/-	ND < 0.40	U	ND < 0.40	*
1,2-Dibromoethane (EDB)	ug/L	50/-	ND < 0.40	U	ND < 0.40	*
1,2-Dichlorobenzene	ug/L	-/-	ND < 2.9	*	ANR	ANR
1,2-Dichlorobenzene	ug/L	-/-	ND < 0.32	U	ANR	ANR
1,2-Dichloropropane	ug/L	-/-	ND < 0.35	U	ANR	ANR
1,2-Diphenylhydrazine/Azobenzene	ug/L	-/-	ND < 2.4	*	ANR	ANR
1,3-Dichlorobenzene	ug/L	-/-	ND < 0.35	U	ANR	ANR
1,3-Dichlorobenzene	ug/L	-/-	ND < 2.9	*	ANR	ANR
1,4-Dichlorobenzene	ug/L	-/-	ND < 2.4	*	ANR	ANR
1,4-Dichlorobenzene	ug/L	-/-	ND < 0.37	U	ANR	ANR

See attached notes for abbreviations, definitions and other explanations for the data presented.

OUTFALL 013 (Bravo Test Stand)

**ANNUAL 2008 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2008

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	2/24/2008		12/15/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
2,4,6-Trichlorophenol	ug/L	-/-	ND < 4.3	*	ANR	ANR
2,4-Dichlorophenol	ug/L	-/-	ND < 3.3	*	ANR	ANR
2,4-Dimethylphenol	ug/L	-/-	ND < 3.3	*	ANR	ANR
2,4-Dinitrophenol	ug/L	-/-	ND < 7.6	*	ANR	ANR
2,4-Dinitrotoluene	ug/L	-/-	ND < 3.3	*	ANR	ANR
2,6-Dinitrotoluene	ug/L	-/-	ND < 1.9	*	ANR	ANR
2-Chloroethylvinylether	ug/L	-/-	ND < 1.8	UJ (C)	ANR	ANR
2-Chloronaphthalene	ug/L	-/-	ND < 2.9	*	ANR	ANR
2-Chlorophenol	ug/L	-/-	ND < 2.9	*	ANR	ANR
2-Methyl-4,6-dinitrophenol	ug/L	-/-	ND < 3.8	*	ANR	ANR
2-Methylnaphthalene	ug/L	-/-	ND < 1.9	*	ANR	ANR
2-Methylphenol	ug/L	-/-	ND < 2.9	*	ANR	ANR
2-Nitrophenol	ug/L	-/-	ND < 3.3	*	ANR	ANR
3,3'-Dichlorobenzidine	ug/L	-/-	ND < 2.9	*	ANR	ANR
4,4'-DDD	ug/L	-/-	ND < 0.0019	*	ANR	ANR
4,4'-DDE	ug/L	-/-	ND < 0.0028	*	ANR	ANR
4,4'-DDT	ug/L	-/-	ND < 0.0038	*	ANR	ANR
4-Bromophenylphenylether	ug/L	-/-	ND < 2.9	*	ANR	ANR
4-Chloro-3-methylphenol	ug/L	-/-	ND < 2.4	*	ANR	ANR
4-Chloroaniline	ug/L	-/-	ND < 1.9	*	ANR	ANR
4-Chlorophenylphenylether	ug/L	-/-	ND < 2.4	*	ANR	ANR
4-Nitrophenol	ug/L	-/-	ND < 5.2	*	ANR	ANR
Acenaphthene	ug/L	-/-	ND < 2.9	*	ANR	ANR
Acenaphthylene	ug/L	-/-	ND < 2.9	*	ANR	ANR
Acrolein	ug/L	-/-	ND < 4.0	R (R)	ANR	ANR
Acrylonitrile	ug/L	-/-	ND < 0.70	U	ANR	ANR
Acute Toxicity	% SURVIVAL	70-100/-	100	*	ANR	ANR
Aldrin	ug/L	-/-	ND < 0.0014	*	ANR	ANR
alpha-BHC	ug/L	-/-	ND < 0.0024	*	ANR	ANR
Aniline	ug/L	-/-	ND < 2.4	*	ANR	ANR
Anthracene	ug/L	-/-	ND < 1.9	*	ANR	ANR
Aroclor-1016	ug/L	-/-	ND < 0.42	*	ANR	ANR
Aroclor-1221	ug/L	-/-	ND < 0.24	*	ANR	ANR
Aroclor-1232	ug/L	-/-	ND < 0.24	*	ANR	ANR
Aroclor-1242	ug/L	-/-	ND < 0.24	*	ANR	ANR
Aroclor-1248	ug/L	-/-	ND < 0.24	*	ANR	ANR
Aroclor-1254	ug/L	-/-	ND < 0.24	*	ANR	ANR
Aroclor-1260	ug/L	-/-	ND < 0.28	*	ANR	ANR
Benzidine	ug/L	-/-	ND < 8.1	L6*	ANR	ANR
Benzo(a)anthracene	ug/L	-/-	ND < 1.9	*	ANR	ANR
Benzo(a)pyrene	ug/L	-/-	ND < 1.9	*	ANR	ANR
Benzo(b)fluoranthene	ug/L	-/-	ND < 1.9	*	ANR	ANR
Benzo(g,h,i)perylene	ug/L	-/-	ND < 3.8	*	ANR	ANR
Benzo(k)fluoranthene	ug/L	-/-	ND < 2.4	*	ANR	ANR
Benzoic acid	ug/L	-/-	ND < 9.5	*	ANR	ANR
Benzyl alcohol	ug/L	-/-	ND < 2.4	*	ANR	ANR

OUTFALL 013 (Bravo Test Stand)

**ANNUAL 2008 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2008

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	2/24/2008		12/15/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
beta-BHC	ug/L	-/-	ND < 0.0038	*	ANR	ANR
bis (2-Chloroethyl) ether	ug/L	-/-	ND < 2.9	*	ANR	ANR
bis (2-ethylhexyl) Phthalate	ug/L	-/-	ND < 3.8	*	ANR	ANR
bis(2-Chloroethoxy) methane	ug/L	-/-	ND < 2.9	*	ANR	ANR
bis(2-Chloroisopropyl) ether	ug/L	-/-	ND < 2.4	*	ANR	ANR
Bromodichloromethane	ug/L	-/-	ND < 0.30	U	ANR	ANR
Bromoform	ug/L	-/-	ND < 0.40	U	ANR	ANR
Bromomethane	ug/L	-/-	ND < 0.42	U	ANR	ANR
Butylbenzylphthalate	ug/L	-/-	ND < 3.8	*	ANR	ANR
Chlordane	ug/L	-/-	ND < 0.028	*	ANR	ANR
Chlorobenzene	ug/L	-/-	ND < 0.36	U	ANR	ANR
Chloroethane	ug/L	-/-	ND < 0.40	U	ANR	ANR
Chloromethane	ug/L	-/-	ND < 0.40	U	ANR	ANR
Chrysene	ug/L	-/-	ND < 2.4	*	ANR	ANR
cis-1,3-Dichloropropene	ug/L	-/-	ND < 0.22	U	ANR	ANR
delta-BHC	ug/L	-/-	ND < 0.0033	*	ANR	ANR
Dibenzo(a,h)anthracene	ug/L	-/-	ND < 2.9	*	ANR	ANR
Dibenzofuran	ug/L	-/-	ND < 3.8	*	ANR	ANR
Dibromochloromethane	ug/L	-/-	ND < 0.28	U	ANR	ANR
Dieldrin	ug/L	-/-	ND < 0.0019	*	ANR	ANR
Diethylphthalate	ug/L	-/-	ND < 3.3	*	ANR	ANR
Diisopropyl ether	ug/L	-/-	ND < 0.25	U	ND < 0.25	*
Dimethylphthalate	ug/L	-/-	ND < 1.9	*	ANR	ANR
Di-n-butylphthalate	ug/L	-/-	ND < 2.9	*	ANR	ANR
Di-n-octylphthalate	ug/L	-/-	ND < 3.3	*	ANR	ANR
Endosulfan I	ug/L	-/-	ND < 0.0019	*	ANR	ANR
Endosulfan II	ug/L	-/-	ND < 0.0028	*	ANR	ANR
Endosulfan sulfate	ug/L	-/-	ND < 0.0028	*	ANR	ANR
Endrin	ug/L	-/-	ND < 0.0019	*	ANR	ANR
Endrin aldehyde	ug/L	-/-	ND < 0.0019	*	ANR	ANR
Endrin ketone	ug/L	-/-	ND < 0.0028	*	ANR	ANR
Fluoranthene	ug/L	-/-	ND < 2.9	*	ANR	ANR
Fluorene	ug/L	-/-	ND < 2.9	*	ANR	ANR
Heptachlor	ug/L	-/-	ND < 0.0028	*	ANR	ANR
Heptachlor epoxide	ug/L	-/-	ND < 0.0024	*	ANR	ANR
Hexachlorobenzene	ug/L	-/-	ND < 2.9	*	ANR	ANR
Hexachlorobutadiene	ug/L	-/-	ND < 3.8	*	ANR	ANR
Hexachlorocyclopentadiene	ug/L	-/-	ND < 4.8	*	ANR	ANR
Hexachloroethane	ug/L	-/-	ND < 3.3	*	ANR	ANR
Indeno(1,2,3-cd)pyrene	ug/L	-/-	ND < 3.3	*	ANR	ANR
Isophorone	ug/L	-/-	ND < 2.4	*	ANR	ANR
Lindane (gamma-BHC)	ug/L	-/-	ND < 0.0028	*	ANR	ANR
Methoxychlor	ug/L	-/-	ND < 0.0033	*	ANR	ANR
Methylene Chloride	ug/L	-/-	ND < 0.95	UJ (T)	ANR	ANR
Methyl-tert-butyl ether	ug/L	-/-	ND < 0.32	U	ND < 0.32	*
m-Nitroaniline	ug/L	-/-	ND < 2.9	*	ANR	ANR

See attached notes for abbreviations, definitions and other explanations for the data presented.

OUTFALL 013 (Bravo Test Stand)

**ANNUAL 2008 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2008

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	2/24/2008		12/15/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
Monomethyl Hydrazine	ug/L	-/-	ANR	ANR	ANR	ANR
Naphthalene	ug/L	21/-	ND < 2.9	*	ND < 2.9	*
Nitrobenzene	ug/L	-/-	ND < 2.4	*	ANR	ANR
n-Nitrosodimethylamine	ug/L	-/-	ND < 2.4	*	ND < 2.4	*
n-Nitroso-di-n-propylamine	ug/L	-/-	ND < 3.3	*	ANR	ANR
n-Nitrosodiphenylamine	ug/L	-/-	ND < 1.9	*	ANR	ANR
o-Nitroaniline	ug/L	-/-	ND < 1.9	*	ANR	ANR
p-Cresol	ug/L	-/-	ND < 2.9	*	ANR	ANR
Pentachlorophenol	ug/L	-/-	ND < 3.3	*	ANR	ANR
Phenanthrene	ug/L	-/-	ND < 3.3	*	ANR	ANR
Phenol	ug/L	-/-	ND < 1.9	*	ANR	ANR
p-Nitroaniline	ug/L	-/-	ND < 3.8	*	ANR	ANR
Pyrene	ug/L	-/-	ND < 3.8	*	ANR	ANR
tertiary Butyl Alcohol	ug/L	12/-	ND < 4.9	U	ND < 6.5	*
Toxaphene	ug/L	-/-	ND < 0.066	*	ANR	ANR
trans-1,2-Dichloroethene	ug/L	-/-	ND < 0.27	U	ANR	ANR
trans-1,3-Dichloropropene	ug/L	-/-	ND < 0.32	U	ANR	ANR

OUTFALL 013 (Bravo Test Stand)

**ANNUAL 2008 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

Sample Date January 5, 2008

ANALYTE	LAB LOD (ug/L)	LAB RL (ug/L)	LAB RESULT (ug/L)	VALIDATION QUALIFIER	1998 WHO TEF	TCDD Equivalent (w/DNQ Values) (ug/L)	TCDD Equivalent (w/out DNQ Values) (ug/L)
1,2,3,4,6,7,8-HpCDD	0.00E+00	2.50E-05	6.23E-06	J (DNQ)	0.01	6.23E-08	ND
1,2,3,4,6,7,8-HpCDF	0.00E+00	3.11E-06	ND	UJ (*III)	0.01	ND	ND
1,2,3,4,7,8,9-HpCDF	1.67E-06	2.50E-05	ND	U	0.01	ND	ND
1,2,3,4,7,8-HxCDD	2.34E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,4,7,8-HxCDF	1.09E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,6,7,8-HxCDD	2.51E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,6,7,8-HxCDF	1.17E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,7,8,9-HxCDD	2.33E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,7,8,9-HxCDF	1.60E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,7,8-PeCDD	2.12E-06	2.50E-05	ND	U	1	ND	ND
1,2,3,7,8-PeCDF	2.81E-06	2.50E-05	ND	U	0.05	ND	ND
2,3,4,6,7,8-HxCDF	1.20E-06	2.50E-05	ND	U	0.1	ND	ND
2,3,4,7,8-PeCDF	2.75E-06	2.50E-05	ND	U	0.5	ND	ND
2,3,7,8-TCDD	1.12E-06	5.00E-06	ND	U	1	ND	ND
2,3,7,8-TCDF	0.00E+00	1.64E-06	ND	UJ (*III)	0.1	ND	ND
OCDD	0.00E+00	5.00E-05	4.73E-05	J (DNQ)	0.0001	4.73E-09	ND
OCDF	0.00E+00	5.00E-05	4.57E-06	J (DNQ)	0.0001	4.57E-10	ND

TCDD TEQ w/ DNQ Values	6.75E-08	
TCDD TEQ w/out DNQ Values		ND

Dioxin TCDD TEQ benchmark limit established for this outfall?

Yes

TCDD TEQ BENCHMARK LIMIT = 2.80E-08

See attached notes for abbreviations, definitions, and other explanations for the data presented in this table.

OUTFALL 013 (Bravo Test Stand)

**ANNUAL 2008 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

Sample Date January 24, 2008

ANALYTE	LAB LOD (ug/L)	LAB RL (ug/L)	LAB RESULT (ug/L)	VALIDATION QUALIFIER	1998 WHO TEF	TCDD Equivalent (w/DNQ Values) (ug/L)	TCDD Equivalent (w/out DNQ Values) (ug/L)
1,2,3,4,6,7,8-HpCDD	3.14E-06	2.50E-05	ND	U	0.01	ND	ND
1,2,3,4,6,7,8-HpCDF	2.87E-06	2.50E-05	ND	U	0.01	ND	ND
1,2,3,4,7,8,9-HpCDF	9.72E-07	2.50E-05	ND	U	0.01	ND	ND
1,2,3,4,7,8-HxCDD	2.55E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,4,7,8-HxCDF	1.56E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,6,7,8-HxCDD	2.60E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,6,7,8-HxCDF	1.06E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,7,8,9-HxCDD	2.47E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,7,8,9-HxCDF	7.96E-07	2.50E-05	ND	U	0.1	ND	ND
1,2,3,7,8-PeCDD	1.19E-06	2.50E-05	ND	U	1	ND	ND
1,2,3,7,8-PeCDF	1.44E-06	2.50E-05	ND	U	0.05	ND	ND
2,3,4,6,7,8-HxCDF	1.23E-06	2.50E-05	ND	U	0.1	ND	ND
2,3,4,7,8-PeCDF	1.49E-06	2.50E-05	ND	U	0.5	ND	ND
2,3,7,8-TCDD	9.32E-07	5.00E-06	ND	U	1	ND	ND
2,3,7,8-TCDF	1.32E-06	5.00E-06	ND	U	0.1	ND	ND
OCDD	0.00E+00	5.00E-05	1.40E-05	J (DNQ)	0.0001	1.40E-09	ND
OCDF	6.18E-06	5.00E-05	ND	U	0.0001	ND	ND

TCDD TEQ w/ DNQ Values	1.40E-09	
TCDD TEQ w/out DNQ Values		ND

Dioxin TCDD TEQ benchmark limit established for this outfall?

Yes

TCDD TEQ BENCHMARK LIMIT = 2.80E-08

See attached notes for abbreviations, definitions, and other explanations for the data presented in this table.

OUTFALL 013 (Bravo Test Stand)

**ANNUAL 2008 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

Sample Date February 24, 2008

ANALYTE	LAB LOD (ug/L)	LAB RL (ug/L)	LAB RESULT (ug/L)	VALIDATION QUALIFIER	1998 WHO TEF	TCDD Equivalent (w/DNQ Values) (ug/L)	TCDD Equivalent (w/out DNQ Values) (ug/L)
1,2,3,4,6,7,8-HpCDD	0.00E+00	2.50E-05	2.06E-06	J (DNQ)	0.01	2.06E-08	ND
1,2,3,4,6,7,8-HpCDF	1.14E-06	2.50E-05	ND	U	0.01	ND	ND
1,2,3,4,7,8,9-HpCDF	1.17E-06	2.50E-05	ND	U	0.01	ND	ND
1,2,3,4,7,8-HxCDD	2.17E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,4,7,8-HxCDF	8.54E-07	2.50E-05	ND	U	0.1	ND	ND
1,2,3,6,7,8-HxCDD	2.09E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,6,7,8-HxCDF	8.59E-07	2.50E-05	ND	U	0.1	ND	ND
1,2,3,7,8,9-HxCDD	2.04E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,7,8,9-HxCDF	1.18E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,7,8-PeCDD	1.21E-06	2.50E-05	ND	U	1	ND	ND
1,2,3,7,8-PeCDF	8.94E-07	2.50E-05	ND	U	0.05	ND	ND
2,3,4,6,7,8-HxCDF	9.19E-07	2.50E-05	ND	U	0.1	ND	ND
2,3,4,7,8-PeCDF	8.43E-07	2.50E-05	ND	U	0.5	ND	ND
2,3,7,8-TCDD	7.74E-07	5.00E-06	ND	U	1	ND	ND
2,3,7,8-TCDF	9.44E-07	5.00E-06	ND	U	0.1	ND	ND
OCDD	0.00E+00	5.00E-05	1.01E-05	J (DNQ)	0.0001	1.01E-09	ND
OCDF	3.26E-06	5.00E-05	ND	U	0.0001	ND	ND

TCDD TEQ w/ DNQ Values	2.16E-08	
TCDD TEQ w/out DNQ Values		ND

Dioxin TCDD TEQ benchmark limit established for this outfall?

Yes

TCDD TEQ BENCHMARK LIMIT = 2.80E-08

See attached notes for abbreviations, definitions, and other explanations for the data presented in this table.

OUTFALL 013 (Bravo Test Stand)

**ANNUAL 2008 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

Sample Date December 15, 2008

ANALYTE	LAB LOD (ug/L)	LAB RL (ug/L)	LAB RESULT (ug/L)	VALIDATION QUALIFIER	1998 WHO TEF	TCDD Equivalent (w/DNQ Values) (ug/L)	TCDD Equivalent (w/out DNQ Values) (ug/L)
1,2,3,4,6,7,8-HpCDD	7.06E-06	2.50E-05	ND	U	0.01	ND	ND
1,2,3,4,6,7,8-HpCDF	2.04E-06	2.50E-05	ND	U	0.01	ND	ND
1,2,3,4,7,8,9-HpCDF	2.83E-06	2.50E-05	ND	U	0.01	ND	ND
1,2,3,4,7,8-HxCDD	4.04E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,4,7,8-HxCDF	1.38E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,6,7,8-HxCDD	3.91E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,6,7,8-HxCDF	1.42E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,7,8,9-HxCDD	3.70E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,7,8,9-HxCDF	2.69E-06	2.50E-05	ND	U	0.1	ND	ND
1,2,3,7,8-PeCDD	2.49E-06	2.50E-05	ND	U	1	ND	ND
1,2,3,7,8-PeCDF	2.04E-06	2.50E-05	ND	U	0.05	ND	ND
2,3,4,6,7,8-HxCDF	1.74E-06	2.50E-05	ND	U	0.1	ND	ND
2,3,4,7,8-PeCDF	2.23E-06	2.50E-05	ND	U	0.5	ND	ND
2,3,7,8-TCDD	8.37E-07	5.00E-06	ND	U	1	ND	ND
2,3,7,8-TCDF	7.35E-07	5.00E-06	ND	U	0.1	ND	ND
OCDD	0.00E+00	5.00E-05	3.14E-05	J (DNQ)	0.0001	3.14E-09	ND
OCDF	7.49E-06	5.00E-05	ND	U	0.0001	ND	ND

TCDD TEQ w/ DNQ Values	3.14E-09	
TCDD TEQ w/out DNQ Values		ND


Dioxin TCDD TEQ compliance limit established for this outfall?

Yes


TCDD TEQ BENCHMARK LIMIT = 2.80E-08

See attached notes for abbreviations, definitions, and other explanations for the data presented in this table.


2008: Outfall 013 BORON




2008: Outfall 013 CADMIUM




2008: Outfall 013 COPPER




2008: Outfall 013 LEAD




2008: Outfall 013 MERCURY




2008: Outfall 013 ZINC




2008: Outfall 013 ACUTE TOXICITY




2008: Outfall 013 AMMONIA AS NITROGEN (N)




2008: Outfall 013 CHLORIDE




2008: Outfall 013 FLUORIDE




2008: Outfall 013 NITRATE + NITRITE AS NITROGEN (N)




2008: Outfall 013 NITRATE AS NITROGEN (N)




2008: Outfall 013 NITRITE-N




2008: Outfall 013 OIL & GREASE




2008: Outfall 013 PERCHLORATE




2008: Outfall 013 PH (FIELD)




2008: Outfall 013 SULFATE




2008: Outfall 013 TEMPERATURE




2008: Outfall 013 TOTAL DISSOLVED SOLIDS




2008: Outfall 013 TOTAL SETTLEABLE SOLIDS




2008: Outfall 013 TOTAL SUSPENDED SOLIDS




2008: Outfall 013 NAPHTHALENE




2008: Outfall 013 DRO (C13 - C28)




2008: Outfall 013 DRO (C13-C22)




2008: Outfall 013 EFH (C13 - C22)




2008: Outfall 013 GRO (C4 - C12)




2008: Outfall 013 1,2-DIBROMOETHANE (EDB)




2008: Outfall 013 1,4-DIOXANE



2008: Outfall 013 TERTIARY BUTYL ALCOHOL



2008: Outfall 013 TCDD



Note: Only TCDD TEQ Without DNQs (△) are used for compliance purposes and if greater than the daily max value, are a permit limit exceedance. TCDD TEQ With DNQ values are shown for information purposes only.