

SECTION 5

OUTFALL 018 (R-2A POND)
ANNUAL 2012 REPORTING SUMMARY

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	04/10-11/2012		
			SAMPLE TYPE	RESULT	VALIDATION QUALIFIER
Ammonia as Nitrogen (N)	mg/L	10.1/-	Comp	0.280	J,DX* (DNQ)
Biochemical Oxygen Demand (BOD 5 day)	mg/L	30/-	Comp	ND < 0.50	*
Chloride	mg/L	150/-	Comp	25	*
Dissolved Oxygen	mg	-/-	Grab	9.35	*
E. Coli	MPN/100mL	-/-	Grab	ND < 2.0	*
Fecal Coliform	MPN/100mL	-/-	Grab	ND < 2.0	*
Human Bacteroides	Ces/100 mL	-/-	Grab	ND	*
Specific Conductivity (Lab)	umhos/cm	-/-	Grab	600	--
Surfactants (MBAS)	mg/L	0.5/-	Comp	ND < 0.050	*
Fluoride	mg/L	1.6/-	Comp	0.11	*
Nitrate + Nitrite as Nitrogen (N)	mg/L	8/-	Comp	1.1	*
Nitrate as Nitrogen (N)	mg/L	8/-	Comp	1.1	*
Nitrite as Nitrogen (N)	mg/L	1/-	Comp	ND < 0.11	*
Oil & Grease	mg/L	15/-	Grab	ND < 1.3	*
Perchlorate	ug/L	6.0/-	Comp	ND < 0.95	U
pH (Field)	pH units	6.5-8.5/-	Grab	7.2	*
Total Settleable Solids	ml/L	0.3/-	Grab	ND < 0.10	*
Sulfate	mg/L	300/-	Comp	150	*
Temperature	deg. F	86/-	Grab	68	*
Total Cyanide	ug/L	8.5/-	Comp	ND < 3.0	*
Total Dissolved Solids	mg/L	950/-	Comp	310	*
Hardness	mg/L	-/-	Comp	100	--
Hardness, dissolved	mg/L	-/-	Comp	97	--
Total Organic Carbon	mg/L	-/-	Comp	7.4	--
Total Residual Chlorine (Field)	mg/L	0.1/-	Grab	0.0	*
Total Suspended Solids	mg/L	45/-	Comp	ND < 10	*
Turbidity	NTU	-/-	Comp	1.8	J (C)
Volume Discharged	MGD	160/-	MEAS	0.55509	*
METALS					
Antimony	ug/L	6.0/-	Comp	ND < 0.30	U
Antimony, dissolved	ug/L	-/-	Comp	0.43	J (DNQ)
Arsenic	ug/L	10/-	Comp	ND < 10	U (\$)
Arsenic, dissolved	ug/L	-/-	Comp	ND < 7.0	U
Barium	mg/L	1.0/-	Comp	0.021	--
Barium, dissolved	mg/L	-/-	Comp	0.018	--
Beryllium	ug/L	4.0/-	Comp	ND < 0.90	U
Beryllium, dissolved	ug/L	-/-	Comp	ND < 0.90	U
Boron	mg/L	-/-	Comp	ND < 0.22	U (B)
Boron, dissolved	mg/L	-/-	Comp	0.20	--
Cadmium	ug/L	3.1/-	Comp	ND < 0.10	U
Cadmium, dissolved	ug/L	-/-	Comp	ND < 0.10	U
Calcium	mg/L	-/-	Comp	28	--
Calcium, Dissolved	mg/L	-/-	Comp	27	--
Chromium	ug/L	16/-	Comp	ND < 2.0	U
Chromium, dissolved	ug/L	-/-	Comp	ND < 2.0	U
Chromium VI	ug/L	16/-	Comp	ND < 0.25	*
Cobalt	ug/L	-/-	Comp	0.10	J (DNQ)
Cobalt, dissolved	ug/L	-/-	Comp	0.16	J (DNQ)
Copper	ug/L	14/-	Comp	0.85	J (DNQ)
Copper, dissolved	ug/L	-/-	Comp	0.81	J (DNQ)

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	04/10-11/2012		
			SAMPLE TYPE	RESULT	VALIDATION QUALIFIER
Iron	mg/L	0.3/-	Comp	0.086	--
Iron, dissolved	mg/L	-/-	Comp	ND < 0.015	U
Lead	ug/L	5.2/-	Comp	ND < 0.20	U
Lead, dissolved	ug/L	-/-	Comp	ND < 0.20	U
Magnesium	mg/L	-/-	Comp	7.9	--
Magnesium, Dissolved	mg/L	-/-	Comp	7.3	--
Manganese	ug/L	50/-	Comp	18	J (DNQ)
Manganese, dissolved	ug/L	-/-	Comp	9.7	J (DNQ)
Mercury	ug/L	0.10/-	Comp	ND < 0.10	U
Mercury, dissolved	ug/L	-/-	Comp	ND < 0.10	U
Nickel	ug/L	96/-	Comp	2.2	J (DNQ)
Nickel, dissolved	ug/L	-/-	Comp	ND < 2.0	U
Selenium	ug/L	8.2/-	Comp	ND < 0.50	U
Selenium, dissolved	ug/L	-/-	Comp	ND < 0.50	U
Silver	ug/L	4.1/-	Comp	ND < 6.0	U
Silver, dissolved	ug/L	-/-	Comp	ND < 6.0	U
Thallium	ug/L	2.0/-	Comp	ND < 0.20	U
Thallium, dissolved	ug/L	-/-	Comp	0.24	J (DNQ)
Vanadium	ug/L	-/-	Comp	ND < 3.0	U
Vanadium, dissolved	ug/L	-/-	Comp	ND < 3.0	U
Zinc	ug/L	119/-	Comp	ND < 6.0	U
Zinc, Dissolved	ug/L	-/-	Comp	ND < 6.0	U
ORGANICS					
Benzene	ug/L	-/-	Grab	ND < 0.28	*
Carbon Tetrachloride	ug/L	-/-	Grab	ND < 0.28	*
Chloroform	ug/L	-/-	Grab	ND < 0.33	*
1,1-Dichloroethane	ug/L	-/-	Grab	ND < 0.40	*
1,2-Dichloroethane	ug/L	0.5/-	Grab	ND < 0.28	*
1,1-Dichloroethene	ug/L	6.0/-	Grab	ND < 0.42	*
1,4-Dioxane	ug/L	-/-	Comp	ND < 1.0	*
Ethylbenzene	ug/L	-/-	Grab	ND < 0.25	*
Tetrachloroethene	ug/L	-/-	Grab	ND < 0.32	*
Toluene	ug/L	-/-	Grab	ND < 0.36	*
Xylenes (Total)	ug/L	-/-	Grab	ND < 0.90	*
1,1,1-Trichloroethane	ug/L	-/-	Grab	ND < 0.30	*
1,1,2-Trichloroethane	ug/L	-/-	Grab	ND < 0.30	*
Trichloroethene	ug/L	5.0/-	Grab	ND < 0.26	*
Trichlorofluoromethane	ug/L	-/-	Grab	ND < 0.34	*
Trichlorotrifluoroethane (Freon 113)	ug/L	-/-	Grab	ND < 0.50	*
Vinyl Chloride	ug/L	-/-	Grab	ND < 0.40	*
TPH					
DRO (C13 - C28)	mg/L	-/-	Grab	ND < 0.094	U
GRO (C4 - C12)	mg/L	-/-	Grab	0.035	J (DNQ, *II)
ADDITIONAL ANALYTES					
1,2-Dichloro-1,1,2-trifluoroethane	ug/L	-/-	Grab	ND < 1.1	*
1,1,2,2-Tetrachloroethane	ug/L	-/-	Grab	ND < 0.30	*
1,2,4-Trichlorobenzene	ug/L	-/-	Comp	ND < 0.0943	U
1,2,3-Trichloropropane	ug/L	-/-	ANR	ANR	ANR
1,2-Dibromoethane (EDB)	ug/L	-/-	ANR	ANR	ANR
1,2-Dichlorobenzene	ug/L	-/-	Grab	ND < 0.32	*

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	04/10-11/2012		
			SAMPLE TYPE	RESULT	VALIDATION QUALIFIER
1,2-Dichlorobenzene	ug/L	-/-	Comp	ND < 0.0943	U
1,2-Dichloropropane	ug/L	-/-	Grab	ND < 0.35	*
1,2-Diphenylhydrazine/Azobenzene	ug/L	-/-	Comp	ND < 0.189	U
1,3-Dichlorobenzene	ug/L	-/-	Comp	ND < 0.0943	U
1,3-Dichlorobenzene	ug/L	-/-	Grab	ND < 0.35	*
1,4-Dichlorobenzene	ug/L	-/-	Comp	ND < 0.189	U
1,4-Dichlorobenzene	ug/L	-/-	Grab	ND < 0.37	*
2,4,6-Trichlorophenol	ug/L	13/-	Comp	ND < 0.0943	U
2,4-Dichlorophenol	ug/L	-/-	Comp	ND < 0.189	U
2,4-Dimethylphenol	ug/L	-/-	Comp	ND < 0.283	U
2,4-Dinitrophenol	ug/L	-/-	Comp	ND < 0.849	U
2,4-Dinitrotoluene	ug/L	18/-	Comp	ND < 0.189	U
2,6-Dinitrotoluene	ug/L	-/-	Comp	ND < 0.0943	U
2-Butanol	ug/L	-/-	ANR	ANR	ANR
2-Chloroethylvinylether	ug/L	-/-	Grab	ND < 1.8	*
2-Chloronaphthalene	ug/L	-/-	Comp	ND < 0.0943	U
2-Chlorophenol	ug/L	-/-	Comp	ND < 0.189	U
2-Methyl-4,6-dinitrophenol	ug/L	-/-	Comp	ND < 0.283	U
2-Methylnaphthalene	ug/L	-/-	Comp	ND < 0.189	U
2-Methylphenol	ug/L	-/-	Comp	ND < 0.0943	U
2-Nitrophenol	ug/L	-/-	Comp	ND < 0.0943	U
3,3'-Dichlorobenzidine	ug/L	-/-	Comp	ND < 0.472	U
4,4'-DDD	ug/L	-/-	Comp	ND < 0.0038	*
4,4'-DDE	ug/L	-/-	Comp	ND < 0.0029	*
4,4'-DDT	ug/L	-/-	Comp	ND < 0.0038	*
4-Bromophenylphenylether	ug/L	-/-	Comp	ND < 0.189	U
4-Chloro-3-methylphenol	ug/L	-/-	Comp	ND < 0.189	U
4-Chloroaniline	ug/L	-/-	Comp	ND < 0.283	U
4-Chlorophenylphenylether	ug/L	-/-	Comp	ND < 0.189	U
4-Nitrophenol	ug/L	-/-	Comp	ND < 2.36	UJ (C)
Acenaphthene	ug/L	-/-	Comp	ND < 0.189	U
Acenaphthylene	ug/L	-/-	Comp	ND < 0.189	U
Acrolein	ug/L	-/-	Grab	ND < 4.0	*
Acrylonitrile	ug/L	-/-	Grab	ND < 1.2	*
Acute Toxicity	% SURVIVAL	70-100/-	Comp	100	*
Aldrin	ug/L	-/-	Comp	ND < 0.0014	*
alpha-BHC	ug/L	0.03/-	Comp	ND < 0.0024	*
Aniline	ug/L	-/-	Comp	ND < 0.283	U
Anthracene	ug/L	-/-	Comp	ND < 0.0943	U
Aroclor-1016	ug/L	-/-	Comp	ND < 0.24	*
Aroclor-1221	ug/L	-/-	Comp	ND < 0.24	*
Aroclor-1232	ug/L	-/-	Comp	ND < 0.24	*
Aroclor-1242	ug/L	-/-	Comp	ND < 0.24	*
Aroclor-1248	ug/L	-/-	Comp	ND < 0.24	*
Aroclor-1254	ug/L	-/-	Comp	ND < 0.24	*
Aroclor-1260	ug/L	-/-	Comp	ND < 0.24	*
Benzidine	ug/L	-/-	Comp	ND < 0.943	UJ (C, L)
Benzo(a)anthracene	ug/L	-/-	Comp	ND < 0.0943	U
Benzo(a)pyrene	ug/L	-/-	Comp	ND < 0.0943	U
Benzo(b)fluoranthene	ug/L	-/-	Comp	ND < 0.0943	U

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	04/10-11/2012		
			SAMPLE TYPE	RESULT	VALIDATION QUALIFIER
Benzo(g,h,i)perylene	ug/L	-/-	Comp	ND < 0.0943	U
Benzo(k)fluoranthene	ug/L	-/-	Comp	ND < 0.189	U
Benzoic acid	ug/L	-/-	Comp	ND < 2.83	U
Benzyl alcohol	ug/L	-/-	Comp	ND < 0.0943	U
beta-BHC	ug/L	-/-	Comp	ND < 0.0038	*
bis (2-Chloroethyl) ether	ug/L	-/-	Comp	ND < 0.0943	U
bis (2-ethylhexyl) Phthalate	ug/L	4.0/-	Comp	ND < 1.60	U
bis(2-Chloroethoxy) methane	ug/L	-/-	Comp	ND < 0.0943	U
bis(2-Chloroisopropyl) ether	ug/L	-/-	Comp	ND < 0.0943	U
Bromodichloromethane	ug/L	-/-	Grab	ND < 0.30	*
Bromoform	ug/L	-/-	Grab	ND < 0.40	*
Bromomethane	ug/L	-/-	Grab	ND < 0.42	*
Butylbenzylphthalate	ug/L	-/-	Comp	ND < 0.660	U
Chlordane	ug/L	-/-	Comp	ND < 0.0076	*
Chlorobenzene	ug/L	-/-	Grab	ND < 0.36	*
Chloroethane	ug/L	-/-	Grab	ND < 0.40	*
Chloromethane	ug/L	-/-	Grab	ND < 0.40	*
Chronic Toxicity	TUC	1.0/-	Comp	1.0	*
Chrysene	ug/L	-/-	Comp	ND < 0.0943	U
cis-1,2-Dichloroethene	ug/L	-/-	Grab	ND < 0.32	*
cis-1,3-Dichloropropene	ug/L	-/-	Grab	ND < 0.22	*
Cyclohexane	ug/L	-/-	Grab	ND < 0.40	*
delta-BHC	ug/L	-/-	Comp	ND < 0.0033	*
Dibenzo(a,h)anthracene	ug/L	-/-	Comp	ND < 0.0943	U
Dibenzofuran	ug/L	-/-	Comp	ND < 0.0943	U
Dibromochloromethane	ug/L	-/-	Grab	ND < 0.40	*
Dieldrin	ug/L	-/-	Comp	ND < 0.0019	*
Diethylphthalate	ug/L	-/-	Comp	0.195	J (DNQ)
Diisopropyl ether	ug/L	-/-	ANR	ANR	ANR
Dimethylphthalate	ug/L	-/-	Comp	ND < 0.189	U
Di-n-butylphthalate	ug/L	-/-	Comp	ND < 0.283	U
Di-n-octylphthalate	ug/L	-/-	Comp	ND < 0.189	U
Endosulfan I	ug/L	-/-	Comp	ND < 0.0029	*
Endosulfan II	ug/L	-/-	Comp	ND < 0.0019	*
Endosulfan sulfate	ug/L	-/-	Comp	ND < 0.0029	*
Endrin	ug/L	-/-	Comp	ND < 0.0019	*
Endrin aldehyde	ug/L	-/-	Comp	ND < 0.0019	*
Ethyl tert-Butyl Ether (ETBE)	ug/L	-/-	ANR	ANR	ANR
Fluoranthene	ug/L	-/-	Comp	ND < 0.0943	U
Fluorene	ug/L	-/-	Comp	ND < 0.0943	U
Heptachlor	ug/L	-/-	Comp	ND < 0.0029	*
Heptachlor epoxide	ug/L	-/-	Comp	ND < 0.0024	*
Hexachlorobenzene	ug/L	-/-	Comp	ND < 0.0943	U
Hexachlorobutadiene	ug/L	-/-	Comp	ND < 0.189	U
Hexachlorocyclopentadiene	ug/L	-/-	Comp	ND < 0.0943	UJ (C)
Hexachloroethane	ug/L	-/-	Comp	ND < 0.189	U
Hydrazine	ug/L	-/-	Comp	ND < 0.439	*
Unsymmetrical Dimethyl Hydrazine	ug/L	-/-	Comp	ND < 1.13	*
Indeno(1,2,3-cd)pyrene	ug/L	-/-	Comp	ND < 0.0943	U
Isophorone	ug/L	-/-	Comp	ND < 0.0943	U

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	04/10-11/2012		
			SAMPLE TYPE	RESULT	VALIDATION QUALIFIER
Lindane (gamma-BHC)	ug/L	-/-	Comp	ND < 0.0029	*
Methylene Chloride	ug/L	-/-	Grab	ND < 0.95	*
Methyl-tert-butyl ether	ug/L	-/-	ANR	ANR	ANR
m-Nitroaniline	ug/L	-/-	Comp	ND < 0.943	U
Monomethyl Hydrazine	ug/L	-/-	Comp	ND < 1.77	*
Naphthalene	ug/L	-/-	Comp	ND < 0.0943	U
Naphthalene	ug/L	-/-	ANR	ANR	ANR
Nitrobenzene	ug/L	-/-	Comp	ND < 0.0943	U
n-Nitrosodimethylamine	ug/L	16/-	Comp	ND < 0.0943	UJ (*III)
n-Nitroso-di-n-propylamine	ug/L	-/-	Comp	ND < 0.0943	UJ (C)
n-Nitrosodiphenylamine	ug/L	-/-	Comp	ND < 0.0943	U
o-Nitroaniline	ug/L	-/-	Comp	ND < 0.0943	UJ (C)
p-Cresol	ug/L	-/-	Comp	ND < 0.189	U
Pentachlorophenol	ug/L	16.5/-	Comp	ND < 0.377	U
Phenanthrene	ug/L	-/-	Comp	ND < 0.0943	U
Phenol	ug/L	-/-	Comp	ND < 0.283	U
p-Nitroaniline	ug/L	-/-	Comp	ND < 0.472	U
Pyrene	ug/L	-/-	Comp	ND < 0.0943	U
tert-Amyl Methyl Ether (TAME)	ug/L	-/-	ANR	ANR	ANR
Toxaphene	ug/L	-/-	Comp	ND < 0.24	*
trans-1,2-Dichloroethene	ug/L	-/-	Grab	ND < 0.30	*
trans-1,3-Dichloropropene	ug/L	-/-	Grab	ND < 0.32	*

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	4/12-13/2012		
			SAMPLE TYPE	RESULT	VALIDATION QUALIFIER
Ammonia as Nitrogen (N)	mg/L	10.1/-	Comp	0.280	J,DX* (DNQ)
Biochemical Oxygen Demand (BOD 5 day)	mg/L	30/-	Comp	1.1	J,DX* (DNQ)
Chloride	mg/L	150/-	Comp	29	*
Dissolved Oxygen	mg	-/-	Grab	10.53	*
E. Coli	MPN/100mL	-/-	ANR	ANR	ANR
Fecal Coliform	MPN/100mL	-/-	ANR	ANR	ANR
Human Bacteroides	Ces/100 mL	-/-	ANR	ANR	ANR
Specific Conductivity (Lab)	umhos/cm	-/-	Grab	680	--
Surfactants (MBAS)	mg/L	0.5/-	Comp	ND < 0.050	*
Fluoride	mg/L	1.6/-	ANR	ANR	ANR
Nitrate + Nitrite as Nitrogen (N)	mg/L	8/-	Comp	ND < 0.19	*
Nitrate as Nitrogen (N)	mg/L	8/-	Comp	0.080	J,DX* (DNQ)
Nitrite as Nitrogen (N)	mg/L	1/-	Comp	ND < 0.11	*
Oil & Grease	mg/L	15/-	Grab	ND < 1.3	*
Perchlorate	ug/L	6.0/-	Comp	ND < 0.95	U
pH (Field)	pH units	6.5-8.5/-	Grab	7.2	*
Total Settleable Solids	ml/L	0.3/-	Grab	ND < 0.10	*
Sulfate	mg/L	300/-	Comp	180	*
Temperature	deg. F	86/-	Grab	56	*
Total Cyanide	ug/L	8.5/-	Comp	ND < 3.0	*
Total Dissolved Solids	mg/L	950/-	Comp	400	*
Hardness	mg/L	-/-	ANR	ANR	ANR
Hardness, dissolved	mg/L	-/-	ANR	ANR	ANR
Total Organic Carbon	mg/L	-/-	ANR	ANR	ANR
Total Residual Chlorine (Field)	mg/L	0.1/-	ANR	ANR	ANR
Total Suspended Solids	mg/L	45/-	Comp	ND < 10	*
Turbidity	NTU	-/-	Comp	0.27	J (R)
Volume Discharged	MGD	160/-	MEAS	1.469475	*
METALS					
Antimony	ug/L	6.0/-	ANR	ANR	ANR
Antimony, dissolved	ug/L	-/-	ANR	ANR	ANR
Arsenic	ug/L	10/-	ANR	ANR	ANR
Arsenic, dissolved	ug/L	-/-	ANR	ANR	ANR
Barium	mg/L	1.0/-	ANR	ANR	ANR
Barium, dissolved	mg/L	-/-	ANR	ANR	ANR
Beryllium	ug/L	4.0/-	ANR	ANR	ANR
Beryllium, dissolved	ug/L	-/-	ANR	ANR	ANR
Boron	mg/L	-/-	ANR	ANR	ANR
Boron, dissolved	mg/L	-/-	ANR	ANR	ANR
Cadmium	ug/L	3.1/-	Comp	ND < 0.10	*
Cadmium, dissolved	ug/L	-/-	Comp	ND < 0.10	*
Calcium	mg/L	-/-	ANR	ANR	ANR
Calcium, Dissolved	mg/L	-/-	ANR	ANR	ANR
Chromium	ug/L	16/-	ANR	ANR	ANR
Chromium, dissolved	ug/L	-/-	ANR	ANR	ANR
Chromium VI	ug/L	16/-	ANR	ANR	ANR
Cobalt	ug/L	-/-	ANR	ANR	ANR
Cobalt, dissolved	ug/L	-/-	ANR	ANR	ANR
Copper	ug/L	14/-	Comp	ND < 0.50	*
Copper, dissolved	ug/L	-/-	Comp	0.55	*

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	4/12-13/2012		
			SAMPLE TYPE	RESULT	VALIDATION QUALIFIER
Iron	mg/L	0.3/-	Comp	ND < 0.015	U
Iron, dissolved	mg/L	-/-	Comp	ND < 0.015	U
Lead	ug/L	5.2/-	Comp	ND < 0.20	*
Lead, dissolved	ug/L	-/-	Comp	ND < 0.20	*
Magnesium	mg/L	-/-	ANR	ANR	ANR
Magnesium, Dissolved	mg/L	-/-	ANR	ANR	ANR
Manganese	ug/L	50/-	ANR	ANR	ANR
Manganese, dissolved	ug/L	-/-	ANR	ANR	ANR
Mercury	ug/L	0.10/-	Comp	ND < 0.10	U
Mercury, dissolved	ug/L	-/-	Comp	ND < 0.10	U
Nickel	ug/L	96/-	ANR	ANR	ANR
Nickel, dissolved	ug/L	-/-	ANR	ANR	ANR
Selenium	ug/L	8.2/-	Comp	ND < 0.50	*
Selenium, dissolved	ug/L	-/-	Comp	ND < 0.50	*
Silver	ug/L	4.1/-	ANR	ANR	ANR
Silver, dissolved	ug/L	-/-	ANR	ANR	ANR
Thallium	ug/L	2.0/-	ANR	ANR	ANR
Thallium, dissolved	ug/L	-/-	ANR	ANR	ANR
Vanadium	ug/L	-/-	ANR	ANR	ANR
Vanadium, dissolved	ug/L	-/-	ANR	ANR	ANR
Zinc	ug/L	119/-	Comp	ND < 6.0	U
Zinc, Dissolved	ug/L	-/-	Comp	ND < 6.0	U
ORGANICS					
Benzene	ug/L	-/-	Grab	ND < 0.28	U
Carbon Tetrachloride	ug/L	-/-	Grab	ND < 0.28	U
Chloroform	ug/L	-/-	Grab	ND < 0.33	U
1,1-Dichloroethane	ug/L	-/-	Grab	ND < 0.40	U
1,2-Dichloroethane	ug/L	0.5/-	Grab	ND < 0.28	U
1,1-Dichloroethene	ug/L	6.0/-	Grab	ND < 0.42	U
1,4-Dioxane	ug/L	-/-	ANR	ANR	ANR
Ethylbenzene	ug/L	-/-	Grab	ND < 0.25	U
Tetrachloroethene	ug/L	-/-	Grab	ND < 0.32	U
Toluene	ug/L	-/-	Grab	ND < 0.36	U
Xylenes (Total)	ug/L	-/-	Grab	ND < 0.90	U
1,1,1-Trichloroethane	ug/L	-/-	Grab	ND < 0.30	U
1,1,2-Trichloroethane	ug/L	-/-	Grab	ND < 0.30	U
Trichloroethene	ug/L	5.0/-	Grab	ND < 0.26	U
Trichlorofluoromethane	ug/L	-/-	Grab	ND < 0.34	U
Trichlorotrifluoroethane (Freon 113)	ug/L	-/-	ANR	ANR	ANR
Vinyl Chloride	ug/L	-/-	Grab	ND < 0.40	U
TPH					
DRO (C13 - C28)	mg/L	-/-	ANR	ANR	ANR
GRO (C4 - C12)	mg/L	-/-	ANR	ANR	ANR
ADDITIONAL ANALYTES					
1,2-Dichloro-1,1,2-trifluoroethane	ug/L	-/-	ANR	ANR	ANR
1,1,2,2-Tetrachloroethane	ug/L	-/-	Grab	ND < 0.30	U
1,2,4-Trichlorobenzene	ug/L	-/-	ANR	ANR	ANR
1,2,3-Trichloropropane	ug/L	-/-	Grab	ND < 0.40	U
1,2-Dibromoethane (EDB)	ug/L	-/-	Grab	ND < 0.40	U
1,2-Dichlorobenzene	ug/L	-/-	Grab	ND < 0.32	U

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	4/12-13/2012		
			SAMPLE TYPE	RESULT	VALIDATION QUALIFIER
1,2-Dichlorobenzene	ug/L	-/-	ANR	ANR	ANR
1,2-Dichloropropane	ug/L	-/-	Grab	ND < 0.35	U
1,2-Diphenylhydrazine/Azobenzene	ug/L	-/-	ANR	ANR	ANR
1,3-Dichlorobenzene	ug/L	-/-	ANR	ANR	ANR
1,3-Dichlorobenzene	ug/L	-/-	Grab	ND < 0.35	U
1,4-Dichlorobenzene	ug/L	-/-	ANR	ANR	ANR
1,4-Dichlorobenzene	ug/L	-/-	Grab	ND < 0.37	U
2,4,6-Trichlorophenol	ug/L	13/-	Comp	ND < 0.0943	*
2,4-Dichlorophenol	ug/L	-/-	ANR	ANR	ANR
2,4-Dimethylphenol	ug/L	-/-	ANR	ANR	ANR
2,4-Dinitrophenol	ug/L	-/-	ANR	ANR	ANR
2,4-Dinitrotoluene	ug/L	18/-	Comp	ND < 0.189	*
2,6-Dinitrotoluene	ug/L	-/-	ANR	ANR	ANR
2-Butanol	ug/L	-/-	Grab	ND < 6.5	U
2-Chloroethylvinylether	ug/L	-/-	ANR	ANR	ANR
2-Chloronaphthalene	ug/L	-/-	ANR	ANR	ANR
2-Chlorophenol	ug/L	-/-	ANR	ANR	ANR
2-Methyl-4,6-dinitrophenol	ug/L	-/-	ANR	ANR	ANR
2-Methylnaphthalene	ug/L	-/-	ANR	ANR	ANR
2-Methylphenol	ug/L	-/-	ANR	ANR	ANR
2-Nitrophenol	ug/L	-/-	ANR	ANR	ANR
3,3'-Dichlorobenzidine	ug/L	-/-	ANR	ANR	ANR
4,4'-DDD	ug/L	-/-	ANR	ANR	ANR
4,4'-DDE	ug/L	-/-	ANR	ANR	ANR
4,4'-DDT	ug/L	-/-	ANR	ANR	ANR
4-Bromophenylphenylether	ug/L	-/-	ANR	ANR	ANR
4-Chloro-3-methylphenol	ug/L	-/-	ANR	ANR	ANR
4-Chloroaniline	ug/L	-/-	ANR	ANR	ANR
4-Chlorophenylphenylether	ug/L	-/-	ANR	ANR	ANR
4-Nitrophenol	ug/L	-/-	ANR	ANR	ANR
Acenaphthene	ug/L	-/-	ANR	ANR	ANR
Acenaphthylene	ug/L	-/-	ANR	ANR	ANR
Acrolein	ug/L	-/-	ANR	ANR	ANR
Acrylonitrile	ug/L	-/-	ANR	ANR	ANR
Acute Toxicity	% SURVIVAL	70-100/-	ANR	ANR	ANR
Aldrin	ug/L	-/-	ANR	ANR	ANR
alpha-BHC	ug/L	0.03/-	Comp	ND < 0.0024	*
Aniline	ug/L	-/-	ANR	ANR	ANR
Anthracene	ug/L	-/-	ANR	ANR	ANR
Aroclor-1016	ug/L	-/-	ANR	ANR	ANR
Aroclor-1221	ug/L	-/-	ANR	ANR	ANR
Aroclor-1232	ug/L	-/-	ANR	ANR	ANR
Aroclor-1242	ug/L	-/-	ANR	ANR	ANR
Aroclor-1248	ug/L	-/-	ANR	ANR	ANR
Aroclor-1254	ug/L	-/-	ANR	ANR	ANR
Aroclor-1260	ug/L	-/-	ANR	ANR	ANR
Benzidine	ug/L	-/-	ANR	ANR	ANR
Benzo(a)anthracene	ug/L	-/-	ANR	ANR	ANR
Benzo(a)pyrene	ug/L	-/-	ANR	ANR	ANR
Benzo(b)fluoranthene	ug/L	-/-	ANR	ANR	ANR

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	4/12-13/2012		
			SAMPLE TYPE	RESULT	VALIDATION QUALIFIER
Benzo(g,h,i)perylene	ug/L	-/-	ANR	ANR	ANR
Benzo(k)fluoranthene	ug/L	-/-	ANR	ANR	ANR
Benzoic acid	ug/L	-/-	ANR	ANR	ANR
Benzyl alcohol	ug/L	-/-	ANR	ANR	ANR
beta-BHC	ug/L	-/-	ANR	ANR	ANR
bis (2-Chloroethyl) ether	ug/L	-/-	ANR	ANR	ANR
bis (2-ethylhexyl) Phthalate	ug/L	4.0/-	Comp	ND < 1.60	*
bis(2-Chloroethoxy) methane	ug/L	-/-	ANR	ANR	ANR
bis(2-Chloroisopropyl) ether	ug/L	-/-	ANR	ANR	ANR
Bromodichloromethane	ug/L	-/-	Grab	ND < 0.30	U
Bromoform	ug/L	-/-	Grab	ND < 0.40	U
Bromomethane	ug/L	-/-	Grab	ND < 0.42	U
Butylbenzylphthalate	ug/L	-/-	ANR	ANR	ANR
Chlordane	ug/L	-/-	ANR	ANR	ANR
Chlorobenzene	ug/L	-/-	Grab	ND < 0.36	U
Chloroethane	ug/L	-/-	Grab	ND < 0.40	U
Chloromethane	ug/L	-/-	Grab	ND < 0.40	U
Chronic Toxicity	TUC	1.0/-	Comp	1.0	*
Chrysene	ug/L	-/-	ANR	ANR	ANR
cis-1,2-Dichloroethene	ug/L	-/-	Grab	ND < 0.32	U
cis-1,3-Dichloropropene	ug/L	-/-	Grab	ND < 0.22	U
Cyclohexane	ug/L	-/-	ANR	ANR	ANR
delta-BHC	ug/L	-/-	ANR	ANR	ANR
Dibenzo(a,h)anthracene	ug/L	-/-	ANR	ANR	ANR
Dibenzofuran	ug/L	-/-	ANR	ANR	ANR
Dibromochloromethane	ug/L	-/-	Grab	ND < 0.40	U
Dieldrin	ug/L	-/-	ANR	ANR	ANR
Diethylphthalate	ug/L	-/-	ANR	ANR	ANR
Diisopropyl ether	ug/L	-/-	Grab	ND < 0.25	U
Dimethylphthalate	ug/L	-/-	ANR	ANR	ANR
Di-n-butylphthalate	ug/L	-/-	ANR	ANR	ANR
Di-n-octylphthalate	ug/L	-/-	ANR	ANR	ANR
Endosulfan I	ug/L	-/-	ANR	ANR	ANR
Endosulfan II	ug/L	-/-	ANR	ANR	ANR
Endosulfan sulfate	ug/L	-/-	ANR	ANR	ANR
Endrin	ug/L	-/-	ANR	ANR	ANR
Endrin aldehyde	ug/L	-/-	ANR	ANR	ANR
Ethyl tert-Butyl Ether (ETBE)	ug/L	-/-	Grab	ND < 0.28	U
Fluoranthene	ug/L	-/-	ANR	ANR	ANR
Fluorene	ug/L	-/-	ANR	ANR	ANR
Heptachlor	ug/L	-/-	ANR	ANR	ANR
Heptachlor epoxide	ug/L	-/-	ANR	ANR	ANR
Hexachlorobenzene	ug/L	-/-	ANR	ANR	ANR
Hexachlorobutadiene	ug/L	-/-	ANR	ANR	ANR
Hexachlorocyclopentadiene	ug/L	-/-	ANR	ANR	ANR
Hexachloroethane	ug/L	-/-	ANR	ANR	ANR
Hydrazine	ug/L	-/-	ANR	ANR	ANR
Unsymmetrical Dimethyl Hydrazine	ug/L	-/-	ANR	ANR	ANR
Indeno(1,2,3-cd)pyrene	ug/L	-/-	ANR	ANR	ANR
Isophorone	ug/L	-/-	ANR	ANR	ANR

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	4/12-13/2012		
			SAMPLE TYPE	RESULT	VALIDATION QUALIFIER
Lindane (gamma-BHC)	ug/L	-/-	ANR	ANR	ANR
Methylene Chloride	ug/L	-/-	Grab	0.97	J (DNQ)
Methyl-tert-butyl ether	ug/L	-/-	Grab	ND < 0.32	U
m-Nitroaniline	ug/L	-/-	ANR	ANR	ANR
Monomethyl Hydrazine	ug/L	-/-	ANR	ANR	ANR
Naphthalene	ug/L	-/-	ANR	ANR	ANR
Naphthalene	ug/L	-/-	Grab	ND < 0.41	U
Nitrobenzene	ug/L	-/-	ANR	ANR	ANR
n-Nitrosodimethylamine	ug/L	16/-	Comp	ND < 0.0943	BA*
n-Nitroso-di-n-propylamine	ug/L	-/-	ANR	ANR	ANR
n-Nitrosodiphenylamine	ug/L	-/-	ANR	ANR	ANR
o-Nitroaniline	ug/L	-/-	ANR	ANR	ANR
p-Cresol	ug/L	-/-	ANR	ANR	ANR
Pentachlorophenol	ug/L	16.5/-	Comp	ND < 0.377	*
Phenanthrene	ug/L	-/-	ANR	ANR	ANR
Phenol	ug/L	-/-	ANR	ANR	ANR
p-Nitroaniline	ug/L	-/-	ANR	ANR	ANR
Pyrene	ug/L	-/-	ANR	ANR	ANR
tert-Amyl Methyl Ether (TAME)	ug/L	-/-	Grab	ND < 0.33	U
Toxaphene	ug/L	-/-	ANR	ANR	ANR
trans-1,2-Dichloroethene	ug/L	-/-	Grab	ND < 0.30	U
trans-1,3-Dichloropropene	ug/L	-/-	Grab	ND < 0.32	U

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

**Sample Type Composite
Sample Dates April 10-11, 2012**

ANALYTE	LAB LOD (ug/L)	LAB RL (ug/L)	LAB RESULT (ug/L)	VALIDATION QUALIFIER	1998 WHO TEF	BEF Great Lakes Water Quality Initiative	TCDD Equivalent (w/out DNQ Values) (ug/L)
1,2,3,4,6,7,8-HpCDD	2.60E-06	5.00E-05	ND	UJ (I, *III)	0.01	0.05	ND
1,2,3,4,6,7,8-HpCDF	2.20E-06	5.00E-05	ND	UJ (B, I)	0.01	0.01	ND
1,2,3,4,7,8,9-HpCDF	2.80E-06	5.00E-05	1.40E-05	J (DNQ, I)	0.01	0.4	ND
1,2,3,4,7,8-HxCDD	2.30E-06	5.00E-05	ND	UJ (I)	0.1	0.3	ND
1,2,3,4,7,8-HxCDF	1.50E-06	5.00E-05	5.40E-06	J (DNQ, I)	0.1	0.08	ND
1,2,3,6,7,8-HxCDD	2.30E-06	5.00E-05	ND	UJ (I)	0.1	0.1	ND
1,2,3,6,7,8-HxCDF	1.50E-06	5.00E-05	ND	UJ (I)	0.1	0.2	ND
1,2,3,7,8,9-HxCDD	2.10E-06	5.00E-05	ND	UJ (I)	0.1	0.1	ND
1,2,3,7,8,9-HxCDF	1.80E-06	5.00E-05	4.60E-06	J (DNQ, I)	0.1	0.6	ND
1,2,3,7,8-PeCDD	4.00E-06	5.00E-05	ND	UJ (I)	1	0.9	ND
1,2,3,7,8-PeCDF	4.50E-06	5.00E-05	ND	UJ (I)	0.05	0.2	ND
2,3,4,6,7,8-HxCDF	1.40E-06	5.00E-05	ND	UJ (I)	0.1	0.7	ND
2,3,4,7,8-PeCDF	4.50E-06	5.00E-05	ND	U	0.5	1.6	ND
2,3,7,8-TCDD	3.30E-06	1.00E-05	ND	UJ (I)	1	1	ND
2,3,7,8-TCDF	3.20E-06	1.00E-05	ND	U	0.1	0.8	ND
OCDD	5.50E-06	1.00E-04	3.30E-05	J (DNQ)	0.0001	0.01	ND
OCDF	7.60E-06	1.00E-04	ND	UJ (B, I)	0.0001	0.02	ND

TCDD TEQ w/out DNQ Values	ND
----------------------------------	-----------

TCDD TEQ PERMIT LIMIT = 2.80E-08

See attached notes for abbreviations, definitions, and other explanations for the data presented in this table.

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

**Sample Type Composite
Sample Date April 12-13 2012**

ANALYTE	LAB LOD (ug/L)	LAB RL (ug/L)	LAB RESULT (ug/L)	VALIDATION QUALIFIER	1998 WHO TEF	BEF Great Lakes Water Quality Initiative	TCDD Equivalent (w/out DNQ Values) (ug/L)
1,2,3,4,6,7,8-HpCDD	2.00E-08	4.80E-05	ND	U (B)	0.01	0.05	ND
1,2,3,4,6,7,8-HpCDF	2.00E-08	4.80E-05	ND	U (B)	0.01	0.01	ND
1,2,3,4,7,8,9-HpCDF	3.00E-08	4.80E-05	ND	U (B)	0.01	0.4	ND
1,2,3,4,7,8-HxCDD	4.00E-08	4.80E-05	ND	U (B)	0.1	0.3	ND
1,2,3,4,7,8-HxCDF	4.00E-08	4.80E-05	ND	U (B)	0.1	0.08	ND
1,2,3,6,7,8-HxCDD	4.00E-08	4.80E-05	ND	U (B)	0.1	0.1	ND
1,2,3,6,7,8-HxCDF	4.00E-08	4.80E-05	ND	U (B)	0.1	0.2	ND
1,2,3,7,8,9-HxCDD	3.00E-08	4.80E-05	ND	U (B)	0.1	0.1	ND
1,2,3,7,8,9-HxCDF	4.00E-08	4.80E-05	ND	U (B)	0.1	0.6	ND
1,2,3,7,8-PeCDD	1.00E-07	4.80E-05	ND	UJ (*III)	1	0.9	ND
1,2,3,7,8-PeCDF	3.90E-07	4.80E-05	ND	U (B)	0.05	0.2	ND
2,3,4,6,7,8-HxCDF	4.00E-08	4.80E-05	ND	U (B)	0.1	0.7	ND
2,3,4,7,8-PeCDF	4.10E-07	4.80E-05	ND	U (B)	0.5	1.6	ND
2,3,7,8-TCDD	4.60E-07	9.60E-06	ND	U	1	1	ND
2,3,7,8-TCDF	1.90E-06	9.60E-06	ND	U	0.1	0.8	ND
OCDD	4.00E-08	9.60E-05	ND	U (B)	0.0001	0.01	ND
OCDF	1.50E-07	9.60E-05	ND	U (B)	0.0001	0.02	ND

TCDD TEQ w/out DNQ Values	ND
----------------------------------	-----------

TCDD TEQ BENCHMARK LIMIT = 2.80E-08

See attached notes for abbreviations, definitions, and other explanations for the data presented in this table.

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	04/10-11/2012 (Comp)			04/12-13/2012 (Comp)		
			RESULT	MDA	VALIDATION QUALIFIER	RESULT	MDA	VALIDATION QUALIFIER
RADIOACTIVITY								
Gross Alpha	pCi/L	15/-	0.114 ± 0.49	0.835	UJ (C)	-0.184 ± 0.59	1.12	UJ (C)
Gross Beta	pCi/L	50/-	4.32 ± 0.65	0.853	--	3.3 ± 1.1	1.58	J (DNQ)
Strontium-90	pCi/L	8.0/-	-0.277 ± 0.36	0.981	U	0.061 ± 0.35	0.781	U
Total Combined Radium-226 & Radium 228	pCi/L	5.0/-	-0.002 ± 0.304	0.873	U	0.18 ± 0.35	0.96	U
Tritium	pCi/L	20000/-	47.2 ± 100	172	U	32.2 ± 91	152	U
Potassium-40	pCi/L	-/-	12.9 ± 14	23.3	U	19 ± 38	65.8	U
Uranium, Total	pCi/L	20/-	0.047 ± 0.010	0.019	J (DNQ)	0.022 ± 0.008	0.018	J (DNQ)
Cesium 137	pCi/L	200/-	0.048 ± 0.89	1.76	U	-2.11 ± 3.4	6.06	U


OUTFALL 018 (R-2 Spillway)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**


January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	04/10/2012-04/11/2012			4/13/2012		
			Sample Type	Result	Concentration Result Validation Qualifier	Sample Type	Result	Concentration Result Validation Qualifier
Max Discharge for event	MGD	160	Meas	0.45764		Meas	1.46948	
Ammonia as Nitrogen (N)	LBS/DAY	13,500/-	Comp	1.07	J,DX* (DNQ)	Comp	3.43	J,DX* (DNQ)
Biochemical Oxygen Demand (BOD 5 day)	LBS/DAY	40,032/-	Comp	ND	*	Comp	13.48	J,DX* (DNQ)
Chloride	LBS/DAY	200,160/-	Comp	95.42	*	Comp	355.41	*
Surfactants (MBAS)	LBS/DAY	667/-	Comp	ND	*	Comp	ND	*
Fluoride	LBS/DAY	2,135/-	Comp	0.42	*	ANR	ANR	ANR
Nitrate + Nitrite as Nitrogen (N)	LBS/DAY	10,700/-	Comp	4.20	*	Comp	ND	*
Nitrate as Nitrogen (N)	LBS/DAY	10,700/-	Comp	4.20	*	Comp	0.98	J,DX* (DNQ)
Nitrite as Nitrogen (N)	LBS/DAY	1,334/-	Comp	ND	*	Comp	ND	*
Oil & Grease	LBS/DAY	20,016/-	Grab	ND	*	Grab	ND	*
Perchlorate	LBS/DAY	8.0/-	Comp	ND	U	Comp	ND	U
Sulfate	LBS/DAY	400,320/-	Comp	572.50	*	Comp	2205.98	*
Total Cyanide	LBS/DAY	11/-	Comp	ND	*	Comp	ND	*
Total Dissolved Solids	LBS/DAY	1,270,000/-	Comp	1183.17	*	Comp	4902.17	*
Total Residual Chlorine (Field)	LBS/DAY	133/-	Grab	0.0	*	ANR	ANR	ANR
Total Suspended Solids	LBS/DAY	60,048/-	Comp	ND	*	Comp	ND	*
Antimony	LBS/DAY	8.0/-	Comp	ND	U	ANR	ANR	ANR
Arsenic	LBS/DAY	67/-	Comp	ND	U (\$)	ANR	ANR	ANR
Barium	LBS/DAY	1,330/-	Comp	0.08	--	ANR	ANR	ANR
Beryllium	LBS/DAY	5.3/-	Comp	ND	U	ANR	ANR	ANR
Cadmium	LBS/DAY	4.1/-	Comp	ND	U	Comp	ND	*
Chromium VI	LBS/DAY	22/-	Comp	ND	*	ANR	ANR	ANR
Copper	LBS/DAY	19/-	Comp	0.003	J (DNQ)	Comp	ND	*
Iron	LBS/DAY	400/-	Comp	0.33	--	Comp	ND	U
Lead	LBS/DAY	6.9/-	Comp	ND	U	Comp	ND	*
Manganese	LBS/DAY	66.7/-	Comp	0.07	J (DNQ)	ANR	ANR	ANR
Mercury	LBS/DAY	0.13/-	Comp	ND	U	Comp	ND	U
Nickel	LBS/DAY	128/-	Comp	0.01	J (DNQ)	ANR	ANR	ANR
Selenium	LBS/DAY	11/-	Comp	ND	U	Comp	ND	*
Silver	LBS/DAY	5.5/-	Comp	ND	U	ANR	ANR	ANR
Thallium	LBS/DAY	2.7/-	Comp	ND	U	ANR	ANR	ANR
Zinc	LBS/DAY	159/-	Comp	ND	U	Comp	ND	U
1,2-Dichloroethane	LBS/DAY	0.67/-	Grab	ND	*	Grab	ND	U
1,1-Dichloroethene	LBS/DAY	8.0/-	Grab	ND	*	Grab	ND	U
Trichloroethene	LBS/DAY	6.7/-	Grab	ND	*	Grab	ND	U
2,4,6-Trichlorophenol	LBS/DAY	17/-	Comp	ND	U	Comp	ND	*
2,4-Dinitrotoluene	LBS/DAY	24/-	Comp	ND	U	Comp	ND	*
alpha-BHC	LBS/DAY	0.04/-	Comp	ND	*	Comp	ND	*
bis (2-ethylhexyl) Phthalate	LBS/DAY	5.3/-	Comp	ND	U	Comp	ND	*
n-Nitrosodimethylamine	LBS/DAY	22/-	Comp	ND	UJ (*III)	Comp	ND	BA* (BA)
Pentachlorophenol	LBS/DAY	22/-	Comp	ND	U	Comp	ND	*
TCDD TEQ_NoDNQ	LBS/DAY	3.70E-08/-	Comp	ND	--	Comp	ND	--


2012: OUTFALL 018 ANTIMONY




2012: OUTFALL 018 ARSENIC




2012: OUTFALL 018 BARIUM




2012: OUTFALL 018 BERYLLIUM




2012: OUTFALL 018 CADMIUM




2012: OUTFALL 018 CHROMIUM




2012: OUTFALL 018 CHROMIUM VI




2012: OUTFALL 018 COPPER




2012: OUTFALL 018 IRON




2012: OUTFALL 018 LEAD




2012: OUTFALL 018 MANGANESE




2012: OUTFALL 018 MERCURY




2012: OUTFALL 018 NICKEL




2012: OUTFALL 018 SELENIUM




2012: OUTFALL 018 SILVER




2012: OUTFALL 018 THALLIUM




2012: OUTFALL 018 ZINC




2012: OUTFALL 018 ACUTE TOXICITY




2012: OUTFALL 018 AMMONIA AS NITROGEN (N)




2012: OUTFALL 018 BIOCHEMICAL OXYGEN DEMAND (BOD 5 DAY)




2012: OUTFALL 018 CHLORIDE




2012: OUTFALL 018 CHRONIC TOXICITY




2012: OUTFALL 018 FLUORIDE




2012: OUTFALL 018 NITRATE + NITRITE AS NITROGEN (N)




2012: OUTFALL 018 NITRATE AS NITROGEN (N)




2012: OUTFALL 018 NITRITE AS NITROGEN (N)




2012: OUTFALL 018 OIL & GREASE




2012: OUTFALL 018 PERCHLORATE




2012: OUTFALL 018 PH (FIELD)




2012: OUTFALL 018 SULFATE




2012: OUTFALL 018 SURFACTANTS (MBAS)




2012: OUTFALL 018 TEMPERATURE




2012: OUTFALL 018 TOTAL CYANIDE




2012: OUTFALL 018 TOTAL DISSOLVED SOLIDS




2012: OUTFALL 018 TOTAL RESIDUAL CHLORINE (FIELD)




2012: OUTFALL 018 TOTAL SETTLEABLE SOLIDS




2012: OUTFALL 018 TOTAL SUSPENDED SOLIDS




2012: OUTFALL 018 ALPHA-BHC




2012: OUTFALL 018 CESIUM 137




2012: OUTFALL 018 GROSS ALPHA




2012: OUTFALL 018 GROSS BETA




2012: OUTFALL 018 STRONTIUM-90




2012: OUTFALL 018 TOTAL COMBINED RADIUM-226 & RADIUM 228




2012: OUTFALL 018 TRITIUM




2012: OUTFALL 018 URANIUM, TOTAL




2012: OUTFALL 018 2,4,6-TRICHLOROPHENOL




2012: OUTFALL 018 2,4-DINITROTOLUENE




2012: OUTFALL 018 BIS (2-ETHYLHEXYL) PHTHALATE




2012: OUTFALL 018 N-NITROSODIMETHYLAMINE




2012: OUTFALL 018 PENTACHLOROPHENOL




2012: OUTFALL 018 1,1-DICHLOROETHENE



2012: OUTFALL 018 1,2-DICHLOROETHANE



2012: OUTFALL 018 TRICHLOROETHENE



2012: Outfall 018 TCDD

