APPENDIX G

Section 1

Outfall 001, January 25, 2008

MEC^{X} Data Validation Reports

DATA VALIDATION REPORT

Boeing SSFL NPDES

SAMPLE DELIVERY GROUP: IRA2506

Prepared by

MEC^X, LLC
12269 East Vassar Drive
Aurora, CO 80014

I. INTRODUCTION

Task Order Title:	Boeing SSFL NPDES
Contract Task Order:	1261.100D.00
Sample Delivery Group:	IRA2506
Project Manager:	B. Kelly
Matrix:	Soil
QC Level:	IV
No. of Samples:	2
No. of Reanalyses/Dilutions:	0
Laboratory:	TestAmerica-Irvine

Table 1. Sample Identification

Client ID	Laboratory ID	Sub-Laboratory ID	Matrix	Collected	Method
Outfall 001	IRA2506-01	8691-001 30212-001 8012805-01	Water	01/25/08 1345	120.1, 160.2, 160.5, 180.1, 200.8, 245.1, 624, 625, 900.0, 901.1, 903.0, 904.0, 905.0, 906.0, 1613, ASTM D-5174
Trip Blank	IRA2506-02	N/A	Water	N/A	624

II. Sample Management

No anomalies were observed regarding sample management. The sample in this SDG was received at TestAmerica-Irvine within the temperature limits of 4°C ±2°C. The sample was received below the temperature limit at Vista; however, the sample was not noted to have been frozen. The sample was received above the temperature limit at Eberline; however, radiological samples are not required to be chilled. The sample was received above the temperature limit at Weck; however, mercury is not considered volatile. According to the case narrative for this SDG, the sample was received intact at all laboratories. The COCs were appropriately signed and dated by field and/or laboratory personnel. As the sample was couriered to TestAmerica-Irvine, custody seals were not required. Custody seals were intact upon arrival at Eberline and Vista. Custody seals were not present on the cooler received at Weck. If necessary, the client ID was added to the sample result summary by the reviewer.

Data Qualifier Reference Table

Qualifier	Organics	Inorganics
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit. The associated value is the quantitation limit or the estimated detection limit for dioxins.	The material was analyzed for, but was not detected above the level of the associated value. The associated value is either the sample quantitation limit or the sample detection limit. The associated value is the sample detection limit or the quantitation limit for perchlorate only.
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.	The associated value is an estimated quantity.
N	The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification."	Not applicable.
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.	Not applicable.
UJ	The analyte was not deemed above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.	The material was analyzed for, but was not detected. The associated value is an estimate and may be inaccurate or imprecise.
R	The data are unusable. The sample results are rejected due to serious deficiencies in the ability to analyze the sample and to meet quality control criteria. The presence or absence of the analyte cannot be verified.	The data are unusable. The sample results are rejected due to serious deficiencies in the ability to analyze the sample and to meet quality control criteria. The presence or absence of the analyte cannot be verified.

Qualification Code Reference Table

Qualifier	Organics	Inorganics
H	Holding times were exceeded.	Holding times were exceeded.
S	Surrogate recovery was outside QC limits.	The sequence or number of standards used for the calibration was incorrect
C	Calibration %RSD or %D was noncompliant.	Correlation coefficient is <0.995.
R	Calibration RRF was <0.05.	%R for calibration is not within control limits.
B	Presumed contamination as indicated by the preparation (method) blank results.	Presumed contamination as indicated by the preparation (method) or calibration blank results.
L	Laboratory Blank Spike/Blank Spike Duplicate %R was not within control limits.	Laboratory Control Sample %R was not within control limits.
Q	MS/MSD recovery was poor or RPD high.	MS recovery was poor.
E	Not applicable.	Duplicates showed poor agreement.
I	Internal standard performance was unsatisfactory.	ICP ICS results were unsatisfactory.
A	Not applicable.	ICP Serial Dilution %D were not within control limits.
M	Tuning (BFB or DFTPP) was noncompliant.	Not applicable.
T	Presumed contamination as indicated by the trip blank results.	Not applicable.
+	False positive – reported compound was not present.	Not applicable.
-	False negative – compound was present but not reported.	Not applicable.
F	Presumed contamination as indicated by the FB or ER results.	Presumed contamination as indicated by the FB or ER results.
$	Reported result or other information was incorrect.	Reported result or other information was incorrect.
?	TIC identity or reported retention time has been changed.	Not applicable.

Qualification Code Reference Table Cont.

D	The analysis with this flag should not be used because another more technically sound analysis is available.	The analysis with this flag should not be used because another more technically sound analysis is available.
P	Instrument performance for pesticides was poor.	Post Digestion Spike recovery was not within control limits.
DNQ	The reported result is above the method detection limit but is less than the reporting limit.	The reported result is above the method detection limit but is less than the reporting limit.
*II, *III	Unusual problems found with the data that have been described in Section II, "Sample Management," or Section III, "Method Analyses." The number following the asterisk (*) will indicate the report section where a description of the problem can be found.	Unusual problems found with the data that have been described in Section II, "Sample Management," or Section III, "Method Analyses." The number following the asterisk (*) will indicate the report section where a description of the problem can be found.

III. Method Analyses

A. EPA METHOD 1613—Dioxin/Furans

Reviewed By: K. Shadowlight
Date Reviewed: March 9, 2008

The sample listed in Table 1 for this analysis was validated based on the guidelines outlined in the *MEC^X Data Validation Procedure for Dioxins and Furans (DVP-19, Rev. 0), USEPA Method 1613*, and the *National Functional Guidelines Chlorinated Dioxin/Furan Data Review* (8/02).

- Holding Times: Extraction and analytical holding times were met. The water sample was extracted and analyzed within one year of collection.

- Instrument Performance: Instrument performance criteria were met. Following are findings associated with instrument performance.

    - GC Column Performance: A Windows Defining Mix (WDM) containing the first and last eluting congeners of each descriptor and isomer specificity compounds was not analyzed prior to the initial calibration sequence or at the beginning of each analytical sequence; however, the first and last eluting congeners and isomer specificity compounds were added to the midpoint of the initial calibration and to the continuing calibration standards. The GC column performance in the calibrations was acceptable, with the height of the valley between the closely eluting isomers and 2,3,7,8-TCDD reported as less than 25%.

    - Mass Spectrometer Performance: The mass spectrometer performance was acceptable with the static resolving power greater than 10,000.

- Calibration: Calibration criteria were met.

    - Initial Calibration: Initial calibration criteria were met. The initial calibration was acceptable with %RSDs $\leq$20% for the 16 native compounds (calibration by isotope dilution) and $\leq$35% for the one native and all labeled compounds (calibration by internal standard). The relative retention times and ion abundance ratios were within the Method 1613 QC limits for all standards.

    - Continuing Calibration: Calibration verification (VER) consisted of a mid-level standard (CS3) analyzed at the beginning of each analytical sequence. The VERs were acceptable with the concentrations within the acceptance criteria listed in Table 6 of EPA Method 1613. The ion abundance ratios and relative retention times were within the method QC limits.

- Blanks: Total HpCDD was detected in the method blank above the EDL. The result in the sample was qualified as estimated, "J," as a portion of the reported total HpCDD was

considered to be method blank contamination. The method blank had no other target compound detects above the EDL.

- Blank Spikes and Laboratory Control Samples: Recoveries were within the acceptance criteria listed in Table 6 of Method 1613.

- Field QC Samples: Field QC samples were evaluated, and if necessary, qualified based on method blanks and other laboratory QC results affecting the usability of the field QC data. Any remaining detects were used to evaluate the associated site samples. Following are findings associated with field QC samples:

    - Field Blanks and Equipment Rinsates: This SDG had no identified field blank or equipment rinsate samples.

    - Field Duplicates: There were no field duplicate samples identified for this SDG.

- Internal Standards Performance: The labeled standard recoveries were within the acceptance criteria listed in Table 7 of Method 1613.

- Compound Identification: Compound identification was verified. The laboratory analyzed for polychlorinated dioxins/furans by EPA Method 1613.

- Compound Quantification and Reported Detection Limits: Compound quantitation was verified by recalculating any sample detects and a representative number of blank spike concentrations. The laboratory calculated and reported compound-specific detection limits. Any detects below the laboratory lower calibration level were qualified as estimated, "J," and coded with "DNQ," in order to comply with the NPDES permit. Any EMPC value was qualified as an estimated nondetect, "UJ." Nondetects are valid to the estimated detection limit (EDL).

B. EPA METHODS 200.8, 245.1—Metals and Mercury

Reviewed By: P. Meeks
Date Reviewed: March 10, 2008

The sample listed in Table 1 for this analysis was validated based on the guidelines outlined in the *MEC^X Data Validation Procedure for Metals (DVP-5, Rev. 0 and DVP-21, Rev. 0), EPA Methods 200.8 and 245.1,* and the *National Functional Guidelines for Inorganic Data Review* (2/94).

- Holding Times: The analytical holding times, 6 months for metals and 28 days for mercury, were met.

- Tuning: The mass calibration and resolution checks criteria were met. All tuning solution %RSDs were ≤5%, and all masses of interest were calibrated to ≤ 0.1 amu and ≤0.9 amu at 10% peak height.

- Calibration: Calibration criteria were met. Mercury initial calibration r^2 values were ≥0.995 and all initial and continuing calibration recoveries were within 90-110% for the ICP-MS metals and 85-115% for mercury. The mercury MDL check standard was recovered at 66%; therefore, nondetected mercury in the sample was qualified as estimated, "UJ." The remaining CRI recoveries were within 70-130%.

- Blanks: There were no applicable detects in the method blanks or CCBs.

- Interference Check Samples: ICSA/B analyses were performed in association with the metals analyses. Recoveries were within the method-established control limits. Most analytes were reported in the ICSA solutions; however, the reviewer was not able to ascertain if the detection was indicative of matrix interference.

- Blank Spikes and Laboratory Control Samples: The recoveries were within laboratory-established QC limits.

- Laboratory Duplicates: No laboratory duplicate analyses were performed.

- Matrix Spike/Matrix Spike Duplicate: No MS/MSD analyses were performed on the sample in this SDG. Evaluation of method accuracy was based on LCS results.

- Serial Dilution: No serial dilution analyses were performed.

- Internal Standards Performance: All sample internal standard intensities were within 30-120% of the internal standard intensities measured in the initial calibration. The bracketing CCV and CCB internal standard intensities were within 80-120% of the internal standard intensities measured in the initial calibration.

- Sample Result Verification: Calculations were verified and the sample results reported on the sample result summary were verified against the raw data. No transcription errors or calculation errors were noted. Detects reported below the reporting limit were qualified as estimated, "J," and coded with "DNQ," in order to comply with the NPDES permit. Reported nondetects are valid to the MDL.

- Field QC Samples: Field QC samples were evaluated, and if necessary, qualified based on method blanks and other laboratory QC results affecting the usability of the field QC data. Any remaining detects were used to evaluate the associated site samples. Following are findings associated with field QC samples:

    - Field Blanks and Equipment Rinsates: This SDG had no identified field blank or equipment rinsate samples.

    - Field Duplicates: There were no field duplicate samples identified for this SDG.

C. VARIOUS EPA METHODS — Radionuclides

Reviewed By: P. Meeks
Date Reviewed: March 5, 2008

The sample listed in Table 1 for this analysis was validated based on the guidelines outlined in the *EPA Methods 900.0, 901.1, 903.1, 904.0, 905.0, and 906.0, ASTM Method D-5174,* and the *National Functional Guidelines for Inorganic Data Review* (2/94).

- Holding Times: The tritium sample was analyzed within 180 days of collection. Aliquots for gross alpha and, gross beta were prepared within the five-day analytical holding time for unpreserved samples. The aliquots for radium-226, radium-228, strontium-90, gamma spectroscopy, and total uranium were prepared beyond the five-day holding time for unpreserved samples; therefore, these results were qualified as estimated, "J," for detects and, "UJ," for nondetects.

- Calibration: The laboratory calibration information included the standard certificates and applicable preparation/dilutions logs for NIST-traceability.

  The gross alpha detector efficiency was less than 20%; therefore, gross alpha detected in the sample was qualified as an estimated detect, "J." The gross beta detector efficiency was greater than 20%.

  The tritium aliquot was spiked for efficiency determination; therefore, no calibration was necessary. The tritium detector efficiency for the sample was at least 20% and was considered acceptable. The internal spike efficiency to default efficiency ratios was near 1, indicating that quenching did not occur.

  The strontium chemical yield was at least 70% and was considered acceptable. The strontium continuing calibration results were within the laboratory control limits.

  The radium-226 cell efficiencies were determined in September 2006. The radium-226 continuing calibration results were within the laboratory-established control limits. The radium-228 calibration utilized actinium-228 and was verified in February 2001. The radium-228 tracer, yttrium oxalate yields were greater than 70%.

  The gamma spectroscopy geometry-specific, detector efficiencies were determined in September 1999 and February 2007. All analytes were determined at the maximum photopeak energy.

  The kinetic phosphorescence analyzer (KPA) was calibrated immediately prior to the sample analysis. All calibration check standard recoveries were within 90-110% and were deemed acceptable.

- Blanks: There were no analytes detected in the method blank.

- Blank Spikes and Laboratory Control Samples: The recoveries were within laboratory-established control limits.

- Laboratory Duplicates: No laboratory duplicate analyses were performed on the sample in this SDG.

- Matrix Spike/Matrix Spike Duplicate: No MS/MSD analyses were performed for the sample in this SDG. Method accuracy was evaluated based on the LCS results.

- Sample Result Verification: An EPA Level IV review was performed for the sample in this data package. The sample results and MDAs reported on the sample result form were verified against the raw data and no calculation or transcription errors were noted. Reported nondetects are valid to the MDA.

- Field QC Samples: Field QC samples were evaluated, and if necessary, qualified based on method blanks and other laboratory QC results affecting the usability of the field QC data. Any remaining detects were used to evaluate the associated site samples. Following are findings associated with field QC samples:

    - Field Blanks and Equipment Rinsates: This SDG had no identified field blank or equipment rinsate samples.

    - Field Duplicates: There were no field duplicate samples identified for this SDG.

D. EPA METHOD 625—Semivolatile Organic Compounds (SVOCs)

Reviewed By: L. Calvin
Date Reviewed: March 9, 2008

The sample listed in Table 1 for this analysis were validated based on the guidelines outlined in the *MEC^X Data Validation Procedure for Semivolatile Organics (DVP-3, Rev. 0), EPA Method 8270C*, and the *National Functional Guidelines for Organic Data Review* (2/94).

- Holding Times: Extraction and analytical holding times were met. The water sample was extracted within seven days of collection and analyzed within 40 days of extraction.

- GC/MS Tuning: The DFTPP tunes met the method abundance criteria. Samples were analyzed within 12 hours of the DFTPP injection time.

- Calibration: Calibration criteria were met. Initial calibration average RRFs were ≥0.05 and %RSDs ≤35%. Continuing calibration RRFs were ≥0.05 and %Ds ≤20%.

- Blanks: The method blank had no target compound detects above the MDL.

- Blank Spikes and Laboratory Control Samples: Recoveries and RPDs were within laboratory-established QC limits.

- Surrogate Recovery: Recoveries were within laboratory-established QC limits.

- Matrix Spike/Matrix Spike Duplicate: MS/MSD analyses were not performed on the sample of this SDG. Evaluation of method accuracy and precision was based on LSC/LSCD results.

- Field QC Samples: Field QC samples were evaluated, and if necessary, qualified based on method blanks and other laboratory QC results affecting the usability of the field QC data. Any remaining detects were used to evaluate the associated site samples. Following are findings associated with field QC samples:

    - Field Blanks and Equipment Rinsates: This SDG had no identified field blank or equipment rinsate samples.

    - Field Duplicates: There were no field duplicate samples identified for this SDG.

- Internal Standards Performance: The internal standard area counts and retention times were within the control limits established by the continuing calibration standards: -50%/+100% for internal standard areas and ±30 seconds for retention times.

- Compound Identification: Compound identification was verified. The laboratory analyzed for five semivolatile compounds by EPA Method 625. Review of the sample chromatogram, retention times, and spectra indicated no problems with target compound identification.

- Compound Quantification and Reported Detection Limits: Compound quantification was verified. The reporting limits were supported by the low point of the initial calibration and the laboratory MDLs. Any results reported between the MDL and the reporting limit were qualified as estimated, "J," and coded with "DNQ," in order to comply with the NPDES permit. Reported nondetects are valid to the reporting limit.

- Tentatively Identified Compounds: TICs were not reported by the laboratory for this SDG.

- System Performance: Review of the raw data indicated no problems with system performance.

E. EPA METHOD 624—Volatile Organic Compounds (VOCs)

Reviewed By: L. Calvin
Date Reviewed: March 9, 2008

The samples listed in Table 1 for this analysis were validated based on the guidelines outlined in the *MEC^X Data Validation Procedure for Volatile Organics (DVP-2, Rev. 0), EPA Method 8260B*, and the *National Functional Guidelines for Organic Data Review* (2/94).

- Holding Times: Analytical holding times were met. The preserved water samples were analyzed within 14 days of collection.

- GC/MS Tuning: The BFB tunes met the method abundance criteria. Samples were analyzed within 12 hours of the BFB injection time.

- Calibration: Calibration criteria were met. For applicable target compounds, initial calibration average RRFs were ≥0.05 and %RSDs ≤35%. Continuing calibration RRFs were ≥0.05 and %Ds ≤20%.

- Blanks: The method blank had no target compound detects above the MDL.

- Blank Spikes and Laboratory Control Samples: Recoveries were within laboratory-established QC limits.

- Surrogate Recovery: Recoveries were within laboratory-established QC limits.

- Matrix Spike/Matrix Spike Duplicate: MS/MSD analyses were performed on site sample Outfall 001. Recoveries and RPDs were within laboratory-established QC limits.

- Field QC Samples: Field QC samples were evaluated, and if necessary, qualified based on method blanks and other laboratory QC results affecting the usability of the field QC data. Any remaining detects were used to evaluate the associated site samples. Following are findings associated with field QC samples:

    - Trip Blanks: Sample Trip Blank was the trip blank associated with site sample Outfall 001. The trip blank had no target compound detects above the MDL.

    - Field Blanks and Equipment Rinsates: This SDG had no identified field blank or equipment rinsate samples.

    - Field Duplicates: There were no field duplicate samples identified for this SDG.

- Internal Standards Performance: The internal standard area counts and retention times were within the control limits established by the continuing calibration standards: -50%/+100% for internal standard areas and ±30 seconds for retention times.

- Compound Identification: Compound identification was verified. The laboratory analyzed for 15 volatile target compounds by EPA Method 624. Review of the sample chromatogram, retention times, and spectra indicated no problems with target compound identification.

- Compound Quantification and Reported Detection Limits: Compound quantification was verified. The reporting limits were supported by the low point of the initial calibration and the laboratory MDLs. Any results reported between the MDL and the reporting limit were qualified as estimated, "J," and coded with "DNQ," in order to comply with the NPDES permit. Reported nondetects are valid to the reporting limit.

- Tentatively Identified Compounds: TICs were not reported by the laboratory for this SDG.

- System Performance: Review of the raw data indicated no problems with system performance.

F. VARIOUS EPA METHODS—General Minerals

Reviewed By: P. Meeks
Date Reviewed: March 7, 2008

The sample listed in Table 1 for this analysis were validated based on the guidelines outlined in the *MEC^X Data Validation Procedure for General Minerals (DVP-6, Rev. 0), EPA Methods 120.1, 160.2, 160.5, 180.1,* and the *National Functional Guidelines for Inorganic Data Review* (2/94).

- Holding Times: Analytical holding times, 24 hours for conductivity, 48 hours for settleable solids and turbidity, and seven days for TSS, were met.

- Calibratione: The conductivity and turbidity check standard recoveries were acceptable. The balance calibration logs were acceptable. Calibration is not applicable to settleable solids.

- Blanks: Turbidity was detected in the method blank but not at a concentration sufficient to qualify the site samples. Method blanks and CCBs had no other detects.

- Blank Spikes and Laboratory Control Samples: Recoveries were within laboratory-established QC limits. The LCS is not applicable to settleable solids or turbidity.

- Laboratory Duplicates: No laboratory duplicate analyses were performed for the sample in this SDG.

- Matrix Spike/Matrix Spike Duplicate: No MS/MSD analyses were performed on the sample in this SDG. For the applicable methods, method accuracy was evaluated based on the LCS results.

- Sample Result Verification: Review is not applicable at a Level V validation. Nondetects are valid to the reporting limit.

- Field QC Samples: Field QC samples were evaluated, and if necessary, qualified based on method blanks and other laboratory QC results affecting the usability of the field QC data. Any remaining detects were used to evaluate the associated site samples. Following are findings associated with field QC samples:

    - Field Blanks and Equipment Rinsates: This SDG had no identified field blank or equipment rinsate samples.

    - Field Duplicates: There were no field duplicate samples identified for this SDG.

Sample ID: IRA2506-01 Outfall ~~009~~ 001 **EPA Method 1613**

Client Data		Sample Data		Laboratory Data			
Name:	Test America-Irvine, CA	Matrix:	Aqueous	Lab Sample:	30212-001	Date Received:	29-Jan-08
Project:	IRA2506	Sample Size:	1.01 L	QC Batch No.:	9921	Date Extracted:	2-Feb-08
Date Collected:	25-Jan-08			Date Analyzed DB-5:	7-Feb-08	Date Analyzed DB-225:	NA
Time Collected:	1345						

Analyte	Conc. (ug/L)	DL [a]	EMPC [b]	Qualifiers
2,3,7,8-TCDD	ND	0.00000100		
1,2,3,7,8-PeCDD	ND	0.00000107		
1,2,3,4,7,8-HxCDD	ND	0.00000276		
1,2,3,6,7,8-HxCDD	ND	0.00000279		
1,2,3,7,8,9-HxCDD	ND	0.00000266		
1,2,3,4,6,7,8-HpCDD	0.0000239			J
OCDD	0.000225			
2,3,7,8-TCDF	ND	0.000000699		
1,2,3,7,8-PeCDF	ND	0.00000104		
2,3,4,7,8-PeCDF	ND	0.00000114		
1,2,3,4,7,8-HxCDF	ND	0.000000923		
1,2,3,6,7,8-HxCDF	ND	0.00000128		
2,3,4,6,7,8-HxCDF	ND	0.000000730		
1,2,3,7,8,9-HxCDF	ND	0.000000917		
1,2,3,4,6,7,8-HpCDF	ND		0.00000460	
1,2,3,4,7,8,9-HpCDF	ND	0.00000131		
OCDF	0.0000146			J

Labeled Standard		%R	LCL-UCL [d]	Qualifiers
IS 13C-2,3,7,8-TCDD		77.5	25 - 164	
13C-1,2,3,7,8-PeCDD		64.4	25 - 181	
13C-1,2,3,4,7,8-HxCDD		69.5	32 - 141	
13C-1,2,3,6,7,8-HxCDD		73.2	28 - 130	
13C-1,2,3,4,6,7,8-HpCDD		75.1	23 - 140	
13C-OCDD		63.6	17 - 157	
13C-2,3,7,8-TCDF		83.8	24 - 169	
13C-1,2,3,7,8-PeCDF		71.0	24 - 185	
13C-2,3,4,7,8-PeCDF		61.0	21 - 178	
13C-1,2,3,4,7,8-HxCDF		80.5	26 - 152	
13C-1,2,3,6,7,8-HxCDF		68.6	26 - 123	
13C-2,3,4,6,7,8-HxCDF		65.1	28 - 136	
13C-1,2,3,7,8,9-HxCDF		69.9	29 - 147	
13C-1,2,3,4,6,7,8-HpCDF		63.6	28 - 143	
13C-1,2,3,4,7,8,9-HpCDF		69.1	26 - 138	
13C-OCDF		65.8	17 - 157	
CRS 37Cl-2,3,7,8-TCDD		79.8	35 - 197	

Totals				
Total TCDD	ND	0.00000100		
Total PeCDD	ND	0.00000213		
Total HxCDD	0.00000153			
Total HpCDD	0.0000499			B
Total TCDF	ND	0.000000699		
Total PeCDF	ND		0.000000726	
Total HxCDF	0.00000182		0.00000351	
Total HpCDF	0.0000101		0.0000147	

Footnotes

a. Sample specific estimated detection limit.
b. Estimated maximum possible concentration.
c. Method detection limit.
d. Lower control limit - upper control limit.

Analyst: MAS

Level IV

Approved By: William J. Luksemburg 08-Feb-2008 12:18

pm 4/25/08

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METALS

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water) - cont.									
Reporting Units: mg/l									
Iron	EPA 200.7	8A26028	0.015	0.040	**5.7**	1	01/26/08	01/28/08	
Sample ID: IRA2506-01 (OUTFALL 001 - Water)									
Reporting Units: ug/l									
Cadmium J/DNQ	EPA 200.8	8A26027	0.11	1.0	**0.12**	1	01/26/08	01/26/08	J
Copper	EPA 200.8	8A26027	0.75	2.0	**4.8**	1	01/26/08	01/26/08	
Lead	EPA 200.8	8A26027	0.30	1.0	**3.4**	1	01/26/08	01/26/08	
Manganese	EPA 200.7	8A26028	7.0	20	**71**	1	01/26/08	01/28/08	
Selenium U	EPA 200.8	8A26027	0.30	2.0	ND	1	01/26/08	01/26/08	
Zinc	EPA 200.7	8A26028	6.0	20	**28**	1	01/26/08	01/28/08	

LEVEL IV

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

DISSOLVED METALS

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water) - cont.									
Reporting Units: mg/l									
Iron	EPA 200.7-Diss	8A25155	0.015	0.040	**0.26**	1	01/25/08	01/26/08	
Sample ID: IRA2506-01 (OUTFALL 001 - Water)									
Reporting Units: ug/l									
Cadmium U	EPA 200.8-Diss	8A25156	0.11	1.0	ND	1	01/25/08	01/26/08	
Copper	EPA 200.8-Diss	8A25156	0.75	2.0	**2.2**	1	01/25/08	01/26/08	
Lead U	EPA 200.8-Diss	8A25156	0.30	1.0	ND	1	01/25/08	01/26/08	
Manganese J/DNQ	EPA 200.7-Diss	8A25155	7.0	20	**8.2**	1	01/25/08	01/26/08	J
Selenium U	EPA 200.8-Diss	8A25156	0.30	2.0	ND	1	01/25/08	01/26/08	
Zinc U	EPA 200.7-Diss	8A25155	6.0	20	ND	1	01/25/08	01/26/08	

LEVEL IV

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

Metals by EPA 200 Series Methods

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water) - cont.									
Reporting Units: ug/l									
Mercury, Dissolved UJ/*III	EPA 245.1	W8A1034	0.050	0.20	ND	1	01/29/08	01/30/08	
Mercury, Total ↓	EPA 245.1	W8A1034	0.050	0.20	ND	1	01/29/08	01/30/08	

LEVEL IV

TestAmerica Irvine

Joseph Doak
Project Manager

Eberline Services

ANALYSIS RESULTS

SDG 8691 | Client TA IRVINE
Work Order R801174-01 | Contract PROJECT# IRA2506
Received Date 01/29/08 | Matrix WATER

Client Sample ID	Lab Sample ID	Collected	Analyzed	Nuclide	Results ± 2σ	Units	MDA	
Outfall 001								
IRA2506-01	8691-001	01/25/08	02/16/08	GrossAlpha	3.13 ± 0.82	pCi/L	0.81	J/R
			02/16/08	Gross Beta	3.00 ± 0.62	pCi/L	0.90	
			02/20/08	Ra-228	0.265 ± 0.18	pCi/L	0.47	UJ/H
			02/15/08	K-40 (G)	U	pCi/L	51	↓
			02/15/08	Cs-137 (G)	U	pCi/L	1.6	↓
			02/21/08	H-3	-101 ± 90	pCi/L	160	U
			02/20/08	Ra-226	0.320 ± 0.49	pCi/L	0.83	UJ/H
			02/14/08	Sr-90	-0.002 ± 0.31	pCi/L	0.74	↓
			02/19/08	Total U	0.210 ± 0.025	pCi/L	0.022	J/H

LEVEL IV

Certified by
Report Date 02/27/08
Page 1

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

ACID & BASE/NEUTRALS BY GC/MS (EPA 625)

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water)									
Reporting Units: ug/l									
Bis(2-ethylhexyl)phthalate	EPA 625	8A29057	1.6	4.8	ND	0.962	01/29/08	01/31/08	
2,4-Dinitrotoluene	EPA 625	8A29057	0.19	8.7	ND	0.962	01/29/08	01/31/08	
N-Nitrosodimethylamine	EPA 625	8A29057	0.096	7.7	ND	0.962	01/29/08	01/31/08	
Pentachlorophenol	EPA 625	8A29057	0.096	7.7	ND	0.962	01/29/08	01/31/08	
2,4,6-Trichlorophenol	EPA 625	8A29057	0.096	5.8	ND	0.962	01/29/08	01/31/08	
Surrogate: 2-Fluorophenol (30-120%)					*67 %*				
Surrogate: Phenol-d6 (35-120%)					*72 %*				
Surrogate: 2,4,6-Tribromophenol (40-120%)					*108 %*				
Surrogate: Nitrobenzene-d5 (45-120%)					*82 %*				
Surrogate: 2-Fluorobiphenyl (50-120%)					*82 %*				
Surrogate: Terphenyl-d14 (50-125%)					*99 %*				

Level IV

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
17461 Derian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

PURGEABLES BY GC/MS (EPA 624)

Analyte	Method	Batch	MDL	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water)									
Reporting Units: ug/l									
Benzene	EPA 624	8A30025	0.28	2.0	ND	1	01/30/08	01/30/08	
Carbon tetrachloride	EPA 624	8A30025	0.28	5.0	ND	1	01/30/08	01/30/08	
Chloroform	EPA 624	8A30025	0.33	2.0	ND	1	01/30/08	01/30/08	
1,1-Dichloroethane	EPA 624	8A30025	0.27	2.0	ND	1	01/30/08	01/30/08	
1,2-Dichloroethane	EPA 624	8A30025	0.28	2.0	ND	1	01/30/08	01/30/08	
1,1-Dichloroethene	EPA 624	8A30025	0.42	3.0	ND	1	01/30/08	01/30/08	
Ethylbenzene	EPA 624	8A30025	0.25	2.0	ND	1	01/30/08	01/30/08	
Tetrachloroethene	EPA 624	8A30025	0.32	2.0	ND	1	01/30/08	01/30/08	
Toluene	EPA 624	8A30025	0.36	2.0	ND	1	01/30/08	01/30/08	
1,1,1-Trichloroethane	EPA 624	8A30025	0.30	2.0	ND	1	01/30/08	01/30/08	
1,1,2-Trichloroethane	EPA 624	8A30025	0.30	2.0	ND	1	01/30/08	01/30/08	
Trichloroethene	EPA 624	8A30025	0.26	5.0	ND	1	01/30/08	01/30/08	
Trichlorofluoromethane	EPA 624	8A30025	0.34	5.0	ND	1	01/30/08	01/30/08	
Vinyl chloride	EPA 624	8A30025	0.30	5.0	ND	1	01/30/08	01/30/08	
Xylenes, Total	EPA 624	8A30025	0.90	4.0	ND	1	01/30/08	01/30/08	
Surrogate: Dibromofluoromethane (80-120%)					*110 %*				
Surrogate: Toluene-d8 (80-120%)					*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)					*90 %*				
Sample ID: IRA2506-02 (TRIP BLANK - Water)									
Reporting Units: ug/l									
Benzene	EPA 624	8A31036	0.28	2.0	ND	1	01/31/08	01/31/08	
Carbon tetrachloride	EPA 624	8A31036	0.28	5.0	ND	1	01/31/08	01/31/08	
Chloroform	EPA 624	8A31036	0.33	2.0	ND	1	01/31/08	01/31/08	
1,1-Dichloroethane	EPA 624	8A31036	0.27	2.0	ND	1	01/31/08	01/31/08	
1,2-Dichloroethane	EPA 624	8A31036	0.28	2.0	ND	1	01/31/08	01/31/08	
1,1-Dichloroethene	EPA 624	8A31036	0.42	3.0	ND	1	01/31/08	01/31/08	
Ethylbenzene	EPA 624	8A31036	0.25	2.0	ND	1	01/31/08	01/31/08	
Tetrachloroethene	EPA 624	8A31036	0.32	2.0	ND	1	01/31/08	01/31/08	
Toluene	EPA 624	8A31036	0.36	2.0	ND	1	01/31/08	01/31/08	
1,1,1-Trichloroethane	EPA 624	8A31036	0.30	2.0	ND	1	01/31/08	01/31/08	
1,1,2-Trichloroethane	EPA 624	8A31036	0.30	2.0	ND	1	01/31/08	01/31/08	
Trichloroethene	EPA 624	8A31036	0.26	5.0	ND	1	01/31/08	01/31/08	
Trichlorofluoromethane	EPA 624	8A31036	0.34	5.0	ND	1	01/31/08	01/31/08	
Vinyl chloride	EPA 624	8A31036	0.30	5.0	ND	1	01/31/08	01/31/08	
Xylenes, Total	EPA 624	8A31036	0.90	4.0	ND	1	01/31/08	01/31/08	
Surrogate: Dibromofluoromethane (80-120%)					*107 %*				
Surrogate: Toluene-d8 (80-120%)					*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)					*91 %*				

Level IV

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

INORGANICS

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water) - cont.									
Reporting Units: mg/l									
Hexane Extractable Material (Oil & Grease) *	EPA 1664A	8B04061	1.4	4.9	ND	1	02/04/08	02/04/08	
Ammonia-N (Distilled)	EPA 350.2	8A29110	0.30	0.50	ND	1	01/29/08	01/29/08	
Biochemical Oxygen Demand	EPA 405.1	8A25151	0.59	2.0	**1.9**	1	01/25/08	01/30/08	J
Chloride	EPA 300.0	8A25053	0.25	0.50	**11**	1	01/25/08	01/25/08	
Nitrate-N	EPA 300.0	8A25053	0.060	0.11	**3.8**	1	01/25/08	01/25/08	
Nitrite-N	EPA 300.0	8A25053	0.090	0.15	ND	1	01/25/08	01/25/08	
Nitrate/Nitrite-N	EPA 300.0	8A25053	0.15	0.26	**3.8**	1	01/25/08	01/25/08	
Sulfate	EPA 300.0	8A25053	0.20	0.50	**22**	1	01/25/08	01/25/08	
Surfactants (MBAS)	SM5540-C	8A25148	0.044	0.10	ND	1	01/25/08	01/25/08	
Total Dissolved Solids	SM2540C	8A31077	10	10	**170**	1	01/31/08	01/31/08	
Total Suspended Solids	EPA 160.2	8A30131	10	10	**57**	1	01/30/08	01/30/08	

*Analysis not validated

LEVEL IV

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

INORGANICS

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water) - cont.									
Reporting Units: ml/l/hr									
Total Settleable Solids	EPA 160.5	8A26035	0.10	0.10	**0.10**	1	01/26/08	01/26/08	

LEVEL IV

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

INORGANICS

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water) - cont.									
Reporting Units: NTU									
Turbidity	EPA 180.1	8A26036	0.040	1.0	**18**	1	01/26/08	01/26/08	

LEVEL IV

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

INORGANICS

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water) - cont.									
Reporting Units: umhos/cm									
Specific Conductance	EPA 120.1	8A31072	1.0	1.0	**190**	1	01/31/08	01/31/08	

LEVEL IV

TestAmerica Irvine

Joseph Doak
Project Manager

APPENDIX G

Section 2

Outfall 001, January 25, 2008

Test America Analytical Laboratory Report

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

LABORATORY REPORT

Prepared For: MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project: Routine Outfall 001

Sampled: 01/25/08
Received: 01/25/08
Issued: 02/28/08 11:51

NELAP #01108CA California ELAP#1197 CSDLAC #10256

CASE NARRATIVE

SAMPLE RECEIPT:	Samples were received intact, at 2°C, on ice and with chain of custody documentation.
HOLDING TIMES:	All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	Results that fall between the MDL and RL are 'J' flagged.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.
ADDITIONAL INFORMATION:	This is a final report to include all subcontract data.

LABORATORY ID	CLIENT ID	MATRIX
IRA2506-01	OUTFALL 001	Water
IRA2506-02	TRIP BLANK	Water

Reviewed By:



TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

PURGEABLES BY GC/MS (EPA 624)

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water)									
Reporting Units: ug/l									
Benzene	EPA 624	8A30025	0.28	2.0	ND	1	01/30/08	01/30/08	
Carbon tetrachloride	EPA 624	8A30025	0.28	5.0	ND	1	01/30/08	01/30/08	
Chloroform	EPA 624	8A30025	0.33	2.0	ND	1	01/30/08	01/30/08	
1,1-Dichloroethane	EPA 624	8A30025	0.27	2.0	ND	1	01/30/08	01/30/08	
1,2-Dichloroethane	EPA 624	8A30025	0.28	2.0	ND	1	01/30/08	01/30/08	
1,1-Dichloroethene	EPA 624	8A30025	0.42	3.0	ND	1	01/30/08	01/30/08	
Ethylbenzene	EPA 624	8A30025	0.25	2.0	ND	1	01/30/08	01/30/08	
Tetrachloroethene	EPA 624	8A30025	0.32	2.0	ND	1	01/30/08	01/30/08	
Toluene	EPA 624	8A30025	0.36	2.0	ND	1	01/30/08	01/30/08	
1,1,1-Trichloroethane	EPA 624	8A30025	0.30	2.0	ND	1	01/30/08	01/30/08	
1,1,2-Trichloroethane	EPA 624	8A30025	0.30	2.0	ND	1	01/30/08	01/30/08	
Trichloroethene	EPA 624	8A30025	0.26	5.0	ND	1	01/30/08	01/30/08	
Trichlorofluoromethane	EPA 624	8A30025	0.34	5.0	ND	1	01/30/08	01/30/08	
Vinyl chloride	EPA 624	8A30025	0.30	5.0	ND	1	01/30/08	01/30/08	
Xylenes, Total	EPA 624	8A30025	0.90	4.0	ND	1	01/30/08	01/30/08	
Surrogate: Dibromofluoromethane (80-120%)					*110 %*				
Surrogate: Toluene-d8 (80-120%)					*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)					*90 %*				
Sample ID: IRA2506-02 (TRIP BLANK - Water)									
Reporting Units: ug/l									
Benzene	EPA 624	8A31036	0.28	2.0	ND	1	01/31/08	01/31/08	
Carbon tetrachloride	EPA 624	8A31036	0.28	5.0	ND	1	01/31/08	01/31/08	
Chloroform	EPA 624	8A31036	0.33	2.0	ND	1	01/31/08	01/31/08	
1,1-Dichloroethane	EPA 624	8A31036	0.27	2.0	ND	1	01/31/08	01/31/08	
1,2-Dichloroethane	EPA 624	8A31036	0.28	2.0	ND	1	01/31/08	01/31/08	
1,1-Dichloroethene	EPA 624	8A31036	0.42	3.0	ND	1	01/31/08	01/31/08	
Ethylbenzene	EPA 624	8A31036	0.25	2.0	ND	1	01/31/08	01/31/08	
Tetrachloroethene	EPA 624	8A31036	0.32	2.0	ND	1	01/31/08	01/31/08	
Toluene	EPA 624	8A31036	0.36	2.0	ND	1	01/31/08	01/31/08	
1,1,1-Trichloroethane	EPA 624	8A31036	0.30	2.0	ND	1	01/31/08	01/31/08	
1,1,2-Trichloroethane	EPA 624	8A31036	0.30	2.0	ND	1	01/31/08	01/31/08	
Trichloroethene	EPA 624	8A31036	0.26	5.0	ND	1	01/31/08	01/31/08	
Trichlorofluoromethane	EPA 624	8A31036	0.34	5.0	ND	1	01/31/08	01/31/08	
Vinyl chloride	EPA 624	8A31036	0.30	5.0	ND	1	01/31/08	01/31/08	
Xylenes, Total	EPA 624	8A31036	0.90	4.0	ND	1	01/31/08	01/31/08	
Surrogate: Dibromofluoromethane (80-120%)					*107 %*				
Surrogate: Toluene-d8 (80-120%)					*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)					*91 %*				

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

ACID & BASE/NEUTRALS BY GC/MS (EPA 625)

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water)									
Reporting Units: ug/l									
Bis(2-ethylhexyl)phthalate	EPA 625	8A29057	1.6	4.8	ND	0.962	01/29/08	01/31/08	
2,4-Dinitrotoluene	EPA 625	8A29057	0.19	8.7	ND	0.962	01/29/08	01/31/08	
N-Nitrosodimethylamine	EPA 625	8A29057	0.096	7.7	ND	0.962	01/29/08	01/31/08	
Pentachlorophenol	EPA 625	8A29057	0.096	7.7	ND	0.962	01/29/08	01/31/08	
2,4,6-Trichlorophenol	EPA 625	8A29057	0.096	5.8	ND	0.962	01/29/08	01/31/08	
Surrogate: 2-Fluorophenol (30-120%)					*67 %*				
Surrogate: Phenol-d6 (35-120%)					*72 %*				
Surrogate: 2,4,6-Tribromophenol (40-120%)					*108 %*				
Surrogate: Nitrobenzene-d5 (45-120%)					*82 %*				
Surrogate: 2-Fluorobiphenyl (50-120%)					*82 %*				
Surrogate: Terphenyl-d14 (50-125%)					*99 %*				

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

ORGANOCHLORINE PESTICIDES (EPA 608)

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water) - cont.									
Reporting Units: ug/l									
alpha-BHC	EPA 608	8A29059	0.0024	0.0094	ND	0.943	01/29/08	01/29/08	
Surrogate: Decachlorobiphenyl (45-120%)					*79 %*				
Surrogate: Tetrachloro-m-xylene (35-115%)					*67 %*				

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METALS

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water) - cont.									
Reporting Units: mg/l									
Iron	EPA 200.7	8A26028	0.015	0.040	**5.7**	1	01/26/08	01/28/08	
Sample ID: IRA2506-01 (OUTFALL 001 - Water)									
Reporting Units: ug/l									
Cadmium	EPA 200.8	8A26027	0.11	1.0	**0.12**	1	01/26/08	01/26/08	J
Copper	EPA 200.8	8A26027	0.75	2.0	**4.8**	1	01/26/08	01/26/08	
Lead	EPA 200.8	8A26027	0.30	1.0	**3.4**	1	01/26/08	01/26/08	
Manganese	EPA 200.7	8A26028	7.0	20	**71**	1	01/26/08	01/28/08	
Selenium	EPA 200.8	8A26027	0.30	2.0	ND	1	01/26/08	01/26/08	
Zinc	EPA 200.7	8A26028	6.0	20	**28**	1	01/26/08	01/28/08	

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

DISSOLVED METALS

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water) - cont.									
Reporting Units: mg/l									
Iron	EPA 200.7-Diss	8A25155	0.015	0.040	**0.26**	1	01/25/08	01/26/08	
Sample ID: IRA2506-01 (OUTFALL 001 - Water)									
Reporting Units: ug/l									
Cadmium	EPA 200.8-Diss	8A25156	0.11	1.0	ND	1	01/25/08	01/26/08	
Copper	EPA 200.8-Diss	8A25156	0.75	2.0	**2.2**	1	01/25/08	01/26/08	
Lead	EPA 200.8-Diss	8A25156	0.30	1.0	ND	1	01/25/08	01/26/08	
Manganese	EPA 200.7-Diss	8A25155	7.0	20	**8.2**	1	01/25/08	01/26/08	J
Selenium	EPA 200.8-Diss	8A25156	0.30	2.0	ND	1	01/25/08	01/26/08	
Zinc	EPA 200.7-Diss	8A25155	6.0	20	ND	1	01/25/08	01/26/08	

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

INORGANICS

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water) - cont.									
Reporting Units: mg/l									
Hexane Extractable Material (Oil & Grease)	EPA 1664A	8B04061	1.4	4.9	ND	1	02/04/08	02/04/08	
Ammonia-N (Distilled)	EPA 350.2	8A29110	0.30	0.50	ND	1	01/29/08	01/29/08	
Biochemical Oxygen Demand	EPA 405.1	8A25151	0.59	2.0	**1.9**	1	01/25/08	01/30/08	J
Chloride	EPA 300.0	8A25053	0.25	0.50	**11**	1	01/25/08	01/25/08	
Nitrate-N	EPA 300.0	8A25053	0.060	0.11	**3.8**	1	01/25/08	01/25/08	
Nitrite-N	EPA 300.0	8A25053	0.090	0.15	ND	1	01/25/08	01/25/08	
Nitrate/Nitrite-N	EPA 300.0	8A25053	0.15	0.26	**3.8**	1	01/25/08	01/25/08	
Sulfate	EPA 300.0	8A25053	0.20	0.50	**22**	1	01/25/08	01/25/08	
Surfactants (MBAS)	SM5540-C	8A25148	0.044	0.10	ND	1	01/25/08	01/25/08	
Total Dissolved Solids	SM2540C	8A31077	10	10	**170**	1	01/31/08	01/31/08	
Total Suspended Solids	EPA 160.2	8A30131	10	10	**57**	1	01/30/08	01/30/08	

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

INORGANICS

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water) - cont.									
Reporting Units: ml/l/hr									
Total Settleable Solids	EPA 160.5	8A26035	0.10	0.10	**0.10**	1	01/26/08	01/26/08	

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

INORGANICS

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water) - cont.									
Reporting Units: NTU									
Turbidity	EPA 180.1	8A26036	0.040	1.0	**18**	1	01/26/08	01/26/08	

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

INORGANICS

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water) - cont.									
Reporting Units: ug/l									
Total Cyanide	EPA 335.2	8A28126	2.2	5.0	ND	1	01/28/08	01/28/08	
Perchlorate	EPA 314.0	8A28071	1.5	4.0	ND	1	01/28/08	01/28/08	

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

INORGANICS

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water) - cont.									
Reporting Units: umhos/cm									
Specific Conductance	EPA 120.1	8A31072	1.0	1.0	**190**	1	01/31/08	01/31/08	

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

Metals by EPA 200 Series Methods

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRA2506-01 (OUTFALL 001 - Water) - cont.									
Reporting Units: ug/l									
Mercury, Dissolved	EPA 245.1	W8A1034	0.050	0.20	ND	1	01/29/08	01/30/08	
Mercury, Total	EPA 245.1	W8A1034	0.050	0.20	ND	1	01/29/08	01/30/08	

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001

Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

SHORT HOLD TIME DETAIL REPORT

	Hold Time (in days)	Date/Time Sampled	Date/Time Received	Date/Time Extracted	Date/Time Analyzed
Sample ID: OUTFALL 001 (IRA2506-01) - Water					
EPA 160.5	2	01/25/2008 13:45	01/25/2008 18:20	01/26/2008 13:00	01/26/2008 13:00
EPA 180.1	2	01/25/2008 13:45	01/25/2008 18:20	01/26/2008 16:00	01/26/2008 16:00
EPA 300.0	2	01/25/2008 13:45	01/25/2008 18:20	01/25/2008 20:00	01/25/2008 21:56
EPA 405.1	2	01/25/2008 13:45	01/25/2008 18:20	01/25/2008 20:58	01/30/2008 15:00
SM5540-C	2	01/25/2008 13:45	01/25/2008 18:20	01/25/2008 20:08	01/25/2008 22:33

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

PURGEABLES BY GC/MS (EPA 624)

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A30025 Extracted: 01/30/08											
Blank Analyzed: 01/30/2008 (8A30025-BLK1)											
Benzene	ND	2.0	0.28	ug/l							
Carbon tetrachloride	ND	5.0	0.28	ug/l							
Chloroform	ND	2.0	0.33	ug/l							
1,1-Dichloroethane	ND	2.0	0.27	ug/l							
1,2-Dichloroethane	ND	2.0	0.28	ug/l							
1,1-Dichloroethene	ND	3.0	0.42	ug/l							
Ethylbenzene	ND	2.0	0.25	ug/l							
Tetrachloroethene	ND	2.0	0.32	ug/l							
Toluene	ND	2.0	0.36	ug/l							
1,1,1-Trichloroethane	ND	2.0	0.30	ug/l							
1,1,2-Trichloroethane	ND	2.0	0.30	ug/l							
Trichloroethene	ND	5.0	0.26	ug/l							
Trichlorofluoromethane	ND	5.0	0.34	ug/l							
Vinyl chloride	ND	5.0	0.30	ug/l							
Xylenes, Total	ND	4.0	0.90	ug/l							
Surrogate: Dibromofluoromethane	*26.2*			*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: Toluene-d8	*25.2*			*ug/l*	*25.0*		*101*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*22.5*			*ug/l*	*25.0*		*90*	*80-120*			
LCS Analyzed: 01/30/2008 (8A30025-BS1)											
Benzene	24.9	2.0	0.28	ug/l	25.0		99	70-120			
Carbon tetrachloride	26.1	5.0	0.28	ug/l	25.0		104	65-140			
Chloroform	27.8	2.0	0.33	ug/l	25.0		111	70-130			
1,1-Dichloroethane	27.4	2.0	0.27	ug/l	25.0		110	70-125			
1,2-Dichloroethane	24.9	2.0	0.28	ug/l	25.0		99	60-140			
1,1-Dichloroethene	24.0	3.0	0.42	ug/l	25.0		96	70-125			
Ethylbenzene	25.7	2.0	0.25	ug/l	25.0		103	75-125			
Tetrachloroethene	21.7	2.0	0.32	ug/l	25.0		87	70-125			
Toluene	24.8	2.0	0.36	ug/l	25.0		99	70-120			
1,1,1-Trichloroethane	27.4	2.0	0.30	ug/l	25.0		110	65-135			
1,1,2-Trichloroethane	25.0	2.0	0.30	ug/l	25.0		100	70-125			
Trichloroethene	23.7	5.0	0.26	ug/l	25.0		95	70-125			
Trichlorofluoromethane	29.4	5.0	0.34	ug/l	25.0		117	65-145			
Vinyl chloride	25.4	5.0	0.30	ug/l	25.0		102	55-135			
Xylenes, Total	74.1	4.0	0.90	ug/l	75.0		99	70-125			
Surrogate: Dibromofluoromethane	*27.5*			*ug/l*	*25.0*		*110*	*80-120*			

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

PURGEABLES BY GC/MS (EPA 624)

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A30025 Extracted: 01/30/08											
LCS Analyzed: 01/30/2008 (8A30025-BS1)											
Surrogate: Toluene-d8	*25.6*			*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*			*ug/l*	*25.0*		*100*	*80-120*			
Matrix Spike Analyzed: 01/30/2008 (8A30025-MS1)						**Source: IRA2506-01**					
Benzene	27.6	2.0	0.28	ug/l	25.0	ND	110	65-125			
Carbon tetrachloride	29.2	5.0	0.28	ug/l	25.0	ND	117	65-140			
Chloroform	31.2	2.0	0.33	ug/l	25.0	ND	125	65-135			
1,1-Dichloroethane	30.4	2.0	0.27	ug/l	25.0	ND	122	65-130			
1,2-Dichloroethane	27.6	2.0	0.28	ug/l	25.0	ND	111	60-140			
1,1-Dichloroethene	26.7	3.0	0.42	ug/l	25.0	ND	107	60-130			
Ethylbenzene	28.4	2.0	0.25	ug/l	25.0	ND	114	65-130			
Tetrachloroethene	24.1	2.0	0.32	ug/l	25.0	ND	96	65-130			
Toluene	27.2	2.0	0.36	ug/l	25.0	ND	109	70-125			
1,1,1-Trichloroethane	30.8	2.0	0.30	ug/l	25.0	ND	123	65-140			
1,1,2-Trichloroethane	28.2	2.0	0.30	ug/l	25.0	ND	113	65-130			
Trichloroethene	25.9	5.0	0.26	ug/l	25.0	ND	104	65-125			
Trichlorofluoromethane	33.5	5.0	0.34	ug/l	25.0	ND	134	60-145			
Vinyl chloride	28.2	5.0	0.30	ug/l	25.0	ND	113	45-140			
Xylenes, Total	80.2	4.0	0.90	ug/l	75.0	ND	107	60-130			
Surrogate: Dibromofluoromethane	*26.9*			*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: Toluene-d8	*25.2*			*ug/l*	*25.0*		*101*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.7*			*ug/l*	*25.0*		*99*	*80-120*			
Matrix Spike Dup Analyzed: 01/30/2008 (8A30025-MSD1)						**Source: IRA2506-01**					
Benzene	27.4	2.0	0.28	ug/l	25.0	ND	110	65-125	1	20	
Carbon tetrachloride	28.3	5.0	0.28	ug/l	25.0	ND	113	65-140	3	25	
Chloroform	30.5	2.0	0.33	ug/l	25.0	ND	122	65-135	2	20	
1,1-Dichloroethane	30.0	2.0	0.27	ug/l	25.0	ND	120	65-130	1	20	
1,2-Dichloroethane	26.8	2.0	0.28	ug/l	25.0	ND	107	60-140	3	20	
1,1-Dichloroethene	26.6	3.0	0.42	ug/l	25.0	ND	106	60-130	1	20	
Ethylbenzene	27.8	2.0	0.25	ug/l	25.0	ND	111	65-130	2	20	
Tetrachloroethene	23.9	2.0	0.32	ug/l	25.0	ND	96	65-130	1	20	
Toluene	27.0	2.0	0.36	ug/l	25.0	ND	108	70-125	1	20	
1,1,1-Trichloroethane	29.8	2.0	0.30	ug/l	25.0	ND	119	65-140	3	20	
1,1,2-Trichloroethane	28.0	2.0	0.30	ug/l	25.0	ND	112	65-130	1	25	
Trichloroethene	26.0	5.0	0.26	ug/l	25.0	ND	104	65-125	0	20	

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

PURGEABLES BY GC/MS (EPA 624)

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A30025 Extracted: 01/30/08											
Matrix Spike Dup Analyzed: 01/30/2008 (8A30025-MSD1)						**Source: IRA2506-01**					
Trichlorofluoromethane	31.9	5.0	0.34	ug/l	25.0	ND	128	60-145	5	25	
Vinyl chloride	28.9	5.0	0.30	ug/l	25.0	ND	116	45-140	2	30	
Xylenes, Total	78.8	4.0	0.90	ug/l	75.0	ND	105	60-130	2	20	
Surrogate: Dibromofluoromethane	*27.0*			*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: Toluene-d8	*25.5*			*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.5*			*ug/l*	*25.0*		*98*	*80-120*			
Batch: 8A31036 Extracted: 01/31/08											
Blank Analyzed: 01/31/2008 (8A31036-BLK1)											
Benzene	ND	2.0	0.28	ug/l							
Carbon tetrachloride	ND	5.0	0.28	ug/l							
Chloroform	ND	2.0	0.33	ug/l							
1,1-Dichloroethane	ND	2.0	0.27	ug/l							
1,2-Dichloroethane	ND	2.0	0.28	ug/l							
1,1-Dichloroethene	ND	3.0	0.42	ug/l							
Ethylbenzene	ND	2.0	0.25	ug/l							
Tetrachloroethene	ND	2.0	0.32	ug/l							
Toluene	ND	2.0	0.36	ug/l							
1,1,1-Trichloroethane	ND	2.0	0.30	ug/l							
1,1,2-Trichloroethane	ND	2.0	0.30	ug/l							
Trichloroethene	ND	5.0	0.26	ug/l							
Trichlorofluoromethane	ND	5.0	0.34	ug/l							
Vinyl chloride	ND	5.0	0.30	ug/l							
Xylenes, Total	ND	4.0	0.90	ug/l							
Surrogate: Dibromofluoromethane	*26.8*			*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: Toluene-d8	*25.4*			*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*22.6*			*ug/l*	*25.0*		*90*	*80-120*			

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

PURGEABLES BY GC/MS (EPA 624)

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A31036 Extracted: 01/31/08											
LCS Analyzed: 01/31/2008 (8A31036-BS1)											
Benzene	26.5	2.0	0.28	ug/l	25.0		106	70-120			
Carbon tetrachloride	27.6	5.0	0.28	ug/l	25.0		110	65-140			
Chloroform	29.6	2.0	0.33	ug/l	25.0		118	70-130			
1,1-Dichloroethane	29.0	2.0	0.27	ug/l	25.0		116	70-125			
1,2-Dichloroethane	26.2	2.0	0.28	ug/l	25.0		105	60-140			
1,1-Dichloroethene	26.0	3.0	0.42	ug/l	25.0		104	70-125			
Ethylbenzene	26.8	2.0	0.25	ug/l	25.0		107	75-125			
Tetrachloroethene	22.6	2.0	0.32	ug/l	25.0		90	70-125			
Toluene	26.2	2.0	0.36	ug/l	25.0		105	70-120			
1,1,1-Trichloroethane	29.2	2.0	0.30	ug/l	25.0		117	65-135			
1,1,2-Trichloroethane	25.7	2.0	0.30	ug/l	25.0		103	70-125			
Trichloroethene	25.0	5.0	0.26	ug/l	25.0		100	70-125			
Trichlorofluoromethane	32.5	5.0	0.34	ug/l	25.0		130	65-145			
Vinyl chloride	28.6	5.0	0.30	ug/l	25.0		114	55-135			
Xylenes, Total	77.5	4.0	0.90	ug/l	75.0		103	70-125			
Surrogate: Dibromofluoromethane	*27.8*			*ug/l*	*25.0*		*111*	*80-120*			
Surrogate: Toluene-d8	*25.7*			*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.9*			*ug/l*	*25.0*		*99*	*80-120*			
Matrix Spike Analyzed: 01/31/2008 (8A31036-MS1)						**Source: IRA2513-02**					
Benzene	26.8	2.0	0.28	ug/l	25.0	ND	107	65-125			
Carbon tetrachloride	28.2	5.0	0.28	ug/l	25.0	ND	113	65-140			
Chloroform	31.1	2.0	0.33	ug/l	25.0	0.740	122	65-135			
1,1-Dichloroethane	29.8	2.0	0.27	ug/l	25.0	ND	119	65-130			
1,2-Dichloroethane	26.2	2.0	0.28	ug/l	25.0	ND	105	60-140			
1,1-Dichloroethene	26.4	3.0	0.42	ug/l	25.0	ND	106	60-130			
Ethylbenzene	27.8	2.0	0.25	ug/l	25.0	ND	111	65-130			
Tetrachloroethene	23.5	2.0	0.32	ug/l	25.0	ND	94	65-130			
Toluene	26.6	2.0	0.36	ug/l	25.0	ND	106	70-125			
1,1,1-Trichloroethane	29.9	2.0	0.30	ug/l	25.0	ND	120	65-140			
1,1,2-Trichloroethane	26.4	2.0	0.30	ug/l	25.0	ND	105	65-130			
Trichloroethene	25.2	5.0	0.26	ug/l	25.0	ND	101	65-125			
Trichlorofluoromethane	33.5	5.0	0.34	ug/l	25.0	ND	134	60-145			
Vinyl chloride	29.4	5.0	0.30	ug/l	25.0	ND	118	45-140			
Xylenes, Total	79.8	4.0	0.90	ug/l	75.0	ND	106	60-130			
Surrogate: Dibromofluoromethane	*27.4*			*ug/l*	*25.0*		*109*	*80-120*			

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

PURGEABLES BY GC/MS (EPA 624)

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A31036 Extracted: 01/31/08											
Matrix Spike Analyzed: 01/31/2008 (8A31036-MS1)						**Source: IRA2513-02**					
Surrogate: Toluene-d8	*25.2*			*ug/l*	*25.0*		*101*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*			*ug/l*	*25.0*		*99*	*80-120*			
Matrix Spike Dup Analyzed: 01/31/2008 (8A31036-MSD1)						**Source: IRA2513-02**					
Benzene	27.6	2.0	0.28	ug/l	25.0	ND	110	65-125	3	20	
Carbon tetrachloride	29.0	5.0	0.28	ug/l	25.0	ND	116	65-140	3	25	
Chloroform	30.9	2.0	0.33	ug/l	25.0	0.740	121	65-135	1	20	
1,1-Dichloroethane	30.2	2.0	0.27	ug/l	25.0	ND	121	65-130	1	20	
1,2-Dichloroethane	26.7	2.0	0.28	ug/l	25.0	ND	107	60-140	2	20	
1,1-Dichloroethene	27.1	3.0	0.42	ug/l	25.0	ND	109	60-130	3	20	
Ethylbenzene	28.2	2.0	0.25	ug/l	25.0	ND	113	65-130	1	20	
Tetrachloroethene	24.0	2.0	0.32	ug/l	25.0	ND	96	65-130	2	20	
Toluene	27.4	2.0	0.36	ug/l	25.0	ND	110	70-125	3	20	
1,1,1-Trichloroethane	30.1	2.0	0.30	ug/l	25.0	ND	120	65-140	1	20	
1,1,2-Trichloroethane	26.7	2.0	0.30	ug/l	25.0	ND	107	65-130	1	25	
Trichloroethene	26.0	5.0	0.26	ug/l	25.0	ND	104	65-125	3	20	
Trichlorofluoromethane	33.7	5.0	0.34	ug/l	25.0	ND	135	60-145	1	25	
Vinyl chloride	30.6	5.0	0.30	ug/l	25.0	ND	122	45-140	4	30	
Xylenes, Total	81.5	4.0	0.90	ug/l	75.0	ND	109	60-130	2	20	
Surrogate: Dibromofluoromethane	*26.8*			*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: Toluene-d8	*25.6*			*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.3*			*ug/l*	*25.0*		*97*	*80-120*			

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

ACID & BASE/NEUTRALS BY GC/MS (EPA 625)

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A29057 Extracted: 01/29/08											
Blank Analyzed: 01/31/2008 (8A29057-BLK1)											
Bis(2-ethylhexyl)phthalate	ND	5.0	1.7	ug/l							
2,4-Dinitrotoluene	ND	9.0	0.20	ug/l							
N-Nitrosodimethylamine	ND	8.0	0.10	ug/l							
Pentachlorophenol	ND	8.0	0.10	ug/l							
2,4,6-Trichlorophenol	ND	6.0	0.10	ug/l							
Surrogate: 2-Fluorophenol	*14.9*			*ug/l*	*20.0*		*75*	*30-120*			
Surrogate: Phenol-d6	*16.3*			*ug/l*	*20.0*		*81*	*35-120*			
Surrogate: 2,4,6-Tribromophenol	*18.4*			*ug/l*	*20.0*		*92*	*40-120*			
Surrogate: Nitrobenzene-d5	*8.42*			*ug/l*	*10.0*		*84*	*45-120*			
Surrogate: 2-Fluorobiphenyl	*8.88*			*ug/l*	*10.0*		*89*	*50-120*			
Surrogate: Terphenyl-d14	*10.6*			*ug/l*	*10.0*		*106*	*50-125*			
LCS Analyzed: 01/31/2008 (8A29057-BS1)											**MNR1**
Bis(2-ethylhexyl)phthalate	11.3	5.0	1.7	ug/l	10.0		113	65-130			
2,4-Dinitrotoluene	11.2	9.0	0.20	ug/l	10.0		112	65-120			
N-Nitrosodimethylamine	8.42	8.0	0.10	ug/l	10.0		84	45-120			
Pentachlorophenol	8.90	8.0	0.10	ug/l	10.0		89	50-120			
2,4,6-Trichlorophenol	8.46	6.0	0.10	ug/l	10.0		85	55-120			
Surrogate: 2-Fluorophenol	*15.6*			*ug/l*	*20.0*		*78*	*30-120*			
Surrogate: Phenol-d6	*17.1*			*ug/l*	*20.0*		*86*	*35-120*			
Surrogate: 2,4,6-Tribromophenol	*21.2*			*ug/l*	*20.0*		*106*	*40-120*			
Surrogate: Nitrobenzene-d5	*8.44*			*ug/l*	*10.0*		*84*	*45-120*			
Surrogate: 2-Fluorobiphenyl	*8.82*			*ug/l*	*10.0*		*88*	*50-120*			
Surrogate: Terphenyl-d14	*9.24*			*ug/l*	*10.0*		*92*	*50-125*			
LCS Dup Analyzed: 01/31/2008 (8A29057-BSD1)											
Bis(2-ethylhexyl)phthalate	11.3	5.0	1.7	ug/l	10.0		113	65-130	1	20	
2,4-Dinitrotoluene	10.2	9.0	0.20	ug/l	10.0		102	65-120	9	20	
N-Nitrosodimethylamine	7.74	8.0	0.10	ug/l	10.0		77	45-120	8	20	*J*
Pentachlorophenol	8.24	8.0	0.10	ug/l	10.0		82	50-120	8	25	
2,4,6-Trichlorophenol	8.06	6.0	0.10	ug/l	10.0		81	55-120	5	30	
Surrogate: 2-Fluorophenol	*14.4*			*ug/l*	*20.0*		*72*	*30-120*			
Surrogate: Phenol-d6	*16.3*			*ug/l*	*20.0*		*82*	*35-120*			
Surrogate: 2,4,6-Tribromophenol	*19.6*			*ug/l*	*20.0*		*98*	*40-120*			
Surrogate: Nitrobenzene-d5	*7.74*			*ug/l*	*10.0*		*77*	*45-120*			
Surrogate: 2-Fluorobiphenyl	*7.68*			*ug/l*	*10.0*		*77*	*50-120*			

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

ACID & BASE/NEUTRALS BY GC/MS (EPA 625)

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A29057 Extracted: 01/29/08											
LCS Dup Analyzed: 01/31/2008 (8A29057-BSD1)											
Surrogate: Terphenyl-d14	*8.94*			*ug/l*	*10.0*		*89*	*50-125*			

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

ORGANOCHLORINE PESTICIDES (EPA 608)

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A29059 Extracted: 01/29/08											
Blank Analyzed: 01/29/2008 (8A29059-BLK1)											
alpha-BHC	ND	0.010	0.0025	ug/l							
Surrogate: Decachlorobiphenyl	*0.417*			*ug/l*	*0.500*		*83*	*45-120*			
Surrogate: Tetrachloro-m-xylene	*0.376*			*ug/l*	*0.500*		*75*	*35-115*			
LCS Analyzed: 01/29/2008 (8A29059-BS1)											**MNR1**
alpha-BHC	0.450	0.010	0.0025	ug/l	0.500		90	45-115			
Surrogate: Decachlorobiphenyl	*0.459*			*ug/l*	*0.500*		*92*	*45-120*			
Surrogate: Tetrachloro-m-xylene	*0.392*			*ug/l*	*0.500*		*78*	*35-115*			
LCS Dup Analyzed: 01/29/2008 (8A29059-BSD1)											
alpha-BHC	0.341	0.010	0.0025	ug/l	0.500		68	45-115	28	30	
Surrogate: Decachlorobiphenyl	*0.338*			*ug/l*	*0.500*		*68*	*45-120*			
Surrogate: Tetrachloro-m-xylene	*0.302*			*ug/l*	*0.500*		*60*	*35-115*			

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

METALS

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A26027 Extracted: 01/26/08											
Blank Analyzed: 01/26/2008 (8A26027-BLK1)											
Cadmium	ND	1.0	0.11	ug/l							
Copper	ND	2.0	0.75	ug/l							
Lead	ND	1.0	0.30	ug/l							
Selenium	ND	2.0	0.30	ug/l							
LCS Analyzed: 01/26/2008 (8A26027-BS1)											
Cadmium	85.7	1.0	0.11	ug/l	80.0		107	85-115			
Copper	86.0	2.0	0.75	ug/l	80.0		108	85-115			
Lead	90.0	1.0	0.30	ug/l	80.0		112	85-115			
Selenium	86.9	2.0	0.30	ug/l	80.0		109	85-115			
Matrix Spike Analyzed: 01/26/2008 (8A26027-MS1)						**Source: IRA2496-01**					
Cadmium	80.7	1.0	0.11	ug/l	80.0	0.182	101	70-130			
Copper	89.3	2.0	0.75	ug/l	80.0	8.44	101	70-130			
Lead	93.9	1.0	0.30	ug/l	80.0	7.12	108	70-130			
Selenium	79.5	2.0	0.30	ug/l	80.0	ND	99	70-130			
Matrix Spike Dup Analyzed: 01/26/2008 (8A26027-MSD1)						**Source: IRA2496-01**					
Cadmium	79.0	1.0	0.11	ug/l	80.0	0.182	98	70-130	2	20	
Copper	88.0	2.0	0.75	ug/l	80.0	8.44	99	70-130	1	20	
Lead	91.7	1.0	0.30	ug/l	80.0	7.12	106	70-130	2	20	
Selenium	75.9	2.0	0.30	ug/l	80.0	ND	95	70-130	5	20	
Batch: 8A26028 Extracted: 01/26/08											
Blank Analyzed: 01/28/2008 (8A26028-BLK1)											
Iron	ND	0.040	0.015	mg/l							
Manganese	ND	20	7.0	ug/l							
Zinc	ND	20	6.0	ug/l							

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001

Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

METALS

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A26028 Extracted: 01/26/08											
LCS Analyzed: 01/28/2008 (8A26028-BS1)											
Iron	0.521	0.040	0.015	mg/l	0.500		104	85-115			
Manganese	507	20	7.0	ug/l	500		101	85-115			
Zinc	500	20	6.0	ug/l	500		100	85-115			
Matrix Spike Analyzed: 01/28/2008 (8A26028-MS1)						**Source: IRA2498-01**					
Iron	0.722	0.040	0.015	mg/l	0.500	0.156	113	70-130			
Manganese	505	20	7.0	ug/l	500	ND	101	70-130			
Zinc	702	20	6.0	ug/l	500	216	97	70-130			
Matrix Spike Dup Analyzed: 01/28/2008 (8A26028-MSD1)						**Source: IRA2498-01**					
Iron	0.732	0.040	0.015	mg/l	0.500	0.156	115	70-130	1	20	
Manganese	511	20	7.0	ug/l	500	ND	102	70-130	1	20	
Zinc	717	20	6.0	ug/l	500	216	100	70-130	2	20	

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

DISSOLVED METALS

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A25155 Extracted: 01/25/08											
Blank Analyzed: 01/26/2008 (8A25155-BLK1)											
Iron	ND	0.040	0.015	mg/l							
Manganese	ND	20	7.0	ug/l							
Zinc	ND	20	6.0	ug/l							
LCS Analyzed: 01/26/2008 (8A25155-BS1)											
Iron	1.02	0.040	0.015	mg/l	1.00		102	85-115			
Manganese	1010	20	7.0	ug/l	1000		101	85-115			
Zinc	1000	20	6.0	ug/l	1000		100	85-115			
Matrix Spike Analyzed: 01/26/2008 (8A25155-MS1)						**Source: IRA2496-01**					
Iron	1.14	0.040	0.015	mg/l	1.00	0.104	104	70-130			
Manganese	1030	20	7.0	ug/l	1000	ND	103	70-130			
Zinc	1020	20	6.0	ug/l	1000	ND	102	70-130			
Matrix Spike Dup Analyzed: 01/26/2008 (8A25155-MSD1)						**Source: IRA2496-01**					
Iron	1.11	0.040	0.015	mg/l	1.00	0.104	101	70-130	3	20	
Manganese	1000	20	7.0	ug/l	1000	ND	100	70-130	3	20	
Zinc	985	20	6.0	ug/l	1000	ND	99	70-130	3	20	
Batch: 8A25156 Extracted: 01/25/08											
Blank Analyzed: 01/26/2008 (8A25156-BLK1)											
Cadmium	ND	1.0	0.11	ug/l							
Copper	ND	2.0	0.75	ug/l							
Lead	ND	1.0	0.30	ug/l							
Selenium	ND	2.0	0.30	ug/l							

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001

Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

DISSOLVED METALS

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A25156 Extracted: 01/25/08											
LCS Analyzed: 01/26/2008 (8A25156-BS1)											
Cadmium	80.4	1.0	0.11	ug/l	80.0		101	85-115			
Copper	80.8	2.0	0.75	ug/l	80.0		101	85-115			
Lead	84.6	1.0	0.30	ug/l	80.0		106	85-115			
Selenium	84.8	2.0	0.30	ug/l	80.0		106	85-115			
Matrix Spike Analyzed: 01/26/2008 (8A25156-MS1)						**Source: IRA2497-01**					
Cadmium	83.4	1.0	0.11	ug/l	80.0	ND	104	70-130			
Copper	85.3	2.0	0.75	ug/l	80.0	2.94	103	70-130			
Lead	84.7	1.0	0.30	ug/l	80.0	0.920	105	70-130			
Selenium	91.8	2.0	0.30	ug/l	80.0	ND	115	70-130			
Matrix Spike Dup Analyzed: 01/26/2008 (8A25156-MSD1)						**Source: IRA2497-01**					
Cadmium	83.4	1.0	0.11	ug/l	80.0	ND	104	70-130	0	20	
Copper	83.7	2.0	0.75	ug/l	80.0	2.94	101	70-130	2	20	
Lead	86.0	1.0	0.30	ug/l	80.0	0.920	106	70-130	2	20	
Selenium	90.0	2.0	0.30	ug/l	80.0	ND	112	70-130	2	20	

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

INORGANICS

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A25053 Extracted: 01/25/08											
Blank Analyzed: 01/25/2008 (8A25053-BLK1)											
Chloride	ND	0.50	0.25	mg/l							
Nitrate-N	ND	0.11	0.060	mg/l							
Nitrite-N	ND	0.15	0.090	mg/l							
Nitrate/Nitrite-N	ND	0.26	0.15	mg/l							
Sulfate	ND	0.50	0.20	mg/l							
LCS Analyzed: 01/25/2008 (8A25053-BS1)											
Chloride	4.93	0.50	0.25	mg/l	5.00		99	90-110			
Nitrate-N	1.18	0.11	0.060	mg/l	1.13		105	90-110			
Nitrite-N	1.53	0.15	0.090	mg/l	1.52		101	90-110			
Sulfate	10.2	0.50	0.20	mg/l	10.0		102	90-110			
Matrix Spike Analyzed: 01/25/2008 (8A25053-MS1)						**Source: IRA2375-01**					
Chloride	9.73	0.50	0.25	mg/l	5.00	4.99	95	80-120			
Nitrate-N	4.04	0.11	0.060	mg/l	1.13	2.87	104	80-120			
Nitrite-N	1.53	0.15	0.090	mg/l	1.52	ND	100	80-120			
Sulfate	25.6	0.50	0.20	mg/l	10.0	15.9	96	80-120			
Matrix Spike Analyzed: 01/25/2008 (8A25053-MS2)						**Source: IRA2478-01**					
Chloride	12.3	0.50	0.25	mg/l	5.00	7.60	95	80-120			
Nitrate-N	3.39	0.11	0.060	mg/l	1.13	2.15	110	80-120			
Nitrite-N	1.58	0.15	0.090	mg/l	1.52	ND	104	80-120			
Sulfate	19.9	0.50	0.20	mg/l	10.0	9.44	104	80-120			
Matrix Spike Dup Analyzed: 01/25/2008 (8A25053-MSD1)						**Source: IRA2375-01**					
Chloride	9.76	0.50	0.25	mg/l	5.00	4.99	95	80-120	0	20	
Nitrate-N	4.05	0.11	0.060	mg/l	1.13	2.87	104	80-120	0	20	
Nitrite-N	1.53	0.15	0.090	mg/l	1.52	ND	100	80-120	0	20	
Sulfate	25.7	0.50	0.20	mg/l	10.0	15.9	98	80-120	1	20	

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

INORGANICS

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A25148 Extracted: 01/25/08											
Blank Analyzed: 01/25/2008 (8A25148-BLK1)											
Surfactants (MBAS)	ND	0.10	0.044	mg/l							
LCS Analyzed: 01/25/2008 (8A25148-BS1)											
Surfactants (MBAS)	0.274	0.10	0.044	mg/l	0.250		109	90-110			
Matrix Spike Analyzed: 01/25/2008 (8A25148-MS1)						**Source: IRA2507-01**					
Surfactants (MBAS)	0.283	0.10	0.044	mg/l	0.250	ND	113	50-125			
Matrix Spike Dup Analyzed: 01/25/2008 (8A25148-MSD1)						**Source: IRA2507-01**					
Surfactants (MBAS)	0.276	0.10	0.044	mg/l	0.250	ND	111	50-125	3	20	
Batch: 8A25151 Extracted: 01/25/08											
Blank Analyzed: 01/30/2008 (8A25151-BLK1)											
Biochemical Oxygen Demand	ND	2.0	0.59	mg/l							
LCS Analyzed: 01/30/2008 (8A25151-BS1)											
Biochemical Oxygen Demand	196	100	30	mg/l	198		99	85-115			
LCS Dup Analyzed: 01/30/2008 (8A25151-BSD1)											
Biochemical Oxygen Demand	198	100	30	mg/l	198		100	85-115	2	20	
Batch: 8A26036 Extracted: 01/26/08											
Blank Analyzed: 01/26/2008 (8A26036-BLK1)											
Turbidity	0.0900	1.0	0.040	NTU							*J*

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

INORGANICS

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A26036 Extracted: 01/26/08											
Duplicate Analyzed: 01/26/2008 (8A26036-DUP1)						**Source: IRA2525-03**					
Turbidity	1.82	1.0	0.040	NTU		1.88			3	20	
Batch: 8A28071 Extracted: 01/28/08											
Blank Analyzed: 01/28/2008 (8A28071-BLK1)											
Perchlorate	ND	4.0	1.5	ug/l							
LCS Analyzed: 01/28/2008 (8A28071-BS1)											
Perchlorate	54.0	4.0	1.5	ug/l	50.0		108	85-115			
Matrix Spike Analyzed: 01/28/2008 (8A28071-MS1)						**Source: IRA2506-01**					
Perchlorate	55.4	4.0	1.5	ug/l	50.0	ND	111	80-120			
Matrix Spike Dup Analyzed: 01/28/2008 (8A28071-MSD1)						**Source: IRA2506-01**					
Perchlorate	55.2	4.0	1.5	ug/l	50.0	ND	110	80-120	0	20	
Batch: 8A28126 Extracted: 01/28/08											
Blank Analyzed: 01/28/2008 (8A28126-BLK1)											
Total Cyanide	ND	5.0	2.2	ug/l							
LCS Analyzed: 01/28/2008 (8A28126-BS1)											
Total Cyanide	197	5.0	2.2	ug/l	200		99	90-110			
Matrix Spike Analyzed: 01/28/2008 (8A28126-MS1)						**Source: IRA2156-01**					
Total Cyanide	203	5.0	2.2	ug/l	200	ND	101	70-115			

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

INORGANICS

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A28126 Extracted: 01/28/08											
Matrix Spike Dup Analyzed: 01/28/2008 (8A28126-MSD1)						**Source: IRA2156-01**					
Total Cyanide	199	5.0	2.2	ug/l	200	ND	99	70-115	2	15	
Batch: 8A29110 Extracted: 01/29/08											
Blank Analyzed: 01/29/2008 (8A29110-BLK1)											
Ammonia-N (Distilled)	ND	0.50	0.30	mg/l							
LCS Analyzed: 01/29/2008 (8A29110-BS1)											
Ammonia-N (Distilled)	10.1	0.50	0.30	mg/l	10.0		101	80-115			
Matrix Spike Analyzed: 01/29/2008 (8A29110-MS1)						**Source: IRA2355-01**					
Ammonia-N (Distilled)	10.4	0.50	0.30	mg/l	10.0	ND	104	70-120			
Matrix Spike Dup Analyzed: 01/29/2008 (8A29110-MSD1)						**Source: IRA2355-01**					
Ammonia-N (Distilled)	10.6	0.50	0.30	mg/l	10.0	ND	106	70-120	3	15	
Batch: 8A30131 Extracted: 01/30/08											
Blank Analyzed: 01/30/2008 (8A30131-BLK1)											
Total Suspended Solids	ND	10	10	mg/l							
LCS Analyzed: 01/30/2008 (8A30131-BS1)											
Total Suspended Solids	953	10	10	mg/l	1000		95	85-115			
Duplicate Analyzed: 01/30/2008 (8A30131-DUP1)						**Source: IRA2772-01**					
Total Suspended Solids	3120	10	10	mg/l		3060			2	10	

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

INORGANICS

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 8A31072 Extracted: 01/31/08											
Duplicate Analyzed: 01/31/2008 (8A31072-DUP1)						**Source: IRA2944-01**					
Specific Conductance	128	1.0	1.0	umhos/cm		128			0	5	
Batch: 8A31077 Extracted: 01/31/08											
Blank Analyzed: 01/31/2008 (8A31077-BLK1)											
Total Dissolved Solids	ND	10	10	mg/l							
LCS Analyzed: 01/31/2008 (8A31077-BS1)											
Total Dissolved Solids	1000	10	10	mg/l	1000		100	90-110			
Duplicate Analyzed: 01/31/2008 (8A31077-DUP1)						**Source: IRA2619-03**					
Total Dissolved Solids	ND	10	10	mg/l		ND				10	
Batch: 8B04061 Extracted: 02/04/08											
Blank Analyzed: 02/04/2008 (8B04061-BLK1)											
Hexane Extractable Material (Oil & Grease)	1.40	5.0	1.4	mg/l							*J*
LCS Analyzed: 02/04/2008 (8B04061-BS1)											**MNR1**
Hexane Extractable Material (Oil & Grease)	19.5	5.0	1.4	mg/l	20.2		97	78-114			
LCS Dup Analyzed: 02/04/2008 (8B04061-BSD1)											
Hexane Extractable Material (Oil & Grease)	18.2	5.0	1.4	mg/l	20.2		90	78-114	7	11	

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

METHOD BLANK/QC DATA

Metals by EPA 200 Series Methods

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: W8A1034 Extracted: 01/29/08											
Blank Analyzed: 01/30/2008 (W8A1034-BLK1)											
Mercury, Dissolved	ND	0.20	0.050	ug/l							
Mercury, Total	ND	0.20	0.050	ug/l							
LCS Analyzed: 01/30/2008 (W8A1034-BS1)											
Mercury, Dissolved	0.986	0.20	0.050	ug/l	1.00		99	85-115			
Mercury, Total	0.986	0.20	0.050	ug/l	1.00		99	85-115			
Matrix Spike Analyzed: 01/30/2008 (W8A1034-MS1)						**Source: 8012803-01**					
Mercury, Dissolved	2.06	0.40	0.10	ug/l	2.00	ND	103	70-130			
Mercury, Total	2.06	0.40	0.10	ug/l	2.00	ND	103	70-130			
Matrix Spike Dup Analyzed: 01/30/2008 (W8A1034-MSD1)						**Source: 8012803-01**					
Mercury, Dissolved	2.02	0.40	0.10	ug/l	2.00	ND	101	70-130	2	20	
Mercury, Total	2.02	0.40	0.10	ug/l	2.00	ND	101	70-130	2	20	

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits appear in bold on this page.

LabNumber	Analysis	Analyte	Units	Result	MRL	Compliance Limit
IRA2506-01	1664-HEM	Hexane Extractable Material (Oil & Greas	mg/l	0.78	4.9	10
IRA2506-01	608-Pest Boeing 001/002 Q (LL)	alpha-BHC	ug/l	0	0.0094	0.01
IRA2506-01	625-Boeing 001/002 Q-LL	2,4,6-Trichlorophenol	ug/l	0	5.8	6.5
IRA2506-01	625-Boeing 001/002 Q-LL	2,4-Dinitrotoluene	ug/l	0	8.7	9.1
IRA2506-01	625-Boeing 001/002 Q-LL	Bis(2-ethylhexyl)phthalate	ug/l	0.77	4.8	4
IRA2506-01	625-Boeing 001/002 Q-LL	N-Nitrosodimethylamine	ug/l	0	7.7	8.1
IRA2506-01	625-Boeing 001/002 Q-LL	Pentachlorophenol	ug/l	0	7.7	8.2
IRA2506-01	Ammonia-N, Titr (350.2) w/dist	Ammonia-N (Distilled)	mg/l	0.28	0.50	2
IRA2506-01	BOD	Biochemical Oxygen Demand	mg/l	1.91	2.0	20
IRA2506-01	Cadmium-200.8	Cadmium	ug/l	0.12	1.0	2
IRA2506-01	Chloride - 300.0	Chloride	mg/l	11	0.50	150
IRA2506-01	Copper-200.8	Copper	ug/l	4.84	2.0	7.1
IRA2506-01	Cyanide-335.2 5ppb	Total Cyanide	ug/l	0	5.0	5
IRA2506-01	Hg_w 245.1	Mercury, Total	ug/l	0.0070	0.20	0.2
IRA2506-01	**Iron-200.7**	**Iron**	**mg/l**	**5.70**	**0.040**	**0.3**
IRA2506-01	**Lead-200.8**	**Lead**	**ug/l**	**3.41**	**1.0**	**2.6**
IRA2506-01	**Manganese-200.7**	**Manganese**	**ug/l**	**71**	**20**	**50**
IRA2506-01	MBAS - SM5540-C	Surfactants (MBAS)	mg/l	0.030	0.10	0.5
IRA2506-01	Nitrate-N, 300.0	Nitrate-N	mg/l	3.84	0.11	8
IRA2506-01	Nitrite-N, 300.0	Nitrite-N	mg/l	0	0.15	1
IRA2506-01	Nitrogen, NO3+NO2 -N	Nitrate/Nitrite-N	mg/l	3.84	0.26	8
IRA2506-01	Perchlorate 314.0-DEFAULT	Perchlorate	ug/l	0	4.0	6
IRA2506-01	Selenium-200.8	Selenium	ug/l	0.22	2.0	4.1
IRA2506-01	**Settleable Solids**	**Total Settleable Solids**	**ml/l/hr**	**0.100**	**0.10**	**0.1**
IRA2506-01	Sulfate-300.0	Sulfate	mg/l	22	0.50	300
IRA2506-01	TDS - SM 2540C	Total Dissolved Solids	mg/l	172	10	950
IRA2506-01	**TSS - EPA 160.2**	**Total Suspended Solids**	**mg/l**	**57**	**10**	**15**
IRA2506-01	Zinc-200.7	Zinc	ug/l	28	20	54

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits appear in bold on this page.

LabNumber	Analysis	Analyte	Units	Result	MRL	Compliance Limit

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

DATA QUALIFIERS AND DEFINITIONS

J	Estimated value. Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). The user of this data should be aware that this data is of limited reliability.
MNR1	There was no MS/MSD analyzed with this batch due to insufficient sample volume. See Blank Spike/Blank Spike Duplicate.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001

Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

Certification Summary

TestAmerica Irvine

Method	Matrix	Nelac	California
EPA 120.1	Water	X	X
EPA 160.2	Water	X	X
EPA 160.5	Water	X	X
EPA 1664A	Water		
EPA 180.1	Water	X	X
EPA 200.7-Diss	Water	X	X
EPA 200.7	Water	X	X
EPA 200.8-Diss	Water	X	X
EPA 200.8	Water	X	X
EPA 300.0	Water	X	X
EPA 314.0	Water	X	X
EPA 335.2	Water	X	X
EPA 350.2	Water		X
EPA 405.1	Water	X	X
EPA 608	Water	X	X
EPA 624	Water	X	X
EPA 625	Water	X	X
SM2540C	Water	X	
SM5540-C	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Aquatic Testing Laboratories-SUB *California Cert #1775*
4350 Transport Street, Unit 107 - Ventura, CA 93003

Analysis Performed: Bioassay-7 dy Chrnic
Samples: IRA2506-01

TestAmerica Irvine

Joseph Doak
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Routine Outfall 001
Report Number: IRA2506

Sampled: 01/25/08
Received: 01/25/08

Eberline Services - SUB

2030 Wright Avenue - Richmond, CA 94804

Analysis Performed: Gamma Spec
Samples: IRA2506-01

Analysis Performed: Gross Alpha
Samples: IRA2506-01

Analysis Performed: Gross Beta
Samples: IRA2506-01

Analysis Performed: Radium, Combined
Samples: IRA2506-01

Analysis Performed: Strontium 90
Samples: IRA2506-01

Analysis Performed: Tritium
Samples: IRA2506-01

Analysis Performed: Uranium, Combined
Samples: IRA2506-01

Vista Analytical *NELAC Cert #02102CA, California Cert #1640, Nevada Cert #CA-413*

1104 Windfield Way - El Dorado Hills, CA 95762

Analysis Performed: 1613-Dioxin-HR-Alta
Samples: IRA2506-01

Weck Laboratories, Inc

14859 E. Clark Avenue - City of Industry, CA 91745

Method Performed: EPA 245.1
Samples: IRA2506-01

TestAmerica Irvine

Joseph Doak
Project Manager

IRA2506

Test America Version 12/20/07 CHAIN OF CUSTODY FORM

IRA2506

Client Name/Address:
MWH-Arcadia
618 Michillinda Avenue. Suite 200
Arcadia, CA 91007

Test America Contact: Joseph Doak

Project:
Boeing-SSFL NPDES
Routine Outfall 001

Project Manager: Bronwyn Kelly

Phone Number:
(626) 568-6691
Fax Number:
(626) 568-6515

Sampler: Morisoli, B.
Barrows, R.

ANALYSIS REQUIRED

Sample Description	Sample Matrix	Container Type	# of Cont.	Sampling Date/Time	Preservative	Bottle #	Total Recoverable Metals: Cu, Pb, Hg, Cd, Se, Zn, **Mn, Fe**	Settleable Solids	TCDD (and all congeners)	Oil & Grease (1664-HEM)	Cyanide (total recoverable)	BOD_5 (20 degrees C)	Surfactants (MBAS)	Cl, SO_4, NO_3+NO_2-N, Perchlorate	Nitrate-N, Nitrite-N	Turbidity, TDS, TSS, Conductivity	Ammonia-N (350.2)	Alpha BHC (608)	2,4,6 TCP, 2,4 Dinitrotoluene Bis(2- ethylhexyl)phthalate, NDMA, PCP (SVOCs 625)	Comments
Outfall 001	W	1L Poly	1	1-25-08 11:45	HNO_3	1A	X													24 TAT; Mn and Fe exceeded 2/28/06 and 4/15/06, resp.
Outfall 001 Dup	W	1L Poly	1		HNO_3	1B	X													24 TAT
Outfall 001	W	1L Poly	1		None	2		X												
Outfall 001	W	1L Amber	2		None	3A, 3B			X											
Outfall 001	W	1L Amber	2		HCl	4A, 4B				X										
Outfall 001	W	500 ml Poly	1		NaOH	5					X									
Outfall 001	W	1L Poly	1		None	6						X								
Outfall 001	W	500 ml Poly	2		None	7A, 7B							X							
Outfall 001	W	500 ml Poly	2		None	8A, 8B								X						24 TAT
Outfall 001	W	500 ml Poly	1		None	9									X					24 TAT
Outfall 001	W	500 ml Poly	2		None	10A, 10B										X				
Outfall 001	W	500 ml Poly	1		H_2SO_4	11											X			
Outfall 001	W	1L Amber	2		None	12A, 12B												X		
Outfall 001	W	1L Amber	2	1-25-08 11:45	None	13A, 13B													X	

Field readings:
Temp = 48°
pH = 7.4
Time of readings = 11:45

Relinquished By	Date/Time:	Received By	Date/Time:
Ryan Barrows	1-25-08 1510	TAT	1/25/08 1510
TAT	1/25/08 1820		
		1/25/08	18:20

Turn around Time: (check)
24 Hours _____ 5 Days _____
48 Hours _____ 10 Days _____
72 Hours _____ Normal X

Sample Integrity: (check)
Intact X On Ice: 4.4/2.4

TR 1/25/08 2000

Test America Version 12/20/07 CHAIN OF CUSTODY FORM

Client Name/Address:	Project:	ANALYSIS REQUIRED
MWH-Arcadia 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Test America Contact: Joseph Doak	Boeing-SSFL NPDES **Routine Outfall 001**	
Project Manager: Bronwyn Kelly Sampler: Marisol P. Esparza, R.	Phone Number: (626) 568-6691 Fax Number: (626) 568-6515	

Sample Description	Sample Matrix	Container Type	# of Cont.	Sampling Date/Time	Preservative	Bottle #	VOCs 624 + xylenes	Gross Alpha(900.0), Gross Beta(900.0), Tritium (H-3) (906.0), Sr-90 (905.0), Total Combined Radium 226 (903.0 or 903.1) & Radium 228 (904.0), Uranium (908.0), K-40, CS-137 (901.0 or 901.1)	**Chronic Toxicity**	Total Dissolved Metals. Cu, Pb, Hg, Cd, Se, Zn, **Mn, Fe**	**Comments**
Outfall 001	W	VOAs	5	1-25-08 11:45	HCl	14A, 14B, 14C, 14D, 14E	X				
Outfall 001	W	2.5 Gal Cube 500 ml Amber	1 1		None None	15A 15B		X			Unfiltered and unpreserved analysis
Outfall 001	W	1 Gal Cube	1		None	16			X		**Only test if second rain event of the year**
Outfall 001	W	1L Poly	1	1-25-08 11:45	None	17				X	Filter w/in 24hrs of receipt at lab; Mn and Fe exceeded 2/28/06 and 4/15/06, resp.
Trip Blanks	W	VOAs	3		HCl	18A, 18B, 18C	X				

Relinquished By	Date/Time:	Received By	Date/Time:
Ron Bonn	1-25-08 1510	TAI	1/25/08 1510
TAI	1/25/08 1820		
			1/25/08 1820

Turn around Time: (check)
24 Hours _____ 5 Days _____
48 Hours _____ 10 Days _____
72 Hours _____ Normal X

Sample Integrity: (check)
Intact X On Ice: 4.4/2.4

LABORATORY REPORT

Aquatic Testing Laboratories
"dedicated to providing quality aquatic toxicity testing"
4350 Transport Street, Unit 107
Ventura, CA 93003
(805) 650-0546 FAX (805) 650-0756
CA DOHS ELAP Cert. No.: 1775

Date: February 3, 2008

Client: TestAmerica – Irvine
17461 Derian Ave., Suite 100
Irvine, CA 92614
Attn: Joseph Doak

Laboratory No.: A-08012608-001
Sample ID.: IRA2506-01 (Outfall 001)

Sample Control: The sample was received by ATL within the recommended hold time, in a chilled state, and with the chain of custody record attached. Testing was conducted on only one sample per client instruction.

Date Sampled:	01/25/08
Date Received:	01/26/08
Temp. Received:	6°C
Chlorine (TRC):	0.0 mg/l
Date Tested:	01/26/08 to 02/02/08

Sample Analysis: The following analyses were performed on your sample:

Ceriodaphnia dubia Survival and Reproduction Test (EPA Method 1002).

Attached are the test data generated from the analysis of your sample.

Result Summary:

Chronic:	**NOEC**	**TUc**
Ceriodaphnia Survival:	100%	1.0
Ceriodaphnia Reproduction:	100%	1.0

Quality Control: Reviewed and approved by:

Joseph A. LeMay
Laboratory Director

CERIODAPHNIA CHRONIC BIOASSAY
EPA METHOD 1002.0

Aquatic Testing Laboratories

Lab No.: A-08012608-001
Client/ID: Test America – Outfall 001

Date Tested: 01/26/08 to 02/02/08

TEST SUMMARY

Test type: Daily static-renewal.
Species: *Ceriodaphnia dubia*.
Age: < 24 hrs; all released within 8 hrs.
Test vessel size: 30 ml.
Number of test organisms per vessel: 1.
Temperature: 25 +/- 1°C.
Dilution water: Mod. hard reconstituted (MHRW).
QA/QC Batch No.: RT-080106.

Endpoints: Survival and Reproduction.
Source: In-laboratory culture.
Food: .1 ml YTC, algae per day.
Test solution volume: 15 ml.
Number of replicates: 10.
Photoperiod: 16/8 hrs. light/dark cycle.
Test duration: 7 days.
Statistics: ToxCalc computer program.

RESULTS SUMMARY

Sample Concentration	Percent Survival	Mean Number of Young Per Female
Control	100%	24.8
100% Sample	100%	30.6
Sample not statistically significantly less than Control for either endpoint.		

CHRONIC TOXICITY

Survival NOEC	100%
Survival TUc	1.0
Reproduction NOEC	100%
Reproduction TUc	1.0

QA/QC TEST ACCEPTABILITY

Parameter	Result
Control survival ≥80%	Pass (100% survival)
≥15 young per surviving control female	Pass (24.8 young)
≥60% surviving controls had 3 broods	Pass (100% with 3 broods)
PMSD <47% for reproduction; if >47% and no toxicity at IWC, the test must be repeated	Pass (PMSD = 8.8%)
Statistically significantly different concentrations relative difference >13%	Pass (no concentration significantly different)
Concentration response relationship acceptable	Pass (no significant response at concentration tested)

Ceriodaphnia Survival and Reproduction Test-7 Day Survival

Start Date:	1/26/2008 15:30	Test ID:	8012608	Sample ID:	OUTFALL 001
End Date:	2/2/2008 14:30	Lab ID:	CAATL-Aquatic Testing Labs	Sample Type:	EFF2-Industrial
Sample Date:	1/25/2008 13:45	Protocol:	EPA-821-R-02-013	Test Species:	CD-Ceriodaphnia dubia
Comments:					

Conc-%	1	2	3	4	5	6	7	8	9	10
D-Control	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
100	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

Conc-%	Mean	N-Mean	Resp	Not Resp	Total	N	Fisher's Exact P	1-Tailed Critical	Isotonic Mean	Isotonic N-Mean
D-Control	1.0000	1.0000	0	10	10	10			1.0000	1.0000
100	1.0000	1.0000	0	10	10	10	1.0000	0.0500	1.0000	1.0000

Hypothesis Test (1-tail, 0.05)	NOEC	LOEC	ChV	TU
Fisher's Exact Test	100	>100		1
Treatments vs D-Control				

Linear Interpolation (200 Resamples)

Point	%	SD	95% CL	Skew
IC05	>100			
IC10	>100			
IC15	>100			
IC20	>100			
IC25	>100			
IC40	>100			
IC50	>100			



Ceriodaphnia Survival and Reproduction Test-Reproduction

Start Date:	1/26/2008 15:30	Test ID:	8012608	Sample ID:	OUTFALL 001
End Date:	2/2/2008 14:30	Lab ID:	CAATL-Aquatic Testing Labs	Sample Type:	EFF2-Industrial
Sample Date:	1/25/2008 13:45	Protocol:	EPA-821-R-02-013	Test Species:	CD-Ceriodaphnia dubia
Comments:					

Conc-%	1	2	3	4	5	6	7	8	9	10
D-Control	26.000	22.000	24.000	26.000	24.000	25.000	26.000	27.000	26.000	22.000
100	35.000	28.000	30.000	31.000	28.000	33.000	31.000	33.000	23.000	34.000

			Transform: Untransformed					1-Tailed			Isotonic	
Conc-%	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD	Mean	N-Mean
D-Control	24.800	1.0000	24.800	22.000	27.000	7.061	10				27.700	1.0000
100	30.600	1.2339	30.600	23.000	35.000	11.651	10	-4.617	1.734	2.178	27.700	1.0000

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.930817	0.905	-1.00017	1.838477
F-Test indicates equal variances (p = 0.05)	4.144928	6.541086		

Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences	2.17815	0.087829	168.2	7.888889	2.1E-04	1, 18
Treatments vs D-Control						

Linear Interpolation (200 Resamples)

Point	%	SD	95% CL	Skew
IC05	>100			
IC10	>100			
IC15	>100			
IC20	>100			
IC25	>100			
IC40	>100			
IC50	>100			



CERIODAPHNIA DUBIA CHRONIC BIOASSAY
EPA METHOD 1002.0 Raw Data Sheet

Aquatic Testing Laboratories

Lab No.: A-08012608-001
Client ID: TestAmerica - IRA2506-01 (Outfall 001)
Start Date: 01/26/2008

		DAY 1		DAY 2		DAY 3		DAY 4		DAY 5		DAY 6		DAY 7	
		0 hr	24hr	0 hr	24hr	0 hr	24hr	0 hr	24hr	0 hr	24hr	0 hr	24hr	0 hr	24hr
Analyst Initials:															
Time of Readings:		1530	1430	1430	1500	1500	1500	1500	1500	1500	1600	1600	1500	1500	1430
Control	DO	8.0	7.5	7.7	8.1	7.9	7.7	8.9	8.2	8.1	7.9	8.2	7.8	8.0	8.2
	pH	7.8	7.6	7.4	7.6	7.8	8.0	8.0	7.9	7.8	7.9	7.7	7.8	7.6	7.6
	Temp	25.4	24.7	25.1	24.4	25.0	24.6	24.6	24.8	24.6	24.5	25.1	24.7	25.0	24.3
100%	DO	10.8	7.7	9.8	8.2	9.2	7.8	10.4	8.5	10.0	8.1	9.6	8.3	11.5	8.5
	pH	7.2	7.3	7.0	7.2	7.1	7.2	6.9	7.2	6.9	7.1	6.8	7.1	6.7	7.2
	Temp	24.6	24.5	24.8	24.2	24.7	24.8	25.0	24.5	25.1	24.4	24.7	24.8	24.9	24.4

Additional Parameters	Control	100% Sample
Conductivity (umohms)	290	172
Alkalinity (mg/l $CaCO_3$)	66	26
Hardness (mg/l $CaCO_3$)	98	68
Ammonia (mg/l NH_3-N)	<0.2	0.4

Source of Neonates

Replicate:	A	B	C	D	E	F	G	H	I	J
Brood ID:	B1	E1	G2	H2	I3	J3	A6	C5	G4	F5

Sample	Day	Number of Young Produced										Total Live Young	No. Live Adults	Analyst Initials
		A	B	C	D	E	F	G	H	I	J			
Control	1	0	0	0	0	0	0	0	0	0	0	0	10	
	2	0	0	0	0	0	0	0	0	0	0	0	10	
	3	0	0	0	0	0	3	4	0	4	0	11	10	
	4	4	3	5	3	4	0	0	5	0	4	28	10	
	5	8	7	9	9	8	7	8	9	9	8	82	10	
	6	14	12	10	0	0	15	0	0	0	0	51	10	
	7	0	0	0	14	12	0	14	13	13	10	76	10	
	Total	26	22	24	26	24	25	26	27	26	22	24.8	10	
100%	1	0	0	0	0	0	0	0	0	0	0	0	10	
	2	0	0	0	0	0	0	0	0	0	0	0	10	
	3	5	5	0	3	4	3	5	0	0	5	30	10	
	4	0	0	4	0	0	0	0	3	4	0	11	10	
	5	12	9	10	12	9	14	10	12	9	14	111	10	
	6	18	14	16	16	15	0	16	18	10	15	138	10	
	7	0	0	0	0	0	16	(15)	0	0	0	16	10	
	Total	35	28	30	31	28	33	31	33	23	34	~~290~~ 30.6	10	

Circled fourth brood not used in statistical analysis.
7th day only used if <60% of the surviving control females have produced their third brood.

SUBCONTRACT ORDER

TestAmerica Irvine

IRA2506

SENDING LABORATORY:

TestAmerica Irvine
17461 Derian Avenue. Suite 100
Irvine, CA 92614
Phone: (949) 261-1022
Fax: (949) 260-3297
Project Manager: Joseph Doak

RECEIVING LABORATORY:

Aquatic Testing Laboratories-SUB
4350 Transport Street, Unit 107
Ventura, CA 93003
Phone :(805) 650-0546
Fax: (805) 650-0756
Project Location: California
Receipt Temperature: 6 °C Ice: (Y) / N

Analysis	Units	Due	Expires	Comments
Sample ID: IRA2506-01	**Water**		Sampled: **01/25/08 13:45**	**ph=7.4, temp=48**
Bioassay-7 dy Chrnic	N/A	02/05/08	01/27/08 01:45	Cerio, EPA/821-R02-013, Sub to Aquatic testing
Level 4 Data Package	N/A	02/05/08	02/22/08 13:45	Include Std logs
Containers Supplied:				
1 gal Poly (AD)				

Released By	1/26/08 Date/Time	Received By	1/26/08 12 55 Date/Time
Released By	1/26/08 1445 Date/Time	Received By	1-26-08 1445 Date/Time

Aquatic
Testing
Laboratories

REFERENCE TOXICANT DATA

CERIODAPHNIA CHRONIC BIOASSAY
EPA METHOD 1002.0
REFERENCE TOXICANT - NaCl

Aquatic Testing Laboratories

QA/QC Batch No.: RT-080106

Date Tested: 01/06/08 to 01/12/08

TEST SUMMARY

Test type: Daily static-renewal.
Species: *Ceriodaphnia dubia*.
Age: <24 hrs; all released within 8 hrs.
Test vessel size: 30 ml.
Number of test organisms per vessel: 1.
Temperature: 25 +/- 1°C.
Dilution water: Mod. hard reconstituted (MHRW).
Reference Toxicant: Sodium chloride (NaCl).

Endpoints: Survival and Reproduction.
Source: In-laboratory culture.
Food: .1 ml YTC, algae per day.
Test solution volume: 20 ml.
Number of replicates: 10.
Photoperiod: 16/8 hrs. light/dark cycle.
Test duration: 6 days.
Statistics: ToxCalc computer program.

RESULTS SUMMARY

Sample Concentration	Percent Survival		Mean Number of Young Per Female	
Control	100%		20.5	
0.25 g/l	100%		19.5	
0.5 g/l	100%		19.5	
1.0 g/l	100%		14.0	*
2.0 g/l	80%		3.2	*
4.0 g/l	0%	*	0	**

* Statistically significantly less than control at P = 0.05 level
** Reproduction data from concentrations greater than survival NOEC are excluded from statistical analysis.

CHRONIC TOXICITY

Survival LC50	2.5 g/l
Reproduction IC25	0.88 g/l

QA/QC TEST ACCEPTABILITY

Parameter	Result
Control survival ≥80%	Pass (100% Survival)
≥15 young per surviving control female	Pass (20.5 young)
≥60% surviving controls had 3 broods	Pass (90% with 3 broods)
PMSD <47% for reproduction	Pass (PMSD = 19.1%)
Stat. sig. diff. conc. relative difference >13%	Pass (Stat. sig. diff. conc. = 31.7%)
Concentration response relationship acceptable	Pass (Response curve normal)

Ceriodaphnia Survival and Reproduction Test-Survival Day 6

Start Date:	1/6/2008 13:00	Test ID:	RT-080106c	Sample ID:	REF-Ref Toxicant
End Date:	1/12/2008 13:00	Lab ID:	CAATL-Aquatic Testing Labs	Sample Type:	NACL-Sodium chloride
Sample Date:	1/6/2008	Protocol:	FWCH-EPA-821-R-02-013	Test Species:	CD-Ceriodaphnia dubia
Comments:					

Conc-gm/L	1	2	3	4	5	6	7	8	9	10
D-Control	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
0.25	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
0.5	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
1	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.0000	0.0000
4	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Conc-gm/L	Mean	N-Mean	Resp	Not Resp	Total	N	Fisher's Exact P	1-Tailed Critical	Number Resp	Total Number
D-Control	1.0000	1.0000	0	10	10	10			0	10
0.25	1.0000	1.0000	0	10	10	10	1.0000	0.0500	0	10
0.5	1.0000	1.0000	0	10	10	10	1.0000	0.0500	0	10
1	1.0000	1.0000	0	10	10	10	1.0000	0.0500	0	10
2	0.8000	0.8000	2	8	10	10	0.2368	0.0500	2	10
4	0.0000	0.0000	10	0	10	10			10	10

Hypothesis Test (1-tail, 0.05)	NOEC	LOEC	ChV	TU
Fisher's Exact Test	2	4	2.82843	
Treatments vs D-Control				

Trimmed Spearman-Karber

Trim Level	EC50	95% CL	
0.0%	2.4623	2.0663	2.9342
5.0%	2.5108	2.0545	3.0683
10.0%	2.5519	1.9976	3.2599
20.0%	2.5937	2.2616	2.9745
Auto-0.0%	2.4623	2.0663	2.9342



Ceriodaphnia dubia Chronic Survival Laboratory Control Chart

CV% = 5.46



Ceriodaphnia Survival and Reproduction Test-Reproduction

Start Date:	1/6/2008 13:00	Test ID:	RT-080106c	Sample ID:	REF-Ref Toxicant
End Date:	1/12/2008 13:00	Lab ID:	CAATL-Aquatic Testing Labs	Sample Type:	NACL-Sodium chloride
Sample Date:	1/6/2008	Protocol:	FWCH-EPA-821-R-02-013	Test Species:	CD-Ceriodaphnia dubia
Comments:					

Conc-gm/L	1	2	3	4	5	6	7	8	9	10
D-Control	23.000	11.000	21.000	21.000	23.000	20.000	19.000	22.000	20.000	25.000
0.25	12.000	24.000	19.000	22.000	9.000	20.000	21.000	21.000	22.000	25.000
0.5	21.000	19.000	21.000	22.000	16.000	12.000	22.000	21.000	22.000	19.000
1	19.000	9.000	9.000	19.000	14.000	10.000	16.000	17.000	19.000	8.000
2	8.000	2.000	2.000	5.000	4.000	3.000	3.000	5.000	0.000	0.000
4	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

			Transform: Untransformed					Rank	1-Tailed	Isotonic	
Conc-gm/L	Mean	N-Mean	Mean	Min	Max	CV%	N	Sum	Critical	Mean	N-Mean
D-Control	20.500	1.0000	20.500	11.000	25.000	18.432	10			20.500	1.0000
0.25	19.500	0.9512	19.500	9.000	25.000	26.177	10	102.00	76.00	19.500	0.9512
0.5	19.500	0.9512	19.500	12.000	22.000	16.617	10	94.50	76.00	19.500	0.9512
*1	14.000	0.6829	14.000	8.000	19.000	32.819	10	62.50	76.00	14.000	0.6829
*2	3.200	0.1561	3.200	0.000	8.000	76.263	10	55.00	76.00	3.200	0.1561
4	0.000	0.0000	0.000	0.000	0.000	0.000	10			0.000	0.0000

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates non-normal distribution (p <= 0.05)	0.91281	0.947	-0.9793	0.67912
Bartlett's Test indicates equal variances (p = 0.25)	5.39	13.2767		

Hypothesis Test (1-tail, 0.05)	NOEC	LOEC	ChV	TU
Steel's Many-One Rank Test	0.5	1	0.70711	
Treatments vs D-Control				

Linear Interpolation (200 Resamples)

Point	gm/L	SD	95% CL		Skew
IC05	0.5023	0.1876	0.0809	0.6178	-0.0659
IC10	0.5955	0.1768	0.1617	0.7497	-0.5184
IC15	0.6886	0.1424	0.2426	0.9253	-0.5389
IC20	0.7818	0.1259	0.4995	1.0352	0.2728
IC25	0.8750	0.1224	0.6413	1.1094	0.3153
IC40	1.1574	0.1139	0.9216	1.3331	-0.0890
IC50	1.3472	0.0972	1.1197	1.4847	-0.4227



Ceriodaphnia dubia Chronic Reproduction Laboratory Control Chart

CV% = 13.5



CERIODAPHNIA DUBIA CHRONIC BIOASSAY
Reference Toxicant - NaCl
Reproduction and Survival Raw Data Sheet

Aquatic Testing Laboratories

QA/QC No.: RT-080106

Start Date: 01/06/2008

Sample	Day	Number of Young Produced										Total Live Young	No. Live Adults	Analyst Initials
		A	B	C	D	E	F	G	H	I	J			
Control	1	0	0	0	0	0	0	0	0	0	0	0	10	
	2	0	0	0	0	0	0	0	0	0	0	0	10	
	3	0	0	2	0	0	0	3	0	3	0	8	10	
	4	4	3	0	4	3	2	0	2	0	3	21	10	
	5	9	8	7	7	6	7	6	7	6	7	70	10	
	6	10	0	12	10	14	11	10	13	11	15	106	10	
	7	—	—	—	—	—	—	—	—	—	—	—	—	—
	Total	23	11	21	21	23	20	19	22	20	25	205	10	
0.25 g/l	1	0	0	0	0	0	0	0	0	0	0	0	10	
	2	0	0	0	0	0	0	0	0	0	0	0	10	
	3	0	3	0	3	0	2	0	0	3	0	11	10	
	4	4	0	2	0	3	6	4	2	0	3	24	10	
	5	8	8	7	5	6	0	7	6	7	8	62	10	
	6	0	13	10	14	0	12	10	13	12	14	98	10	
	7	—	—	—	—	—	—	—	—	—	—	—	—	—
	Total	12	24	19	22	9	20	21	21	22	25	195	10	
0.5 g/l	1	0	0	0	0	0	0	0	0	0	0	0	10	
	2	0	0	0	0	0	0	0	0	0	0	0	10	
	3	2	0	2	0	0	0	3	2	0	0	9	10	
	4	0	3	0	3	4	3	0	0	3	3	19	10	
	5	9	6	7	7	0	9	8	7	7	6	66	10	
	6	10	10	12	12	12	0	11	12	12	10	101	10	
	7	—	—	—	—	—	—	—	—	—	—	—	—	—
	Total	21	19	21	22	16	12	22	21	22	19	195	10	

Circled fourth brood not used in statistical analysis.
7th day only used if <60% of the surviving control females have produced their third brood.

CERIODAPHNIA DUBIA CHRONIC BIOASSAY
Reference Toxicant - NaCl
Reproduction and Survival Raw Data Sheet

Aquatic Testing Laboratories

QA/QC No.: RT-080106

Start Date: 01/06/2008

Sample	Day	Number of Young Produced										Total Live Young	No. Live Adults	Analyst Initials
		A	B	C	D	E	F	G	H	I	J			
1.0 g/l	1	0	0	0	0	0	0	0	0	0	0	0	10	
	2	0	0	0	0	0	0	0	0	0	0	0	10	
	3	0	0	0	0	0	3	0	0	2	0	5	10	
	4	3	2	2	3	0	0	3	2	0	2	17	10	
	5	5	7	7	4	5	7	5	4	7	6	57	10	
	6	11	0	0	12	9	0	8	11	10	0	61	10	
	7	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total	19	9	9	19	14	10	16	17	19	8	140	10	
2.0 g/l	1	0	0	0	0	0	0	0	0	X	0	0	9	
	2	0	0	0	0	0	0	0	0	–	0	0	9	
	3	0	0	0	0	0	0	0	0	–	0	0	9	
	4	2	0	2	3	0	0	0	2	–	0	9	9	
	5	3	0	0	2	2	3	3	0	–	0	13	9	
	6	3	2	0	0	2	0	0	3	–	X	10	8	
	7	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total	8	2	2	5	4	3	3	5	0	0	32	8	
4.0 g/l	1	X	X	X	X	X	X	X	X	X	X	0	0	
	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total	0	0	0	0	0	0	0	0	0	0	0	0	

Circled fourth brood not used in statistical analysis.
7th day only used if <60% of the surviving control females have produced their third brood.

CERIODAPHNIA DUBIA CHRONIC BIOASSAY
Reference Toxicant - NaCl
Water Chemistries Raw Data Sheet

Aquatic Testing Laboratories

QA/QC No.: RT-080106

Start Date: 01/06/2008

		DAY 1		DAY 2		DAY 3		DAY 4		DAY 5		DAY 6		DAY 7	
		Initial	Final	Initial	Final	Initial	Final	Initial	Final	Initial	Final	Initial	Final	Initial	Final
Analyst Initials:														—	—
Time of Readings:		1330	1330	1330	1330	1330	1230	1230	1300	1330	1330	1330	1330	—	—
Control	DO	7.6	7.2	7.4	7.7	7.4	7.6	7.4	7.5	8.2	7.8	7.9	7.7	—	—
	pH	7.6	7.4	7.4	7.3	7.3	7.2	7.2	7.7	7.5	7.6	7.9	7.6	—	—
	Temp	24.3	25.1	25.4	24.8	24.1	24.5	24.9	25.1	24.4	25.0	24.6	25.1	—	—
0.25 g/l	DO	7.5	7.3	7.5	7.5	7.5	7.7	7.3	7.4	8.2	7.8	7.9	7.7	—	—
	pH	7.6	7.3	7.4	7.4	7.4	7.2	7.3	7.4	7.6	7.5	7.6	7.7	—	—
	Temp	24.4	25.2	25.3	24.5	24.2	24.5	24.7	25.0	24.4	25.1	24.6	25.1	—	—
0.5 g/l	DO	7.4	7.2	7.4	7.6	7.4	7.5	7.4	7.6	8.5	7.6	8.0	7.8	—	—
	pH	7.5	7.3	7.4	7.4	7.4	7.2	7.3	7.5	7.6	7.5	7.7	7.7	—	—
	Temp	24.3	25.1	25.3	24.5	24.1	25.2	24.6	24.5	24.4	24.5	24.4	24.5	—	—
1.0 g/l	DO	7.5	7.2	7.6	7.7	7.3	7.8	7.4	7.4	8.4	7.8	7.7	7.7	—	—
	pH	7.5	7.3	7.6	7.5	7.4	7.2	7.3	7.5	7.6	7.6	7.5	7.6	—	—
	Temp	24.4	25.2	25.1	24.7	24.2	25.2	24.6	25.0	24.4	24.9	24.6	25.0	—	—
2.0 g/l	DO	7.4	7.4	7.6	7.5	7.4	7.8	7.2	7.6	8.2	7.6	7.6	7.7	—	—
	pH	7.5	7.4	7.6	7.6	7.4	7.3	7.2	7.6	7.5	7.6	7.9	7.6	—	—
	Temp	24.5	25.1	25.0	24.6	24.2	25.3	24.8	25.2	24.4	24.8	24.6	25.1	—	—
4.0 g/l	DO	7.5	7.8	—	—	—	—	—	—	—	—	—	—	—	—
	pH	7.6	7.8	—	—	—	—	—	—	—	—	—	—	—	—
	Temp	24.3	24.6	—	—	—	—	—	—	—	—	—	—	—	—

Dissolved Oxygen (DO) readings are in mg/l O_2; Temperature (Temp) readings are in °C.

Additional Parameters	Control			High Concentration		
	Day 1	Day 3	Day 5	Day 1	Day 3	Day 5
Conductivity (µS)	350	348	305	6400	3100	3210
Alkalinity (mg/l $CaCO_3$)	66	65	63	65	66	64
Hardness (mg/l $CaCO_3$)	98	92	98	98	92	98

Source of Neonates

Replicate:	A	B	C	D	E	F	G	H	I	J
Brood ID:	2B	1B	3C	2C	2A	3D	3E	2F	3F	2G

Aquatic
Testing
Laboratories

Laboratory Temperature Chart

QA/QC Batch No: RT-080106

Date Tested: 01/06/08 to 01/12/08

Acceptable Range: 25+/- 1°C



EBERLINE SERVICES

February 27 2008

Mr. Joseph Doak
Test America, Inc.
17461 Derian Avenue, Suite 100
Irvine, CA 92614

Reference: Eberline Services NELAP Cert #01120CA
Test America Project Nos. IRA2496, IRA2497, IRA2499, IRA2500
IRA2506, IRA2565
Eberline Services Reports R801170-8687, R801171-8688, R801172-8689
R801173-8690, R801174-8691, R801175-8692

Dear Mr. Doak:

Enclosed are results from the analyses of six water samples received on January 29, 2008. The samples were analyzed according to the accompanying Test America Subcontract Order Forms, the requested analyses were: gross alpha/gross beta (EPA 900.0), tritium (H-3, EPA906.0), Sr-90 (EPA905.0), Ra-226 (EPA903.1), Ra-228 (EPA 904.0), total uranium (ASTM D-5174), and gamma spectroscopy (EPA901.1, K-40 and Cs-137 only). The parenthetical G after a nuclide indicates that the result was obtained by gamma spectroscopy; a "U" in the results column indicates that the nuclide was not detected greater than the indicated minimum detectable activity (MDA). The samples were not filtered prior to analysis. The samples were analyzed in batches with common QC samples. All samples were batched with QC samples 8687-002, 003, 004, and 005, except for total uranium analysis; the QC samples for total-U analysis are 8682-002, 003, 004, and 005. Batch quality control samples consisted of LCS's, blank analyses, duplicate analyses, and matrix spike analyses (gross alpha/gross beta, H-3, Ra-226, Total-U only). All QC sample results were within the limits defined in Eberline Services Quality Control Procedures Manual.

Please call me if you have any questions concerning this report.

Regards,

Melissa Mannion

Melissa Mannion
Senior Program Manager

MCM/njv

Enclosure: Reports/CoC's

Analytical Services
2030 Wright Avenue
P.O. Box 4040
Richmond, California 94804-0040
(510) 235-2633 Fax (510) 235-0438
Toll Free (800) 841-5487
www.eberlineservices.com

Eberline Services

ANALYSIS RESULTS

SDG 8691 | Client TA IRVINE
Work Order R801174-01 | Contract PROJECT# IRA2506
Received Date 01/29/08 | Matrix WATER

Client Sample ID	Lab Sample ID	Collected	Analyzed	Nuclide	Results ± 2σ	Units	MDA
IRA2506-01	8691-001	01/25/08	02/16/08	GrossAlpha	3.13 ± 0.82	pCi/L	0.81
			02/16/08	Gross Beta	3.00 ± 0.62	pCi/L	0.90
			02/20/08	Ra-228	0.265 ± 0.18	pCi/L	0.47
			02/15/08	K-40 (G)	U	pCi/L	51
			02/15/08	Cs-137 (G)	U	pCi/L	1.6
			02/21/08	H-3	-101 ± 90	pCi/L	160
			02/20/08	Ra-226	0.320 ± 0.49	pCi/L	0.83
			02/14/08	Sr-90	-0.002 ± 0.31	pCi/L	0.74
			02/19/08	Total U	0.210 ± 0.025	pCi/L	0.022

Certified by
Report Date 02/27/08

Eberline Services

QC RESULTS

SDG 8691
Work Order R801174-01
Received Date 01/29/08

Client TA IRVINE
Contract PROJECT# IRA2506
Matrix WATER

Lab Sample ID	Nuclide	Results	Units	Amount Added	MDA	Evaluation
LCS						
8682-002	GrossAlpha	10.6 ± 0.84	pCi/Smpl	10.1	0.29	105% recovery
	Gross Beta	9.49 ± 0.38	pCi/Smpl	9.39	0.29	101% recovery
	Ra-228	8.69 ± 0.54	pCi/Smpl	8.73	0.75	100% recovery
	Co-60 (G)	223 ± 11	pCi/Smpl	226	7.0	99% recovery
	Cs-137 (G)	253 ± 11	pCi/Smpl	236	8.1	107% recovery
	Am-241 (G)	215 ± 37	pCi/Smpl	252	47	85% recovery
	H-3	228 ± 14	pCi/Smpl	240	16	95% recovery
	Ra-226	5.92 ± 0.27	pCi/Smpl	5.58	0.085	106% recovery
	Sr-90	9.45 ± 0.73	pCi/Smpl	9.40	0.32	101% recovery
	Total U	1.06 ± 0.12	pCi/Smpl	1.13	0.004	94% recovery
BLANK						
8682-003	GrossAlpha	0.006 ± 0.13	pCi/Smpl	NA	0.25	<MDA
	Gross Beta	-0.090 ± 0.27	pCi/Smpl	NA	0.44	<MDA
	Ra-228	-0.089 ± 0.33	pCi/Smpl	NA	0.78	<MDA
	K-40 (G)	U	pCi/Smpl	NA	190	<MDA
	Cs-137 (G)	U	pCi/Smpl	NA	7.4	<MDA
	H-3	-4.88 ± 9.0	pCi/Smpl	NA	15	<MDA
	Ra-226	-0.014 ± 0.026	pCi/Smpl	NA	0.071	<MDA
	Sr-90	0.078 ± 0.24	pCi/Smpl	NA	0.54	<MDA
	Total U	0.00E 00 ± 1.9E-04	pCi/Smpl	NA	4.4E-04	<MDA
LCS						
8687-002	GrossAlpha	13.1 ± 0.92	pCi/Smpl	11.2	0.23	117% recovery
	Gross Beta	11.4 ± 0.46	pCi/Smpl	11.3	0.44	101% recovery
	Ra-228	10.3 ± 0.62	pCi/Smpl	9.87	0.85	104% recovery
	Co-60 (G)	504 ± 11	pCi/Smpl	525	6.4	96% recovery
	Cs-137 (G)	586 ± 10	pCi/Smpl	566	6.9	104% recovery
	Am-241 (G)	602 ± 20	pCi/Smpl	610	23	99% recovery
	H-3	250 ± 15	pCi/Smpl	263	16	95% recovery
	Ra-226	5.35 ± 0.25	pCi/Smpl	5.58	0.082	96% recovery
	Sr-90	10.7 ± 0.79	pCi/Smpl	10.3	0.34	104% recovery
BLANK						
8687-003	GrossAlpha	0.023 ± 0.14	pCi/Smpl	NA	0.25	<MDA
	Gross Beta	-0.044 ± 0.15	pCi/Smpl	NA	0.26	<MDA
	Ra-228	-0.313 ± 0.39	pCi/Smpl	NA	1.1	<MDA

Certified by
Report Date 02/27/08

Eberline Services

SDG 8691 | Client TA IRVINE
Work Order R801174-01 | Contract PR0JECT# IRA2506
Received Date 01/29/08 | Matrix WATER

K-40 (G)	U	pCi/Smpl	NA	26	<MDA
Cs-137 (G)	U	pCi/Smpl	NA	2.2	<MDA
H-3	-7.14 ± 9.0	pCi/Smpl	NA	16	<MDA
Ra-226	-0.013 ± 0.036	pCi/Smpl	NA	0.081	<MDA
Sr-90	0.036 ± 0.20	pCi/Smpl	NA	0.45	<MDA

DUPLICATES

Sample ID	Nuclide	Results ± 2σ	MDA
8682-004	GrossAlpha	3.13 ± 2.1	2.2
	Gross Beta	42.1 ± 2.3	2.1
	Ra-228	0.070 ± 0.15	0.42
	K-40 (G)	42.6 ± 18	9.6
	Cs-137 (G)	U	0.92
	H-3	-73.7 ± 92	160
	Ra-226	0.111 ± 0.44	0.80
	Sr-90	-0.108 ± 0.44	1.1
	Total U	2.88 ± 0.32	0.022
8687-004	GrossAlpha	2.52 ± 1.2	1.5
	Gross Beta	4.02 ± 1.0	1.5
	Ra-228	0.123 ± 0.17	0.47
	K-40 (G)	U	35
	Cs-137 (G)	U	1.5
	H-3	-114 ± 91	160
	Ra-226	-0.221 ± 0.37	0.81
	Sr-90	-0.019 ± 0.24	0.58

ORIGINALS

Sample ID	Results ± 2σ	MDA	RPD	3σ (Tot)	Eval
8682-001	2.52 ± 2.0	2.4	22	160	satis.
	42.3 ± 2.4	2.4	0	44	satis.
	0.145 ± 0.17	0.44	-	0	satis.
	36.0 ± 19	13	17	102	satis.
	U	1.1	-	0	satis.
	-62.4 ± 94	160	-	0	satis.
	-0.149 ± 0.46	0.96	-	0	satis.
	0.032 ± 0.30	0.58	-	0	satis.
	2.75 ± 0.30	0.022	5	30	satis.
8687-001	2.21 ± 1.1	1.4	13	112	satis.
	4.33 ± 1.0	1.5	7	66	satis.
	0.159 ± 0.19	0.49	-	0	satis.
	U	12	-	0	satis.
	U	0.53	-	0	satis.
	-77.4 ± 91	160	-	0	satis.
	0.047 ± 0.45	0.83	-	0	satis.
	0.076 ± 0.32	0.68	-	0	satis.

SPIKED SAMPLE

Sample ID	Nuclide	Results ± 2σ	MDA
8682-005	GrossAlpha	225 ± 12	2.5
	Gross Beta	192 ± 4.5	2.4
	H-3	15800 ± 310	160
	Ra-226	124 ± 4.7	0.94
	Total U	120 ± 15	2.2
8687-005	GrossAlpha	153 ± 7.3	1.3
	Gross Beta	107 ± 2.7	1.3
	H-3	14900 ± 300	160
	Ra-226	134 ± 4.9	0.85

ORIGINAL SAMPLE

Sample ID	Results ± 2σ	MDA	Added	%Recv
8682-001	2.52 ± 2.0	2.4	163	136
	42.3 ± 2.4	2.4	145	103
	-62.4 ± 94	160	16000	99
	-0.149 ± 0.46	0.96	112	111
	2.75 ± 0.30	0.022	113	104
8687-001	2.21 ± 1.1	1.4	114	132
	4.33 ± 1.0	1.5	103	100
	-77.4 ± 91	160	16000	94
	0.047 ± 0.45	0.83	123	109

Certified by _____
Report Date 02/27/08
Page 3

SUBCONTRACT ORDER

TestAmerica Irvine

IRA2506

8691

SENDING LABORATORY:

TestAmerica Irvine
17461 Derian Avenue. Suite 100
Irvine, CA 92614
Phone: (949) 261-1022
Fax: (949) 260-3297
Project Manager: Joseph Doak

RECEIVING LABORATORY:

Eberline Services - SUB
2030 Wright Avenue
Richmond, CA 94804
Phone :(510) 235-2633
Fax: (510) 235-0438
Project Location: California
Receipt Temperature: 6 °C Ice: (Y) / N

Analysis	Units	Due	Expires	Comments
Sample ID: IRA2506-01	**Water**		Sampled: **01/25/08 13:45**	**ph=7.4, temp=48**
Gamma Spec-O	mg/kg	02/05/08	01/24/09 13:45	K-40 and CS-137 only
Gross Alpha-O	pCi/L	02/05/08	07/23/08 13:45	Out to Eberline
Gross Beta-O	pCi/L	02/05/08	07/23/08 13:45	Out to Eberline
Level 4 + EDD-OUT	N/A	02/05/08	02/22/08 13:45	Excel EDD email to pm,Include Std logs for Lvl IV
Radium, Combined-O	pCi/L	02/05/08	01/24/09 13:45	Out to Eberline
Strontium 90-O	pCi/L	02/05/08	01/24/09 13:45	Out to Eberline
Tritium-O	pCi/L	02/05/08	01/24/09 13:45	Out to Eberline
Uranium, Combined-O	pCi/L	02/05/08	01/24/09 13:45	pCui, Out to Eberline

Containers Supplied:
2.5 gal Poly (AC) 500 mL Amber (G)

Released By	Date/Time	Received By	Date/Time
Tony Boyle	1/28/08 17:00	FedEx	1/28/08 17:00
Released By	Date/Time	Received By	Date/Time
			01/29/08 10:15

EBERLINE

RICHMOND, CA LABORATORY

SAMPLE RECEIPT CHECKLIST

1/29/08

Client: TEST AMERICA City: IRVINE State: CA

Date/Time received: 01/24/08 10:15 CoC No: IRA 2506

Container/E No: ICE CHEST Requested TAT (Days): _____ P.O. Received: Yes [ ] No [ ]

INSPECTION

1	Custody seals on shipping container intact?	Yes X	No [ ]	N/A [ ]	
2	Custody seals on shipping container dated & signed?	Yes X	No [ ]	N/A [ ]	
3	Custody seals on sample containers intact?	Yes [ ]	No [ ]	N/A X	
4	Custody seals on sample containers dated & signed?	Yes [ ]	No [ ]	N/A X	
5	Packing material is:	Wet [ ]	Dry X		
6	Number of samples in shipping container: 1	Sample Matrix: W			
7	Number of containers per sample: 2	(Or see CoC _____)			
8	Samples are in correct container	Yes X	No [ ]		
9	Paperwork agrees with samples?	Yes X	No [ ]		
10	Samples have: Tape [ ] Hazard labels [ ] Rad labels [ ]	Appropriate sample labels is X			
11	Samples are: In good condition X	Leaking [ ]	Broken Container [ ]	Missing [ ]	
12	Samples are: Preserved [ ]	Not preserved X; pH _____	Preservative _____		
13	Describe any anomalies:				
14	Was P.M. notified of any anomalies?	Yes [ ]	No [ ]	Date _____	
15	Inspected by: _____	Date 01/24/08	Time 10:20		

Customer Sample No.	Beta/Gamma cpm	Ion Chamber mR/hr	Wipe	Customer Sample No.	Beta/Gamma cpm	Ion Chamber mR/hr	Wipe
IRA 2506-1	<60						

Ion Chamber Ser. No. _____ Calibration date _____

Alpha Meter Ser. No. _____ Calibration date _____

Beta/Gamma Meter Ser. No. P00482 Calibration date 09MAY 07

Vista
Analytical Laboratory

February 08, 2008

Vista Project I.D.: 30212

Mr. Joseph Doak
Test America-Irvine, CA
17461 Derian Avenue
Suite 100
Irvine, CA 92614

Dear Mr. Doak,

Enclosed are the results for the one aqueous sample received at Vista Analytical Laboratory on January 29, 2008 under your Project Name "IRA2506". This sample was extracted and analyzed using EPA Method 1613 for tetra-through-octa chlorinated dioxins and furans. A standard turnaround time was provided for this work.

The following report consists of a Sample Inventory (Section I), Analytical Results (Section II) and the Appendix, which contains the chain-of-custody, a list of data qualifiers and abbreviations, Vista's current certifications, and copies of the raw data (if requested).

Vista Analytical Laboratory is committed to serving you effectively. If you require additional information, please contact me at 916-673-1520 or by email at mmaier@vista-analytical.com. Thank you for choosing Vista as part of your analytical support team.

Sincerely,

Martha M. Maier
Laboratory Director

Vista Analytical Laboratory certifies that the report herein meets all the requirements set forth by NELAC for those applicable test methods. Results relate only to the samples as received by the laboratory. This report should not be reproduced except in full without the written approval of Vista Analytical Laboratory.

Section I: Sample Inventory Report

Date Received: **1/29/2008**

Vista Lab. ID	Client Sample ID
30212-001	IRA2506-01

SECTION II

Method Blank **EPA Method 1613**

Matrix: Aqueous | QC Batch No.: 9921 | Lab Sample: 0-MB001

Sample Size: 1.00 L | Date Extracted: 2-Feb-08 | Date Analyzed DB-5: 6-Feb-08 | Date Analyzed DB-225: NA

Analyte	Conc. (ug/L)	DL [a]	EMPC [b]	Qualifiers
2,3,7,8-TCDD	ND	0.00000165		
1,2,3,7,8-PeCDD	ND	0.00000120		
1,2,3,4,7,8-HxCDD	ND	0.00000316		
1,2,3,6,7,8-HxCDD	ND	0.00000300		
1,2,3,7,8,9-HxCDD	ND	0.00000295		
1,2,3,4,6,7,8-HpCDD	ND	0.00000197		
OCDD	ND	0.00000682		
2,3,7,8-TCDF	ND	0.000000988		
1,2,3,7,8-PeCDF	ND	0.00000123		
2,3,4,7,8-PeCDF	ND	0.00000151		
1,2,3,4,7,8-HxCDF	ND	0.000000596		
1,2,3,6,7,8-HxCDF	ND	0.000000816		
2,3,4,6,7,8-HxCDF	ND	0.000000976		
1,2,3,7,8,9-HxCDF	ND	0.00000111		
1,2,3,4,6,7,8-HpCDF	ND	0.00000146		
1,2,3,4,7,8,9-HpCDF	ND	0.00000154		
OCDF	ND	0.00000455		

	Labeled Standard	%R	LCL-UCL [d]	Qualifiers
IS	13C-2,3,7,8-TCDD	73.6	25 - 164	
	13C-1,2,3,7,8-PeCDD	76.1	25 - 181	
	13C-1,2,3,4,7,8-HxCDD	74.4	32 - 141	
	13C-1,2,3,6,7,8-HxCDD	73.5	28 - 130	
	13C-1,2,3,4,6,7,8-HpCDD	77.2	23 - 140	
	13C-OCDD	65.9	17 - 157	
	13C-2,3,7,8-TCDF	72.7	24 - 169	
	13C-1,2,3,7,8-PeCDF	80.3	24 - 185	
	13C-2,3,4,7,8-PeCDF	66.6	21 - 178	
	13C-1,2,3,4,7,8-HxCDF	95.5	26 - 152	
	13C-1,2,3,6,7,8-HxCDF	77.3	26 - 123	
	13C-2,3,4,6,7,8-HxCDF	67.6	28 - 136	
	13C-1,2,3,7,8,9-HxCDF	76.1	29 - 147	
	13C-1,2,3,4,6,7,8-HpCDF	72.0	28 - 143	
	13C-1,2,3,4,7,8,9-HpCDF	75.2	26 - 138	
	13C-OCDF	71.7	17 - 157	
CRS	37Cl-2,3,7,8-TCDD	77.0	35 - 197	

Totals

Total TCDD	ND	0.00000165
Total PeCDD	ND	0.00000209
Total HxCDD	ND	0.00000304
Total HpCDD	0.00000138	
Total TCDF	ND	0.000000988
Total PeCDF	ND	0.00000136
Total HxCDF	ND	0.000000843
Total HpCDF	ND	0.00000150

Footnotes

a. Sample specific estimated detection limit.

b. Estimated maximum possible concentration.

c. Method detection limit.

d. Lower control limit - upper control limit.

Analyst: MAS

Approved By: William J. Luksemburg 08-Feb-2008 12:18

OPR Results **EPA Method 1613**

Matrix:	Aqueous	QC Batch No.:	9921	Lab Sample:	0-OPR001		
Sample Size:	1.00 L	Date Extracted:	2-Feb-08	Date Analyzed DB-5:	6-Feb-08	Date Analyzed DB-225:	NA

Analyte	Spike Conc.	Conc. (ng/mL)	OPR Limits		Labeled Standard	%R	LCL-UCL	Qualifier
2,3,7,8-TCDD	10.0	11.2	6.7 - 15.8	IS	13C-2,3,7,8-TCDD	77.8	25 - 164	
1,2,3,7,8-PeCDD	50.0	55.0	35 - 71		13C-1,2,3,7,8-PeCDD	74.8	25 - 181	
1,2,3,4,7,8-HxCDD	50.0	54.7	35 - 82		13C-1,2,3,4,7,8-HxCDD	74.8	32 - 141	
1,2,3,6,7,8-HxCDD	50.0	54.1	38 - 67		13C-1,2,3,6,7,8-HxCDD	75.4	28 - 130	
1,2,3,7,8,9-HxCDD	50.0	54.8	32 - 81		13C-1,2,3,4,6,7,8-HpCDD	80.9	23 - 140	
1,2,3,4,6,7,8-HpCDD	50.0	54.0	35 - 70		13C-OCDD	71.4	17 - 157	
OCDD	100	113	78 - 144		13C-2,3,7,8-TCDF	77.3	24 - 169	
2,3,7,8-TCDF	10.0	10.7	7.5 - 15.8		13C-1,2,3,7,8-PeCDF	73.3	24 - 185	
1,2,3,7,8-PeCDF	50.0	55.0	40 - 67		13C-2,3,4,7,8-PeCDF	66.3	21 - 178	
2,3,4,7,8-PeCDF	50.0	55.4	34 - 80		13C-1,2,3,4,7,8-HxCDF	90.2	26 - 152	
1,2,3,4,7,8-HxCDF	50.0	54.4	36 - 67		13C-1,2,3,6,7,8-HxCDF	73.1	26 - 123	
1,2,3,6,7,8-HxCDF	50.0	56.0	42 - 65		13C-2,3,4,6,7,8-HxCDF	69.8	28 - 136	
2,3,4,6,7,8-HxCDF	50.0	56.1	35 - 78		13C-1,2,3,7,8,9-HxCDF	74.7	29 - 147	
1,2,3,7,8,9-HxCDF	50.0	55.4	39 - 65		13C-1,2,3,4,6,7,8-HpCDF	71.2	28 - 143	
1,2,3,4,6,7,8-HpCDF	50.0	55.5	41 - 61		13C-1,2,3,4,7,8,9-HpCDF	77.2	26 - 138	
1,2,3,4,7,8,9-HpCDF	50.0	55.7	39 - 69		13C-OCDF	72.9	17 - 157	
OCDF	100	106	63 - 170	CRS	37Cl-2,3,7,8-TCDD	86.5	35 - 197	

Analyst: MAS

Approved By: William J. Luksemburg 08-Feb-2008 12:18

Sample ID: **IRA2506-01** **EPA Method 1613**

Client Data		Sample Data		Laboratory Data			
Name:	Test America-Irvine, CA	Matrix:	Aqueous	Lab Sample:	30212-001	Date Received:	29-Jan-08
Project:	IRA2506	Sample Size:	1.01 L	QC Batch No.:	9921	Date Extracted:	2-Feb-08
Date Collected:	25-Jan-08			Date Analyzed DB-5:	7-Feb-08	Date Analyzed DB-225:	NA
Time Collected:	1345						

Analyte	Conc. (ug/L)	DL [a]	EMPC [b]	Qualifiers
2,3,7,8-TCDD	ND	0.00000100		
1,2,3,7,8-PeCDD	ND	0.00000107		
1,2,3,4,7,8-HxCDD	ND	0.00000276		
1,2,3,6,7,8-HxCDD	ND	0.00000279		
1,2,3,7,8,9-HxCDD	ND	0.00000266		
1,2,3,4,6,7,8-HpCDD	0.0000239			J
OCDD	0.000225			
2,3,7,8-TCDF	ND	0.000000699		
1,2,3,7,8-PeCDF	ND	0.00000104		
2,3,4,7,8-PeCDF	ND	0.00000114		
1,2,3,4,7,8-HxCDF	ND	0.000000923		
1,2,3,6,7,8-HxCDF	ND	0.00000128		
2,3,4,6,7,8-HxCDF	ND	0.000000730		
1,2,3,7,8,9-HxCDF	ND	0.000000917		
1,2,3,4,6,7,8-HpCDF	ND		0.00000460	
1,2,3,4,7,8,9-HpCDF	ND	0.00000131		
OCDF	0.0000146			J

Labeled Standard		%R	LCL-UCL [d]	Qualifiers
IS	13C-2,3,7,8-TCDD	77.5	25 - 164	
	13C-1,2,3,7,8-PeCDD	64.4	25 - 181	
	13C-1,2,3,4,7,8-HxCDD	69.5	32 - 141	
	13C-1,2,3,6,7,8-HxCDD	73.2	28 - 130	
	13C-1,2,3,4,6,7,8-HpCDD	75.1	23 - 140	
	13C-OCDD	63.6	17 - 157	
	13C-2,3,7,8-TCDF	83.8	24 - 169	
	13C-1,2,3,7,8-PeCDF	71.0	24 - 185	
	13C-2,3,4,7,8-PeCDF	61.0	21 - 178	
	13C-1,2,3,4,7,8-HxCDF	80.5	26 - 152	
	13C-1,2,3,6,7,8-HxCDF	68.6	26 - 123	
	13C-2,3,4,6,7,8-HxCDF	65.1	28 - 136	
	13C-1,2,3,7,8,9-HxCDF	69.9	29 - 147	
	13C-1,2,3,4,6,7,8-HpCDF	63.6	28 - 143	
	13C-1,2,3,4,7,8,9-HpCDF	69.1	26 - 138	
	13C-OCDF	65.8	17 - 157	
CRS	37Cl-2,3,7,8-TCDD	79.8	35 - 197	

Totals

Total TCDD	ND	0.00000100		
Total PeCDD	ND	0.00000213		
Total HxCDD	0.00000153			
Total HpCDD	0.0000499			B
Total TCDF	ND	0.000000699		
Total PeCDF	ND		0.000000726	
Total HxCDF	0.00000182		0.00000351	
Total HpCDF	0.0000101		0.0000147	

Footnotes

a. Sample specific estimated detection limit.

b. Estimated maximum possible concentration.

c. Method detection limit.

d. Lower control limit - upper control limit.

Analyst: MAS

Approved By: William J. Luksemburg 08-Feb-2008 12:18

APPENDIX

DATA QUALIFIERS & ABBREVIATIONS

B	**This compound was also detected in the method blank.**
D	**Dilution**
E	**The amount detected is above the High Calibration Limit.**
P	**The amount reported is the maximum possible concentration due to possible chlorinated diphenylether interference.**
H	**The signal-to-noise ratio is greater than 10:1.**
I	**Chemical Interference**
J	**The amount detected is below the Low Calibration Limit.**
*****	**See Cover Letter**
Conc.	**Concentration**
DL	**Sample-specific estimated detection limit**
MDL	**The minimum concentration of a substance that can be measured and reported with 99% confidence that the analyte concentration is greater than zero in the matrix tested.**
EMPC	**Estimated Maximum Possible Concentration**
NA	**Not applicable**
RL	**Reporting Limit – concentrations that correspond to low calibration point**
ND	**Not Detected**
TEQ	**Toxic Equivalency**

Unless otherwise noted, solid sample results are reported in dry weight. Tissue samples are reported in wet weight.

CERTIFICATIONS

Accrediting Authority	Certificate Number
State of Alaska, DEC	CA413-02
State of Arizona	AZ0639
State of Arkansas, DEQ	05-013-0
State of Arkansas, DOH	Reciprocity through CA
State of California – NELAP Primary AA	02102CA
State of Colorado	
State of Connecticut	PH-0182
State of Florida, DEP	E87777
Commonwealth of Kentucky	90063
State of Louisiana, Health and Hospitals	LA050001
State of Louisiana, DEQ	01977
State of Maine	CA0413
State of Michigan	81178087
State of Mississippi	Reciprocity through CA
Naval Facilities Engineering Service Center	
State of Nevada	CA413
State of New Jersey	CA003
State of New Mexico	Reciprocity through CA
State of New York, DOH	11411
State of North Carolina	06700
State of North Dakota, DOH	R-078
State of Oklahoma	D9919
State of Oregon	CA200001-002
State of Pennsylvania	68-00490
State of South Carolina	87002001
State of Tennessee	02996
State of Texas	TX247-2005A
U.S. Army Corps of Engineers	
State of Utah	9169330940
Commonwealth of Virginia	00013
State of Washington	C1285
State of Wisconsin	998036160
State of Wyoming	8TMS-Q

SUBCONTRACT ORDER

TestAmerica Irvine

IRA2506 30212 1.8°C

SENDING LABORATORY:

TestAmerica Irvine
17461 Derian Avenue. Suite 100
Irvine, CA 92614
Phone: (949) 261-1022
Fax: (949) 260-3297
Project Manager: Joseph Doak

RECEIVING LABORATORY:

Vista Analytical Laboratory- SUB
1104 Windfield Way
El Dorado Hills, CA 95762
Phone :(916) 673-1520
Fax: (916) 673-0106
Project Location: California
Receipt Temperature:_____°C Ice: Y / N

Analysis	Units	Due	Expires	Comments
Sample ID: IRA2506-01	**Water**		Sampled: **01/25/08 13:45**	**ph=7.4, temp=48**
1613-Dioxin-HR-Alta	ug/l	02/05/08	02/01/08 13:45	J flags,17 congeners,no TEQ,ug/L,sub=Vista
Level 4 Data Package - Out	N/A	02/05/08	02/22/08 13:45	Boeing

Containers Supplied:

1 L Amber (Y) 1 L Amber (Z)

Tony Moya 1/28/08 17:00
Released By Date/Time

Released By Date/Time

FedEx 1/28/08 17:00
Received By Date/Time

Bethna Benedict 1/29/08 1571
Received By Date/Time

SAMPLE LOG-IN CHECKLIST

Vista Analytical Laboratory

Vista Project #: 30212 TAT unspecified

Samples Arrival:	**Date/Time** 1/29/08 0905	**Initials:** YBSB	**Location:** WR-2 **Shelf/Rack:** N/A
Logged In:	**Date/Time** 1/29/08 1511	**Initials:** YBSB	**Location:** WR-2 **Shelf/Rack:** C 2

Delivered By:	FedEx	UPS	Cal	DHL	Hand Delivered	Other
Preservation:	Ice	Blue Ice	Dry Ice	None		
Temp °C 1.8°C	**Time:** 0911		**Thermometer ID:** IR-1			

	YES	NO	NA
Adequate Sample Volume Received?	✓		
Holding Time Acceptable?	✓		
Shipping Container(s) Intact?	✓		
Shipping Custody Seals Intact?	✓		
Shipping Documentation Present?	✓		
Airbill / Trk # 7904 345399 50	✓		
Sample Container Intact?	✓		
Sample Custody Seals Intact?			✓
Chain of Custody / Sample Documentation Present?	✓		
COC Anomaly/Sample Acceptance Form completed?		✓	
If Chlorinated or Drinking Water Samples, Acceptable Preservation?			✓

$Na_2S_2O_3$ Preservation Documented?	COC	Sample Container	None	
Shipping Container	Vista	Client	Retain	Return	Dispose

Comments:

SUBCONTRACT ORDER

TestAmerica Irvine 8012805

IRA2506

SENDING LABORATORY:

TestAmerica Irvine
17461 Derian Avenue. Suite 100
Irvine, CA 92614
Phone: (949) 261-1022
Fax: (949) 260-3297
Project Manager: Joseph Doak

RECEIVING LABORATORY:

Weck Laboratories, Inc-SUB
14859 E. Clark Avenue
City of Industry, CA 91745
Phone :(626) 336-2139
Fax: (626) 336-2634
Project Location: California
Receipt Temperature: _____ °C Ice: Y / N

Analysis	Units	Due	Expires	Comments
Sample ID: IRA2506-01	**Water**		Sampled: **01/25/08 13:45**	**ph=7.4, temp=48**
Level 4 Data Package - Wec	N/A	02/05/08	02/22/08 13:45	Boeing, permit, J flags
Mercury - 245.1, Diss -OUT	mg/l	01/28/08	02/22/08 13:45	Out to Weck Level 4 Boeing, permit, J flags
Mercury - 245.1-OUT	mg/l	01/28/08	02/22/08 13:45	Out to Weck Level 4 Boeing, permit, J flags

Containers Supplied:

125 mL Poly w/HNO3 (AE) 125 mL Poly (AF)

Released By	Date/Time	Received By	Date/Time
Released By	Date/Time	Received By	Date/Time

Weck Laboratories, Inc.
Analytical Laboratory Services - Since 1964

14859 E. Clark Ave., Industry, CA 91745
Phone 626.336.2139 Fax 626.336.2634
info@wecklabs.com www.wecklabs.com

CERTIFICATE OF ANALYSIS

Client: TestAmerica, Inc. - Irvine
17461 Derian Ave, Suite 100
Irvine, CA 92614
Attention: Joseph Doak

Phone: (949) 261-1022
Fax: (949) 260-3297

Report Date: 01/30/08 12:54
Received Date: 01/28/08 08:45
Turn Around: 1 day

Work Order #: 8012805

Client Project: IRA2506

NELAP #04229CA ELAP#1132 NEVADA #CA211 HAWAII LACSD #10143

The results in this report apply to the samples analyzed in accordance with the Chain of Custody document. Weck Laboratories, Inc. certifies that the test results meet all NELAC requirements unless noted in the case narrative. This analytical report is confidential and is only intended for the use of Weck Laboratories, Inc. and its client. This report contains the Chain of Custody document, which is an integral part of it, and can only be reproduced in full with the authorization of Weck Laboratories, Inc.

Dear Joseph Doak :

Enclosed are the results of analyses for samples received 01/28/08 08:45 with the Chain of Custody document. The samples were received in good condition. The samples were received at 7.9 °C and on ice. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Reviewed by:

Kim G Tu

Project Manager

Weck Laboratories, Inc.
14859 E. Clark Ave.
Industry, CA 91745
Phone 626.336.2139 Fax 626.336.2634

TestAmerica, Inc. - Irvine
17461 Derian Ave, Suite 100
Irvine CA, 92614

Report ID: 8012805
Project ID: IRA2506

Date Received: 01/28/08 08:45
Date Reported: 01/30/08 12:54

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Sampled by:	Sample Comments	Laboratory	Matrix	Date Sampled
IRA2506-01	Client		8012805-01	Water	01/25/08 13:45

Weck Laboratories, Inc.
14859 E. Clark Ave.
Industry, CA 91745
Phone 626.336.2139 Fax 626.336.2634

TestAmerica, Inc. - Irvine
17461 Derian Ave, Suite 100
Irvine CA, 92614

Report ID: 8012805
Project ID: IRA2506

Date Received: 01/28/08 08:45
Date Reported: 01/30/08 12:54

IRA2506-01 8012805-01 (Water) Date Sampled: 01/25/08 13:45

Metals by EPA 200 Series Methods

Analyte	Result	MDL	Units	Reporting Limit	Dilution Factor	Method	Batch Number	Date Prepared	Date Analyzed		Data Qualifiers
Mercury, Dissolved	ND	0.050	ug/l	0.20	1	EPA 245.1	W8A1034	01/29/08	01/30/08	jlp	
Mercury, Total	ND	0.050	ug/l	0.20	1	EPA 245.1	W8A1034	01/29/08	01/30/08	jlp	

Weck Laboratories, Inc.
14859 E. Clark Ave.
Industry, CA 91745
Phone 626.336.2139 Fax 626.336.2634

TestAmerica, Inc. - Irvine
17461 Derian Ave, Suite 100
Irvine CA, 92614

Report ID: 8012805
Project ID: IRA2506

Date Received: 01/28/08 08:45
Date Reported: 01/30/08 12:54

QUALITY CONTROL SECTION

Weck Laboratories, Inc.
14859 E. Clark Ave.
Industry, CA 91745
Phone 626.336.2139 Fax 626.336.2634

TestAmerica, Inc. - Irvine
17461 Derian Ave, Suite 100
Irvine CA, 92614

Report ID: 8012805
Project ID: IRA2506

Date Received: 01/28/08 08:45
Date Reported: 01/30/08 12:54

Metals by EPA 200 Series Methods - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch W8A1034 - EPA 245.1										
Blank (W8A1034-BLK1)				Analyzed: 01/30/08						
Mercury, Dissolved	ND	0.20	ug/l							
Mercury, Total	ND	0.20	ug/l							
LCS (W8A1034-BS1)				Analyzed: 01/30/08						
Mercury, Dissolved	0.986	0.20	ug/l	1.00		99	85-115			
Mercury, Total	0.986	0.20	ug/l	1.00		99	85-115			
Matrix Spike (W8A1034-MS1)	**Source: 8012803-01**			Analyzed: 01/30/08						
Mercury, Dissolved	2.06	0.40	ug/l	2.00	ND	103	70-130			
Mercury, Total	2.06	0.40	ug/l	2.00	ND	103	70-130			
Matrix Spike Dup (W8A1034-MSD1)	**Source: 8012803-01**			Analyzed: 01/30/08						
Mercury, Dissolved	2.02	0.40	ug/l	2.00	ND	101	70-130	2	20	
Mercury, Total	2.02	0.40	ug/l	2.00	ND	101	70-130	2	20	

Weck Laboratories, Inc.
14859 E. Clark Ave.
Industry, CA 91745
Phone 626.336.2139 Fax 626.336.2634

TestAmerica, Inc. - Irvine
17461 Derian Ave, Suite 100
Irvine CA, 92614

Report ID: 8012805
Project ID: IRA2506

Date Received: 01/28/08 08:45
Date Reported: 01/30/08 12:54

Notes and Definitions

ND	NOT DETECTED at or above the Reporting Limit. If J-value reported, then NOT DETECTED at or above the Method Detection Limit (MDL)
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
% Rec	Percent Recovery
Sub	Subcontracted analysis, original report available upon request
MDL	Method Detection Limit
MDA	Minimum Detectable Activity

Any remaining sample(s) will be disposed of one month from the final report date unless other arrangements are made in advance.

An Absence of Total Coliform meets the drinking water standards as established by the California Department of Health Services.

The Reporting Limit (RL) is referenced as the Laboratory's Practical Quantitation Limit (PQL) or the Detection Limit for Reporting Purposes (DLR).

All samples collected by Weck Laboratories have been sampled in accordance to laboratory SOP Number MIS002.

Weck Laboratories, Inc
Kim G Tu, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.