

**DC-9**

**AIRPLANE  
CHARACTERISTICS  
FOR  
AIRPORT PLANNING  
JUNE 1984**

**DOUGLAS AIRCRAFT COMPANY**

# CONTENTS

|  | Page |
|--|------|
| 1.0 SCOPE .....  | 1    |
| 1.1 Purpose .....  | 1    |
| 1.2 Introduction .....                                     | 2    |
| 2.0 AIRPLANE DESCRIPTION .....                             | 3    |
| 2.1 General Airplane Characteristics .....                 | 4    |
| 2.2 General Airplane Dimensions .....                      | 5    |
| 2.3 Ground Clearances .....                                | 10   |
| 2.4 Interior Arrangements .....                            | 15   |
| 2.4.1 Passengers .....                                     | 15   |
| 2.4.2 Cargo .....  | 19   |
| 2.4.3 Pallet Envelopes .....                               | 21   |
| 2.5 Passenger Cabin Cross Section .....                    | 23   |
| 2.5.1 Coach .....  | 23   |
| 2.5.2 First Class .....                                    | 24   |
| 2.6 Lower Compartment (No Containers) .....                | 25   |
| 2.7 Door Clearances .....                                  | 26   |
| 2.7.1 Lower Forward Cargo Door Clearances .....            | 26   |
| 2.7.2 Lower Aft Cargo Door Clearances .....                | 27   |
| 2.7.3 Upper Cargo Door Clearances .....                    | 28   |
| 2.7.4 Passenger Entrance and Service Door Clearances ..... | 29   |
| 2.7.5 Main Entrance Stairway Clearances .....              | 30   |
| 2.7.6 Forward Passenger Door Opening Clearances .....      | 31   |
| 2.7.8 Ventral Stair Clearances .....                       | 33   |
| 3.0 AIRPLANE PERFORMANCE .....                             | 35   |
| 3.1 General Information .....                              | 35   |
| 3.2 Payload Range .....                                    | 36   |
| 3.3 FAR Takeoff Runway Length Requirements .....           | 47   |
| 3.4 FAR Landing Runway Length Requirements .....           | 51   |

**CONTENTS**  
**(Continued)**

|  | Page |
|--|------|
| 4.0 GROUND MANEUVERING .....   | 59   |
| 4.1 General Information .....  | 59   |
| 4.2 Turning Radii, No Slip Angle .....   | 60   |
| 4.3 Minimum Turning Radii .....  | 65   |
| 4.4 Runway and Taxiway Turn Paths .....  | 66   |
| 4.4.1 More Than 90 Deg Turn – Runway To Taxiway .....  | 66   |
| 4.4.2 90 Deg Turn – Runway to Taxiway .....  | 71   |
| 4.4.3 90 Deg Turn – Taxiway to Taxiway – Nose Gear Tracking Beyond<br>Taxiway Centerline ..... | 76   |
| 4.4.4 90 Deg Turn – Taxiway to Taxiway – Cockpit Tracks Centerline<br>to Centerline .....      | 81   |
| 4.5 Runway Holding Bay (Apron) .....   | 86   |
| 5.0 TERMINAL SERVICING .....   | 91   |
| 5.1 Airplane Servicing Arrangement (Typical) .....   | 91   |
| 5.2 Terminal Operations, Turnaround Station .....  | 96   |
| 5.3 Terminal Operations, En Route Station .....  | 100  |
| 5.4 Ground Service Connections .....   | 104  |
| 5.4.1 Hydraulic System .....   | 109  |
| 5.4.2 Electrical System .....  | 109  |
| 5.4.3 Oxygen System .....  | 109  |
| 5.4.4 Fuel System .....  | 109  |
| 5.4.5 Pneumatic System .....   | 110  |
| 5.4.6 Potable Water System .....   | 110  |
| 5.4.7 Lavatory System .....  | 110  |
| 5.4.8 Engine Service System .....  | 111  |
| 5.5 Engine Starting Pneumatic Requirements .....   | 121  |
| 5.6 Ground Pneumatic Power Requirements .....  | 122  |
| 5.7 Preconditioned Airflow Requirements .....  | 126  |
| 5.8 Ground Towing Requirements .....   | 130  |

**CONTENTS**  
**(Continued)**

|   | <b>Page</b> |
|---|-------------|
| 6.0 OPERATING CONDITIONS .....  | 133         |
| 6.1 Jet Engine Exhaust Velocities and Temperatures .....                            | 133         |
| 6.1.1 Jet Engine Exhaust Velocity Contours, Breakaway Power .....                   | 133         |
| 6.1.2 Jet Engine Exhaust Temperature Contours, Breakaway Power .....                | 134         |
| 6.1.3 Jet Engine Exhaust Velocity Contours, Takeoff Power .....                     | 135         |
| 6.1.4 Jet Engine Exhaust Temperature Contours, Takeoff Power .....                  | 136         |
| 6.1.5 Jet Engine Exhaust Velocity Contours, Idle Power .....                        | 137         |
| 6.1.6 Jet Engine Exhaust Temperature Contours, Idle Power .....                     | 138         |
| 6.2 Airport and Community Noise .....   | 139         |
| 7.0 PAVEMENT DATA .....   | 141         |
| 7.1 General Information .....   | 141         |
| 7.2 Footprint .....   | 143         |
| 7.3 Maximum Pavement loads .....  | 145         |
| 7.4 Landing Gear Loading on Pavement .....  | 146         |
| 7.5 Flexible Pavement Requirements, U.S. Corps of Engineers<br>Design Method .....  | 151         |
| 7.6 Flexible Pavement Requirements, LCN Conversion .....                            | 153         |
| 7.7 Rigid Pavement Requirements, Portland Cement Association<br>Design Method ..... | 159         |
| 7.8 Rigid Pavement Requirements, LCN Conversion .....                               | 165         |
| 7.8.1 Radius of Relative Stiffness .....  | 171         |
| 7.9 ACN-PCN Reporting System: Flexible and Rigid Pavements .....                    | 174         |
| 8.0 POSSIBLE DC-9 DERIVATIVE AIRPLANES .....  | 181         |
| 9.0 SCALE DRAWINGS .....  | 183         |

REVISION DATA

DC-9 AIRPLANE CHARACTERISTICS – AIRPORT PLANNING

LIST OF CURRENT PAGES. (New is original printing)

| NO. | REV   | DATE | NO. | REV | DATE | NO. | REV | DATE | NO. | REV   | DATE |
|-----|-------|------|-----|-----|------|-----|-----|------|-----|-------|------|
| i   | F     | 5/84 | 39  | F   | 5/84 | 84  | F   | 5/84 | 129 | F     | 5/84 |
| ii  | F     | 5/84 | 40  | F   | 5/84 | 85  | F   | 5/84 | 130 | F     | 5/84 |
| iii | F     | 5/84 | 41  | F   | 5/84 | 86  | F   | 5/84 | 131 | F     | 5/84 |
| iv  | F     | 5/84 | 42  | F   | 5/84 | 87  | F   | 5/84 | 132 | Blank |      |
| v   | F     | 5/84 | 43  | F   | 5/84 | 88  | F   | 5/84 | 133 | F     | 5/84 |
| vi  | F     | 5/84 | 44  | F   | 5/84 | 89  | F   | 5/84 | 134 | F     | 5/84 |
| vii | F     | 5/84 | 45  | F   | 5/84 | 90  | F   | 5/84 | 135 | F     | 5/84 |
| 1   | F     | 5/84 | 46  | F   | 5/84 | 91  | F   | 5/84 | 136 | F     | 5/84 |
| 2   | F     | 5/84 | 47  | F   | 5/84 | 92  | F   | 5/84 | 137 | F     | 5/84 |
| 3   | F     | 5/84 | 48  | F   | 5/84 | 93  | F   | 5/84 | 138 | F     | 5/84 |
| 4   | F     | 5/84 | 49  | F   | 5/84 | 94  | F   | 5/84 | 139 | F     | 5/84 |
| 5   | F     | 5/84 | 50  | F   | 5/84 | 95  | F   | 5/84 | 140 | F     | 5/84 |
| 6   | F     | 5/84 | 51  | F   | 5/84 | 96  | F   | 5/84 | 141 | F     | 5/84 |
| 7   | F     | 5/84 | 52  | F   | 5/84 | 97  | F   | 5/84 | 142 | F     | 5/84 |
| 8   | F     | 5/84 | 53  | F   | 5/84 | 98  | F   | 5/84 | 143 | F     | 5/84 |
| 9   | F     | 5/84 | 54  | F   | 5/84 | 99  | F   | 5/84 | 144 | F     | 5/84 |
| 10  | F     | 5/84 | 55  | F   | 5/84 | 100 | F   | 5/84 | 145 | F     | 5/84 |
| 11  | F     | 5/84 | 56  | F   | 5/84 | 101 | F   | 5/84 | 146 | F     | 5/84 |
| 12  | F     | 5/84 | 57  | F   | 5/84 | 102 | F   | 5/84 | 147 | F     | 5/84 |
| 13  | F     | 5/84 | 58  | F   | 5/84 | 103 | F   | 5/84 | 148 | F     | 5/84 |
| 14  | F     | 5/84 | 59  | F   | 5/84 | 104 | F   | 5/84 | 149 | F     | 5/84 |
| 15  | F     | 5/84 | 60  | F   | 5/84 | 105 | F   | 5/84 | 150 | F     | 5/84 |
| 16  | F     | 5/84 | 61  | F   | 5/84 | 106 | F   | 5/84 | 151 | F     | 5/84 |
| 17  | F     | 5/84 | 62  | F   | 5/84 | 107 | F   | 5/84 | 152 | New   | 5/84 |
| 18  | F     | 5/84 | 63  | F   | 5/84 | 108 | F   | 5/84 | 153 | F     | 5/84 |
| 19  | F     | 5/84 | 64  | F   | 5/84 | 109 | F   | 5/84 | 154 | F     | 5/84 |
| 20  | F     | 5/84 | 65  | F   | 5/84 | 110 | F   | 5/84 | 155 | F     | 5/84 |
| 21  | F     | 5/84 | 66  | F   | 5/84 | 111 | F   | 5/84 | 156 | F     | 5/84 |
| 22  | F     | 5/84 | 67  | F   | 5/84 | 112 | F   | 5/84 | 157 | F     | 5/84 |
| 23  | F     | 5/84 | 68  | F   | 5/84 | 113 | F   | 5/84 | 158 | F     | 5/84 |
| 24  | F     | 5/84 | 69  | F   | 5/84 | 114 | F   | 5/84 | 159 | F     | 5/84 |
| 25  | F     | 5/84 | 70  | F   | 5/84 | 115 | F   | 5/84 | 160 | F     | 5/84 |
| 26  | F     | 5/84 | 71  | F   | 5/84 | 116 | F   | 5/84 | 161 | F     | 5/84 |
| 27  | F     | 5/84 | 72  | F   | 5/84 | 117 | F   | 5/84 | 162 | F     | 5/84 |
| 28  | F     | 5/84 | 73  | F   | 5/84 | 118 | F   | 5/84 | 163 | F     | 5/84 |
| 29  | F     | 5/84 | 74  | F   | 5/84 | 119 | F   | 5/84 | 164 | F     | 5/84 |
| 30  | F     | 5/84 | 75  | F   | 5/84 | 120 | F   | 5/84 | 165 | F     | 5/84 |
| 31  | F     | 5/84 | 76  | F   | 5/84 | 121 | F   | 5/84 | 166 | F     | 5/84 |
| 32  | F     | 5/84 | 77  | F   | 5/84 | 122 | F   | 5/84 | 167 | F     | 5/84 |
| 33  | F     | 5/84 | 78  | F   | 5/84 | 123 | F   | 5/84 | 168 | F     | 5/84 |
| 34  | Blank |      | 79  | F   | 5/84 | 124 | F   | 5/84 | 169 | F     | 5/84 |
| 35  | F     | 5/84 | 80  | F   | 5/84 | 125 | F   | 5/84 | 170 | F     | 5/84 |
| 36  | F     | 5/84 | 81  | F   | 5/84 | 126 | F   | 5/84 | 171 | F     | 5/84 |
| 37  | F     | 5/84 | 82  | F   | 5/84 | 127 | F   | 5/84 | 172 | F     | 5/84 |
| 38  | F     | 5/84 | 83  | F   | 5/84 | 128 | F   | 5/84 | 173 | F     | 5/84 |

REVISION DATA (Cont)

| NO. | REV   | DATE |
|-----|-------|------|
| 174 | New   | 5/84 |
| 175 | New   | 5/84 |
| 176 | New   | 5/84 |
| 177 | New   | 5/84 |
| 178 | New   | 5/84 |
| 179 | New   | 5/84 |
| 180 | New   | 5/84 |
| 181 | F     | 5/84 |
| 182 | Blank | 5/84 |
| 183 | F     | 5/84 |
| 184 | F     | 5/84 |
| 185 | F     | 5/84 |
| 186 | F     | 5/84 |
| 187 | F     | 5/84 |
| 188 | F     | 5/84 |
| 189 | F     | 5/84 |
| 190 | F     | 5/84 |
| 191 | F     | 5/84 |
| 192 | F     | 5/84 |
| 193 | F     | 5/84 |
| 194 | F     | 5/84 |
| 195 | F     | 5/84 |
| 196 | F     | 5/84 |
| 197 | F     | 5/84 |
| 198 | F     | 5/84 |
| 199 | F     | 5/84 |
| 200 | F     | 5/84 |
| 201 | F     | 5/84 |
| 202 | F     | 5/84 |
| 203 | F     | 5/84 |
| 204 | F     | 5/84 |
| 205 | F     | 5/84 |
| 206 | F     | 5/84 |
| 207 | F     | 5/84 |
| 208 | Blank |      |