


720 & 720B SERIES

FLAMMABLE MATERIAL LOCATIONS



ACTIONS:

WHEELS ARE EQUIPPED WITH FUSIBLE PLUGS DESIGNED TO MELT AND DEFLATE THE TIRE WHEN THE TEMPERATURE IS EXCESSIVE.

HOT BRAKES

Normal Cooling (move aircraft to suitable location and allow to cool on their own).

Water Mist: (can be deployed from turret or handline).

Fans (placement of fans may place firefighters very close to the hazard zone).

WHEEL FIRE

Large amounts of water initially with turrets.


Transition to handline application to continue and maintain a cooling effect.

WARNING: APPROACH LANDING GEAR TRUCK FROM FORWARD OR AFT WHEN FIGHTING A WHEELFIRE, AS WHEELS AND TIRES MAY EXPLODE.

720 & 720B SERIES


EMERGENCY RESCUE ACCESS-1

1 ENTRY DOOR EXTERNAL HANDLE




- TO OPEN DOOR:
1. PULL HANDLE OUTWARD.
 2. ROTATE CLOCKWISE.
 3. PULL DOOR OUTWARD.

2 GALLEY DOOR EXTERNAL HANDLE



- TO OPEN DOOR:
1. PULL HANDLE OUTWARD.
 2. ROTATE COUNTERCLOCKWISE.
 3. PULL DOOR OUTWARD.


3 EMERGENCY OVERWING EXIT HATCHES PUSH PANEL



- TO OPEN HATCH:
1. PUSH IN PANEL.
 2. PUSH HATCH INWARD.

WARNING: PASSENGER AND SERVICE DOORS, SLIDE MAY AUTOMATICALLY DEPLOY WHEN DOORS ARE OPENED FROM OUTSIDE.


4 CHOP OUT AREAS



NOTE: "CHOP OUT" AREAS REQUIRE METAL CUTTING PORTABLE POWER EQUIPMENT. BECAUSE OF TYPE OF STRUCTURE AND POSSIBLE INJURY TO PERSONNEL WITHIN, IT IS RECOMMENDED THAT MAJOR EFFORT TO GAIN ACCESS BE DIRECTED TO HATCHES AND DOORS. URGENCY OF SITUATION WILL DICTATE NECESSITY FOR "CHOP OUT."


720 & 720B SERIES

EMERGENCY RESCUE ACCESS-2




720 & 720B SERIES

BATTERY LOCATIONS



720 & 720B SERIES

FLIGHT DECK CONTROL SWITCH LOCATIONS



CRITICAL SWITCH LOCATIONS AND THEIR OPERATION ARE SHOWN WITH THE EXPANDED VIEWS OF THE CONTROL MODULES

720 & 720B SERIES

Intentionally Blank