

# Cargo compartment summary


737

	<b>Forward hold m<sup>3</sup> (ft<sup>3</sup>)</b>	<b>Aft hold m<sup>3</sup> (ft<sup>3</sup>)</b>	<b>Total m<sup>3</sup> (ft<sup>3</sup>)</b>
<b>737-600</b>	<b>7.0 (248)</b>	<b>13.4 (472)</b>	<b>20.4 (720)</b>
<b>737-700</b>	<b>10.9 (384)</b>	<b>16.4 (580)</b>	<b>27.3 (964)</b>
<b>737-800</b>	<b>19.0 (672)</b>	<b>25.0 (883)</b>	<b>44.0 (1,555)</b>
<b>737-900ER</b>	<b>23.4 (825)</b>	<b>28.2 (999)</b>	<b>51.6 (1,824)</b>


- All volumes listed are usable bulk and do not include unusable area near cargo doors.

# Cargo compartment dimensions

737



	Cargo compartment lengths	
	Aft hold, m (ft)	Forward hold, m (ft)
<b>737-600</b>	<b>7.0</b> (23.0)	<b>3.3</b> (10.8)
<b>737-700</b>	<b>8.0</b> (26.3)	<b>4.7</b> (15.3)
<b>737-800</b>	<b>10.9</b> (35.7)	<b>7.7</b> (25.2)
<b>737-900ER</b>	<b>11.9</b> (39.2)	<b>9.3</b> (30.3)




\* Forward hold, aft hold forward bulkhead is 292 cm (115 in), and aft hold aft bulkhead is 208 cm (82 in).

\*\* Forward hold, aft hold forward bulkhead is 119 cm (47 in), and aft hold aft bulkhead is 59 cm (23 in).

\*\*\* Clear opening dimensions.

# 737-700ER optional auxiliary fuel tank summary

737



Auxiliary fuel tanks	Fuel capacity liters (U.S. gal)	OWE increase kg (lb)	Cargo volume m <sup>3</sup> (ft <sup>3</sup> )
0	26,025 (6,875)	0 (0)	27.3 (964)
1	27,971 (7,390)	490 (1,080)	23.3 (822)
2	29,663 (7,837)	599 (1,320)	20.9 (737)
3	31,654 (8,363)	767 (1,690)	17.9 (633)
4	33,611 (8,880)	1,129 (2,490)	14.0 (494)
5	35,594 (9,404)	1,297 (2,860)	11.3 (400)
6*	37,560 (9,923)	1,465 (3,230)	8.5 (299)
7	38,482 (10,167)	1,574 (3,470)	7.6 (270)
8**	39,621 (10,468)	1,719 (3,790)	6.3 (222)
9	40,526 (10,707)	1,819 (4,010)	5.2 (183)

6.1 m<sup>3</sup> (216 ft<sup>3</sup>) is typical cargo baggage allowance for 48 passengers

\* Maximum usable optional tanks for 76 passenger configuration.

\*\* Maximum usable optional tanks for 48 passenger configuration with typical baggage allowance; 0.127 m<sup>3</sup> (4.5 ft<sup>3</sup>) per passenger.

# Telair sliding carpet improves cargo loading efficiency

737

- Reduces loading crew size
- Reduces cargo loading time
- Reduces baggage damage
- Reduces cargo lining wear
- Displaces minimal cargo
- Installed or on order with more than 30 customers on more than 1,100 737 airplanes



• Optional feature.