



Mission profile

747-8

Typical mission rules



- Standard day.
- 6.7 lb per U.S. gal fuel density.
- Nominal performance.


Additional payload or range for more revenue

747-8

Maximum revenue payload*

747-8F
442,255-kg (975,000-lb) MTOW
134,200-kg (295,800-lb) payload

747-8F
442,255-kg (975,000-lb) MTOW
Low-density payload**
110,310-kg (243,190-lb) payload



- Typical mission rules.
- 85% annual winds.
- Airways and traffic allowances included.
- Range capability from New York.

* Does not include tare weight

** 131 kg/m³ (8.2 lb/ft³).

Additional payload or range for more revenue

747-8

Maximum revenue payload*

747-8F
442,255-kg (975,000-lb) MTOW
134,200-kg (295,800-lb) payload

747-8F
442,255-kg (975,000-lb) MTOW
Low-density payload**
110,310-kg (243,190-lb) payload



- Typical mission rules.
- 85% annual winds.
- Airways and traffic allowances included.
- Range capability from Dubai.

* Does not include tare weight

** 131 kg/m³ (8.2 lb/ft³).

Additional payload or range for more revenue

747-8

Maximum revenue payload*

747-8F
442,255-kg (975,000-lb) MTOW
134,200-kg (295,800-lb) payload

747-8F
442,255-kg (975,000-lb) MTOW
Low-density payload**
110,310-kg (243,190-lb) payload



- Typical mission rules.
- 85% annual winds.
- Airways and traffic allowances included.
- Range capability from Hong Kong.

* Does not include tare weight

** 131 kg/m³ (8.2 lb/ft³).

Additional payload or range for more revenue

747-8

Maximum revenue payload*

747-8F
442,255-kg (975,000-lb) MTOW
134,200-kg (295,800-lb) payload

747-8F
442,255-kg (975,000-lb) MTOW
Low-density payload**
110,310-kg (243,190-lb) payload



- Typical mission rules.
- 85% annual winds.
- Airways and traffic allowances included.
- Range capability from London.

* Does not include tare weight

** 131 kg/m³ (8.2 lb/ft³).