


757-200F

StartupBoeing



Boeing standard-body freighters

StartupBoeing



757-200F


StartupBoeing



General arrangement


StartupBoeing

757-200F



757-200F Ground servicing


StartupBoeing



757-200F Main Deck pallet & container positions

StartupBoeing


Total ULD volume: 6,600 ft³ (187 m³)




The 757-200F has two more pallet positions than the 707

StartupBoeing

757-200F



707-320C




The 757-200F Cargo Doors

StartupBoeing

Cargo door (same as 707C and 727F)

134 x 86 in
(340 x 218 cm)



Sill heights

Maximum, in (cm)
Minimum, in (cm)


158 (401)
150 (381)
Main deck
side door
(top of rollers)

105 (267)
97 (246)
Lower deck
forward door

99 (251)
93 (236)
Lower deck
aft door

757-200F Flight deck features

StartupBoeing



757-200F Main Deck

StartupBoeing





757-200F Main Deck

StartupBoeing




757-200F Lower hold cargo volume


StartupBoeing




Forward



Load capacity: 10,300 lb (4,670 kg)



Aft



16,300 lb (7,390 kg)

Total volume

**1,830 ft³
(51.8 m³)**

757-200F performance summary

StartupBoeing

Pratt & Whitney engines

		Basic	Maximum
Engines		PW2037	PW2040
Takeoff thrust*	lb/°F	36,600/87	40,100/87
Main deck cargo			
88- x 125-in pallets		15	15
Lower hold cargo			
Bulk	ft ³ (m ³)	1,830 (51.8)	1,830 (51.8)
Maximum taxi weight	lb (kg)	251,000 (113,850)	256,000 (116,120)
Maximum takeoff weight	lb (kg)	250,000 (113,400)	255,000 (115,660)
Maximum landing weight	lb (kg)	210,000 (92,250)	210,000 (92,250)
Maximum zero fuel weight	lb (kg)	200,000 (90,720)	200,000 (90,720)
Operating empty weight (includes 3,300-lb tare)	lb (kg)	115,580 (52,430)	115,580 (52,430)
Fuel capacity	U.S. gal (L)	11,276 (42,680)	11,276 (42,680)
Volume-limit payload (pallets)**	lb (kg)	72,210 (32,755)	72,210 (32,755)
Design range (MTOW, volume-limit payload)	nmi (km)	2,900 (5,370)	3,150 (5,830)
Cruise Mach		0.80	0.80
Takeoff field length (SL, 86°F, MTOW)	ft (m)	8,950 (2,728)	7,700 (2,347)
Initial cruise altitude (MTOW)	ft (m)	35,900 (10,940)	35,400 (10,790)
Landing field length (MLW)	ft (m)	5,100 (1,555)	5,100 (1,555)
Approach speed (MLW)	kn	137	137
Fuel consumption at volume-limit payload	500		
nmi	lb (kg)	10,264 (4,656)	10,264 (4,656)
1,000 nmi	lb (kg)	18,308 (8,305)	18,308 (8,305)

• Typical mission rules

* Boeing-equivalent thrust

** Volume-limit payload based on 9-lb/ft³ cargo density and 7-lb/ft³ bulk density

Copyright © 2007 Boeing. All rights reserved.

757-200F performance summary

StartupBoeing

Rolls-Royce Engines

		Basic	Maximum
Engines		RB211-535E4	RB211-535E4-B
Takeoff thrust*	lb/°F	40,200/84	43,500/77
Main deck cargo			
88- x 125-in pallets		15	15
Lower hold cargo			
Bulk	ft ³ (m ³)	1,830 (51.8)	1,830 (51.8)
Maximum taxi weight	lb (kg)	251,000 (113,850)	256,000 (116,120)
Maximum takeoff weight	lb (kg)	250,000 (113,400)	255,000 (115,660)
Maximum landing weight	lb (kg)	210,000 (92,250)	210,000 (92,250)
Maximum zero fuel weight	lb (kg)	200,000 (90,720)	200,000 (90,720)
Operating empty weight (includes 3,300-lb tare)	lb (kg)	115,870 (52,560)	115,870 (52,560)
Fuel capacity	U.S. gal (L)	11,276 (42,680)	11,276 (42,680)
Volume-limit payload (pallets)**	lb (kg)	72,210 (32,755)	72,210 (32,755)
Design range (MTOW, volume-limit payload)	nmi (km)	2,700 (5,000)	2,935 (5,435)
Cruise Mach		0.80	0.80
Takeoff field length (SL, 86°F, MTOW)	ft (m)	7,100 (2,164)	6,900 (2,103)
Initial cruise altitude (MTOW)	ft (m)	36,100 (11,000)	35,700 (10,880)
Landing field length (MLW)	ft (m)	4,950 (1,510)	4,950 (1,510)
Approach speed (MLW)	kn	137	137
Fuel consumption at volume-limit payload			
500 nmi	lb (kg)	10,875 (4,933)	10,875 (4,933)
1,000 nmi	lb (kg)	19,355 (8,780)	19,355 (8,780)

• Typical mission rules

* Boeing-equivalent thrust


** Volume-limit payload based on 9-lb/ft³ cargo density and 7-lb/ft³ bulk density

Copyright © 2007 Boeing. All rights reserved.

757-200F payload-range capability

StartupBoeing

Pratt & Whitney Engines




- Typical mission rules
- 200-nmi alternate
- 6.7 lb per U.S. gal fuel density

757-200F payload-range capability

StartupBoeing

Rolls-Royce engines




- Typical mission rules
 - 200-nmi alternate
 - 6.7 lb per U.S. gal fuel density
- Copyright © 2007 Boeing. All rights reserved.

Mission profile

StartupBoeing

Typical mission rules



- Standard day
- Fuel density, 6.7 lb per U.S. gal
- Nominal performance

Range capability from Los Angeles

StartupBoeing

Volume limit payload

757-200 Freighter
255,000-lb (115,660-kg) MTOW

757-200 Freighter
250,000-lb (113,400-kg) MTOW

- PW2037/2040 engines
- Typical mission rules
- Airways and traffic allowances included
- Nominal performance
- 85% annual winds
- 3,300-lb (1,500-kg) tare weight



Range capability from New York

StartupBoeing

Volume limit payload

757-200 Freighter
255,000-lb (115,660-kg) MTOW

757-200 Freighter
250,000-lb (113,400-kg) MTOW

- PW2037/2040 engines
- Typical mission rules
- Airways and traffic allowances included
- Nominal performance
- 85% annual winds
- 3,300-lb (1,500-kg) tare weight



Range capability from Miami

StartupBoeing

Volume limit payload

757-200 Freighter
255,000-lb (115,660-kg) MTOW

757-200 Freighter
250,000-lb (113,400-kg) MTOW

- PW2037/2040 engines
- Typical mission rules
- Airways and traffic allowances included
- Nominal performance
- 85% annual winds
- 3,300-lb (1,500-kg) tare weight



Range capability from London

StartupBoeing

Volume limit payload

757-200 Freighter
255,000-lb (115,660-kg) MTOW

757-200 Freighter
250,000-lb (113,400-kg) MTOW

- PW2037/2040 engines
- Typical mission rules
- Airways and traffic allowances included
- Nominal performance
- 85% annual winds
- 3,300-lb (1,500-kg) tare weight



Range capability from Singapore

StartupBoeing

Volume limit payload

757-200 Freighter
255,000-lb (115,660-kg) MTOW

757-200 Freighter
250,000-lb (113,400-kg) MTOW

- PW2037/2040 engines
- Typical mission rules
- Airways and traffic allowances included
- Nominal performance
- 85% annual winds
- 3,300-lb (1,500-kg) tare weight



Range capability from Tokyo

StartupBoeing

Volume limit payload

757-200 Freighter
255,000-lb (115,660-kg) MTOW

757-200 Freighter
250,000-lb (113,400-kg) MTOW

- PW2037/2040 engines
- Typical mission rules
- Airways and traffic allowances included
- Nominal performance
- 85% annual winds
- 3,300-lb (1,500-kg) tare weight



757 Flight Deck

StartupBoeing

