

APPENDIX G

Section 51

Arroyo Simi Receiving Water, February 27, 2009

Test America Analytical Laboratory Report

LABORATORY REPORT

Prepared For: MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project: Quartely Arroyo Simi-Frontier
Park

Sampled: 02/27/09
Received: 02/27/09
Issued: 03/10/09 17:13

NELAP #01108CA California ELAP#2706 CSDLAC #10256 AZ #AZ0671 NV #CA01531

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.

This entire report was reviewed and approved for release.

SAMPLE CROSS REFERENCE


SUBCONTRACTED: Refer to the last page for specific subcontract laboratory information included in this report.

LABORATORY ID
ISB3184-01

CLIENT ID
Arroyo Simi-FP

MATRIX
Water

Reviewed By:



TestAmerica Irvine

Joseph Doak
Project Manager

MWH-Pasadena/Boeing
 618 Michillinda Avenue, Suite 200
 Arcadia, CA 91007
 Attention: Bronwyn Kelly

Project ID: Quartely Arroyo Simi-Frontier Park

Report Number: ISB3184

Sampled: 02/27/09
 Received: 02/27/09

ORGANOCHLORINE PESTICIDES (EPA 608)

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: ISB3184-01RE1 (Arroyo Simi-FP - Water)									
Reporting Units: ug/l									
4,4'-DDD	EPA 608	9C04141	0.0019	0.0048	ND	0.952	03/04/09	03/05/09	C
4,4'-DDE	EPA 608	9C04141	0.0029	0.0048	ND	0.952	03/04/09	03/05/09	
4,4'-DDT	EPA 608	9C04141	0.0038	0.0095	ND	0.952	03/04/09	03/05/09	
Dieldrin	EPA 608	9C04141	0.0019	0.0048	ND	0.952	03/04/09	03/05/09	
Chlordane	EPA 608	9C04141	0.038	0.095	ND	0.952	03/04/09	03/05/09	
Toxaphene	EPA 608	9C04141	0.24	0.48	ND	0.952	03/04/09	03/05/09	
Surrogate: Decachlorobiphenyl (45-120%)					79 %				
Surrogate: Tetrachloro-m-xylene (35-115%)					63 %				

TestAmerica Irvine

Joseph Doak
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

MWH-Pasadena/Boeing
 618 Michillinda Avenue, Suite 200
 Arcadia, CA 91007
 Attention: Bronwyn Kelly

Project ID: Quartely Arroyo Simi-Frontier Park

Report Number: ISB3184

Sampled: 02/27/09
 Received: 02/27/09

TOTAL PCBS (EPA 608)

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: ISB3184-01RE1 (Arroyo Simi-FP - Water) - cont.									
Reporting Units: ug/l									
Aroclor 1016	EPA 608	9C04141	0.24	0.48	ND	0.952	03/04/09	03/06/09	
Aroclor 1221	EPA 608	9C04141	0.24	0.48	ND	0.952	03/04/09	03/06/09	
Aroclor 1232	EPA 608	9C04141	0.24	0.48	ND	0.952	03/04/09	03/06/09	
Aroclor 1242	EPA 608	9C04141	0.24	0.48	ND	0.952	03/04/09	03/06/09	
Aroclor 1248	EPA 608	9C04141	0.24	0.48	ND	0.952	03/04/09	03/06/09	
Aroclor 1254	EPA 608	9C04141	0.24	0.48	ND	0.952	03/04/09	03/06/09	
Aroclor 1260	EPA 608	9C04141	0.24	0.48	ND	0.952	03/04/09	03/06/09	
<i>Surrogate: Decachlorobiphenyl (45-120%)</i>					86 %				

TestAmerica Irvine

Joseph Doak
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Quartely Arroyo Simi-Frontier Park

Report Number: ISB3184

Sampled: 02/27/09

Received: 02/27/09

METALS

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: ISB3184-01 (Arroyo Simi-FP - Water) - cont.									
Reporting Units: mg/l									
Hardness as CaCO3	SM2340B	[CALC]	N/A	0.33	810	1	03/07/09	03/09/09	
Calcium	EPA 200.7	9C07060	0.050	0.10	210	1	03/07/09	03/09/09	MHA
Magnesium	EPA 200.7	9C07060	0.012	0.020	71	1	03/07/09	03/09/09	MHA

TestAmerica Irvine

Joseph Doak
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

ISB3184 <Page 4 of 13>
NPDES - 3842

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Quartely Arroyo Simi-Frontier Park

Report Number: ISB3184

Sampled: 02/27/09
Received: 02/27/09

ORGANIC COMPOUNDS BY GC/MS (EPA 525.2)

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: ISB3184-01 (Arroyo Simi-FP - Water) - cont.									
Reporting Units: ug/l									
Chlorpyrifos	EPA 525.2	C9B2801	0.10	1.0	ND	0.98	02/28/09	02/28/09	
Diazinon	EPA 525.2	C9B2801	0.24	0.25	ND	0.98	02/28/09	02/28/09	
Surrogate: 1,3-Dimethyl-2-nitrobenzene (70-130%)					99 %				
Surrogate: Triphenylphosphate (70-130%)					82 %				
Surrogate: Perylene-d12 (70-130%)					110 %				

TestAmerica Irvine

Joseph Doak
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

ISB3184 <Page 5 of 13>
NPDES - 3843

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Quartely Arroyo Simi-Frontier Park

Report Number: ISB3184

Sampled: 02/27/09

Received: 02/27/09

SHORT HOLD TIME DETAIL REPORT

	Hold Time (in days)	Date/Time Sampled	Date/Time Received	Date/Time Extracted	Date/Time Analyzed
Sample ID: Arroyo Simi-FP (ISB3184-01) - Water EPA 525.2	1	02/27/2009 09:15	02/27/2009 16:25	02/28/2009 08:11	02/28/2009 14:26

TestAmerica Irvine

Joseph Doak
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

ISB3184 <Page 6 of 13>
NPDES - 3844

MWH-Pasadena/Boeing
 618 Michillinda Avenue, Suite 200
 Arcadia, CA 91007
 Attention: Bronwyn Kelly

Project ID: Quartely Arroyo Simi-Frontier Park

Report Number: ISB3184

Sampled: 02/27/09
 Received: 02/27/09

METHOD BLANK/QC DATA

ORGANOCHLORINE PESTICIDES (EPA 608)

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD RPD	RPD Limit	Data Qualifiers
Batch: 9C04141 Extracted: 03/04/09											
Blank Analyzed: 03/05/2009 (9C04141-BLK1)											
4,4'-DDD	ND	0.0050	0.0020	ug/l							
4,4'-DDE	ND	0.0050	0.0030	ug/l							
4,4'-DDT	ND	0.010	0.0040	ug/l							
Aldrin	ND	0.0050	0.0015	ug/l							
alpha-BHC	ND	0.0050	0.0025	ug/l							
beta-BHC	ND	0.010	0.0040	ug/l							
delta-BHC	ND	0.0050	0.0035	ug/l							
Dieldrin	ND	0.0050	0.0020	ug/l							
Endosulfan I	ND	0.0050	0.0020	ug/l							
Endosulfan II	ND	0.0050	0.0030	ug/l							
Endosulfan sulfate	ND	0.010	0.0030	ug/l							
Endrin	ND	0.0050	0.0020	ug/l							
Endrin aldehyde	ND	0.010	0.0020	ug/l							
Endrin ketone	ND	0.010	0.0030	ug/l							
gamma-BHC (Lindane)	ND	0.020	0.0030	ug/l							
Heptachlor	ND	0.010	0.0030	ug/l							
Heptachlor epoxide	ND	0.0050	0.0025	ug/l							
Methoxychlor	ND	0.0050	0.0035	ug/l							
Chlordane	ND	0.10	0.040	ug/l							
Toxaphene	ND	0.50	0.25	ug/l							
Surrogate: Decachlorobiphenyl	0.384			ug/l	0.500		77	45-120			
Surrogate: Tetrachloro-m-xylene	0.333			ug/l	0.500		67	35-115			

LCS Analyzed: 03/05/2009 (9C04141-BS1)

MNR1

4,4'-DDD	0.529	0.0050	0.0020	ug/l	0.500		106	55-120			
4,4'-DDE	0.472	0.0050	0.0030	ug/l	0.500		94	50-120			
4,4'-DDT	0.479	0.010	0.0040	ug/l	0.500		96	55-120			
Aldrin	0.409	0.0050	0.0015	ug/l	0.500		82	40-115			
alpha-BHC	0.443	0.0050	0.0025	ug/l	0.500		89	45-115			
beta-BHC	0.456	0.010	0.0040	ug/l	0.500		91	55-115			
delta-BHC	0.478	0.0050	0.0035	ug/l	0.500		96	55-115			
Dieldrin	0.464	0.0050	0.0020	ug/l	0.500		93	55-115			
Endosulfan I	0.434	0.0050	0.0020	ug/l	0.500		87	55-115			
Endosulfan II	0.463	0.0050	0.0030	ug/l	0.500		93	55-120			
Endosulfan sulfate	0.454	0.010	0.0030	ug/l	0.500		91	60-120			
Endrin	0.468	0.0050	0.0020	ug/l	0.500		94	55-115			

TestAmerica Irvine

Joseph Doak
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

MWH-Pasadena/Boeing
 618 Michillinda Avenue, Suite 200
 Arcadia, CA 91007
 Attention: Bronwyn Kelly

Project ID: Quartely Arroyo Simi-Frontier Park

Report Number: ISB3184

Sampled: 02/27/09
 Received: 02/27/09

METHOD BLANK/QC DATA

ORGANOCHLORINE PESTICIDES (EPA 608)

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 9C04141 Extracted: 03/04/09											
LCS Analyzed: 03/05/2009 (9C04141-BS1)											MNR1
Endrin aldehyde	0.432	0.010	0.0020	ug/l	0.500		86	50-120			
Endrin ketone	0.449	0.010	0.0030	ug/l	0.500		90	55-120			
gamma-BHC (Lindane)	0.439	0.020	0.0030	ug/l	0.500		88	45-115			
Heptachlor	0.440	0.010	0.0030	ug/l	0.500		88	45-115			
Heptachlor epoxide	0.433	0.0050	0.0025	ug/l	0.500		87	55-115			
Methoxychlor	0.464	0.0050	0.0035	ug/l	0.500		93	60-120			
Surrogate: Decachlorobiphenyl	0.426			ug/l	0.500		85	45-120			
Surrogate: Tetrachloro-m-xylene	0.367			ug/l	0.500		73	35-115			
LCS Dup Analyzed: 03/05/2009 (9C04141-BSD1)											
4,4'-DDD	0.510	0.0050	0.0020	ug/l	0.500		102	55-120	4	30	
4,4'-DDE	0.455	0.0050	0.0030	ug/l	0.500		91	50-120	4	30	
4,4'-DDT	0.464	0.010	0.0040	ug/l	0.500		93	55-120	3	30	
Aldrin	0.398	0.0050	0.0015	ug/l	0.500		80	40-115	3	30	
alpha-BHC	0.431	0.0050	0.0025	ug/l	0.500		86	45-115	3	30	
beta-BHC	0.444	0.010	0.0040	ug/l	0.500		89	55-115	3	30	
delta-BHC	0.467	0.0050	0.0035	ug/l	0.500		93	55-115	2	30	
Dieldrin	0.448	0.0050	0.0020	ug/l	0.500		90	55-115	4	30	
Endosulfan I	0.420	0.0050	0.0020	ug/l	0.500		84	55-115	3	30	
Endosulfan II	0.452	0.0050	0.0030	ug/l	0.500		90	55-120	3	30	
Endosulfan sulfate	0.452	0.010	0.0030	ug/l	0.500		90	60-120	0	30	
Endrin	0.449	0.0050	0.0020	ug/l	0.500		90	55-115	4	30	
Endrin aldehyde	0.433	0.010	0.0020	ug/l	0.500		87	50-120	0	30	
Endrin ketone	0.452	0.010	0.0030	ug/l	0.500		90	55-120	1	30	
gamma-BHC (Lindane)	0.427	0.020	0.0030	ug/l	0.500		85	45-115	3	30	
Heptachlor	0.420	0.010	0.0030	ug/l	0.500		84	45-115	5	30	
Heptachlor epoxide	0.421	0.0050	0.0025	ug/l	0.500		84	55-115	3	30	
Methoxychlor	0.455	0.0050	0.0035	ug/l	0.500		91	60-120	2	30	
Surrogate: Decachlorobiphenyl	0.435			ug/l	0.500		87	45-120			
Surrogate: Tetrachloro-m-xylene	0.361			ug/l	0.500		72	35-115			

TestAmerica Irvine

Joseph Doak
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

MWH-Pasadena/Boeing
 618 Michillinda Avenue, Suite 200
 Arcadia, CA 91007
 Attention: Bronwyn Kelly

Project ID: Quartely Arroyo Simi-Frontier Park

Report Number: ISB3184

Sampled: 02/27/09
 Received: 02/27/09

METHOD BLANK/QC DATA

TOTAL PCBS (EPA 608)

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC %REC	Limit	RPD	RPD Limit	Data Qualifiers
Batch: 9C04141 Extracted: 03/04/09											
Blank Analyzed: 03/06/2009 (9C04141-BLK1)											
Aroclor 1016	ND	0.50	0.25	ug/l							
Aroclor 1221	ND	0.50	0.25	ug/l							
Aroclor 1232	ND	0.50	0.25	ug/l							
Aroclor 1242	ND	0.50	0.25	ug/l							
Aroclor 1248	ND	0.50	0.25	ug/l							
Aroclor 1254	ND	0.50	0.25	ug/l							
Aroclor 1260	ND	0.50	0.25	ug/l							
Surrogate: Decachlorobiphenyl	0.414			ug/l	0.500		83	45-120			
LCS Analyzed: 03/06/2009 (9C04141-BS2)											
Aroclor 1016	3.28	0.50	0.25	ug/l	4.00		82	50-115			MNR1
Aroclor 1260	3.44	0.50	0.25	ug/l	4.00		86	60-120			
Surrogate: Decachlorobiphenyl	0.459			ug/l	0.500		92	45-120			
LCS Dup Analyzed: 03/06/2009 (9C04141-BSD2)											
Aroclor 1016	3.35	0.50	0.25	ug/l	4.00		84	50-115	2	30	
Aroclor 1260	3.47	0.50	0.25	ug/l	4.00		87	60-120	1	25	
Surrogate: Decachlorobiphenyl	0.459			ug/l	0.500		92	45-120			

TestAmerica Irvine

Joseph Doak
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

MWH-Pasadena/Boeing
 618 Michillinda Avenue, Suite 200
 Arcadia, CA 91007
 Attention: Bronwyn Kelly

Project ID: Quartely Arroyo Simi-Frontier Park
 Report Number: ISB3184

Sampled: 02/27/09
 Received: 02/27/09

METHOD BLANK/QC DATA

METALS

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 9C07060 Extracted: 03/07/09											
Blank Analyzed: 03/09/2009 (9C07060-BLK1)											
Calcium	ND	0.10	0.050	mg/l							
Magnesium	ND	0.020	0.012	mg/l							
LCS Analyzed: 03/09/2009 (9C07060-BS1)											
Calcium	2.39	0.10	0.050	mg/l	2.50		96	85-115			
Magnesium	2.41	0.020	0.012	mg/l	2.50		96	85-115			
Matrix Spike Analyzed: 03/09/2009 (9C07060-MS1) Source: ISB3184-01											
Calcium	211	0.10	0.050	mg/l	2.50	207	157	70-130			MHA
Magnesium	74.8	0.020	0.012	mg/l	2.50	70.6	165	70-130			MHA
Matrix Spike Analyzed: 03/09/2009 (9C07060-MS2) Source: ISC0488-01											
Calcium	20.2	0.10	0.050	mg/l	2.50	17.3	117	70-130			MHA
Magnesium	3.78	0.020	0.012	mg/l	2.50	1.30	99	70-130			
Matrix Spike Dup Analyzed: 03/09/2009 (9C07060-MSD1) Source: ISB3184-01											
Calcium	209	0.10	0.050	mg/l	2.50	207	79	70-130	1	20	MHA
Magnesium	72.7	0.020	0.012	mg/l	2.50	70.6	82	70-130	3	20	MHA

TestAmerica Irvine

Joseph Doak
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

MWH-Pasadena/Boeing
 618 Michillinda Avenue, Suite 200
 Arcadia, CA 91007
 Attention: Bronwyn Kelly

Project ID: Quartely Arroyo Simi-Frontier Park

Report Number: ISB3184

Sampled: 02/27/09
 Received: 02/27/09

METHOD BLANK/QC DATA

ORGANIC COMPOUNDS BY GC/MS (EPA 525.2)

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: C9B2801 Extracted: 02/28/09											
Blank Analyzed: 02/28/2009 (C9B2801-BLK1)											
Chlorpyrifos	ND	1.0	0.10	ug/l							
Diazinon	ND	0.25	0.24	ug/l							
Surrogate: 1,3-Dimethyl-2-nitrobenzene	5.77			ug/l	5.00		115	70-130			
Surrogate: Triphenylphosphate	3.51			ug/l	5.00		70	70-130			
Surrogate: Perylene-d12	5.30			ug/l	5.00		106	70-130			
LCS Analyzed: 02/28/2009 (C9B2801-BS1)											
Chlorpyrifos	6.37	1.0	0.10	ug/l	5.00		127	70-130			
Diazinon	5.96	0.25	0.24	ug/l	5.00		119	70-130			
Surrogate: 1,3-Dimethyl-2-nitrobenzene	4.95			ug/l	5.00		99	70-130			
Surrogate: Triphenylphosphate	3.58			ug/l	5.00		72	70-130			
Surrogate: Perylene-d12	5.57			ug/l	5.00		111	70-130			
LCS Dup Analyzed: 02/28/2009 (C9B2801-BSD1)											
Chlorpyrifos	5.76	1.0	0.10	ug/l	5.00		115	70-130	10	10	
Diazinon	5.99	0.25	0.24	ug/l	5.00		120	70-130	1	39	
Surrogate: 1,3-Dimethyl-2-nitrobenzene	4.92			ug/l	5.00		98	70-130			
Surrogate: Triphenylphosphate	3.55			ug/l	5.00		71	70-130			
Surrogate: Perylene-d12	5.69			ug/l	5.00		114	70-130			

TestAmerica Irvine

Joseph Doak
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Quartely Arroyo Simi-Frontier Park

Report Number: ISB3184

Sampled: 02/27/09
Received: 02/27/09

DATA QUALIFIERS AND DEFINITIONS

- C** Calibration Verification recovery was above the method control limit for this analyte. Analyte not detected, data not impacted.
- MHA** Due to high levels of analyte in the sample, the MS/MSD calculation does not provide useful spike recovery information. See Blank Spike (LCS).
- MNR1** There was no MS/MSD analyzed with this batch due to insufficient sample volume. See Blank Spike/Blank Spike Duplicate.
- ND** Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
- RPD** Relative Percent Difference

TestAmerica Irvine

Joseph Doak
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

ISB3184 <Page 12 of 13>
NPDES - 3850

MWH-Pasadena/Boeing
618 Michillinda Avenue, Suite 200
Arcadia, CA 91007
Attention: Bronwyn Kelly

Project ID: Quartely Arroyo Simi-Frontier Park

Report Number: ISB3184

Sampled: 02/27/09

Received: 02/27/09

Certification Summary

TestAmerica Irvine

Method	Matrix	Nelac	California
EPA 200.7	Water	X	X
EPA 608	Water	X	X
SM2340B	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

TestAmerica - Ontario, CA *California Cert #1169, Arizona Cert #AZ0062, Nevada Cert #CA-242*

1014 E. Cooley Drive, Suite AB - Colton, CA 92324

Method Performed: EPA 525.2

Samples: ISB3184-01

TestAmerica Irvine

Joseph Doak
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

CHAIN OF CUSTODY FORM

Test America Version 12/20/07

Client Name/Address: MWH-Arcadia 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007				Project: Boeing-SSFL NPDES Quarterly Arroyo Simi-Frontier Park				ANALYSIS REQUIRED												Field readings:					
Test America Contact: Joseph Doak Project Manager: Bronwyn Kelly Sampler: E. WALKER S. Dawson				Phone Number: (626) 568-6691 Fax Number: (626) 568-6515				PCBs (608)												Temp = 13.9°C = 57.2°F					
Sample Description				Sample Matrix	Container Type	# of Cont.	Sampling Date/Time	Preservative	Bottle #	Chlorpyrifos, Diazinon (525.2)						Chlordane, Dieldrin, Toxaphene (608), 4,4-DDD, 4,4-DDE, 4,4-DDT						pH = 7.6			
Arroyo Simi-FP				W	1L Poly	1	2-27-09 0915	HNO ₃	1													Water Velocity 2 ft + 15 sec (Ft/second) =			
Arroyo Simi-FP				W	1L Amber	2	↑	None	2A, 2B													Time of readings = 0915			
Arroyo Simi-FP				W	1L Amber	2		HCl	3A, 3B	X												Comments			
Arroyo Simi-FP				W	1L Amber	2		None	4A, 4B	X												Extract within 36-Hours of sampling			
Relinquished By				Date/Time	Received By				Date/Time													Turn around Time: (check)			
<i>[Signature]</i>				2/22/09 1045	<i>[Signature]</i>				2/27/09 10:45													24 Hours _____ 5 Days _____			
Relinquished By				Date/Time	Received By				Date/Time													48 Hours _____ 10 Days _____			
<i>[Signature]</i>				2-27-09/18:00	<i>[Signature]</i>				2-27-09/18:00													72 Hours _____ Normal _____			
Relinquished By				Date/Time	Received By				Date/Time													Sample Integrity: (check) Intact _____ On Ice: _____			
<i>[Signature]</i>					<i>[Signature]</i>																	Data Requirements: (check) No Level IV _____ All Level IV _____			
																						NPDES Level IV <input checked="" type="checkbox"/>			