

SECTION 3

OUTFALL 008 (HAPPY VALLEY) ANNUAL 2012 REPORTING SUMMARY

OUTFALL 008 (Happy Valley Drainage)

ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	4/13/2012		
			SAMPLE TYPE	RESULT	VALIDATION QUALIFIER
Ammonia as Nitrogen (N)	mg/L	10.1/-	Comp	ND < 0.157	*
Asbestos	MFL	-/-	Comp	ND < 6.8	*
Chloride	mg/L	150/-	Comp	4.2	*
Chlorpyrifos	ug/L	-/-	Comp	ND < 0.076	*
E. Coli	MPN/100mL	-/-	Grab	500	*
Fecal Coliform	MPN/100mL	-/-	Grab	500	*
Fluoride	mg/L	1.6/-	Comp	0.10	*
Nitrate + Nitrite as Nitrogen (N)	mg/L	8/-	Comp	0.59	*
Nitrate as Nitrogen (N)	mg/L	8/-	Comp	0.59	*
Nitrite as Nitrogen (N)	mg/L	-/-	Comp	ND < 0.11	*
Oil & Grease	mg/L	15/-	Grab	ND < 1.3	*
Perchlorate	ug/L	6.0/-	Comp	ND < 0.95	U
pH (Field)	pH units	6.5-8.5/-	Grab	7.4	*
Sulfate	mg/L	300/-	Comp	4.0	*
Temperature	deg. F	86/-	Grab	52	*
Total Cyanide	ug/L	9.5/-	Comp	ND < 3.0	*
Total Dissolved Solids	mg/L	950/-	Comp	110	*
Hardness	mg/L	-/-	Comp	68	--
Hardness, dissolved	mg/L	-/-	Comp	42	--
Total Suspended Solids	mg/L	-/-	Comp	200	--
Volume Discharged	MGD	17.8/-	ANR	0.074665	ANR
METALS					
Aluminum	ug/L	-/-	Comp	12000	--
Aluminum, dissolved	ug/L	-/-	Comp	660	--
Antimony	ug/L	6.0/-	Comp	ND < 1.5	U
Antimony, dissolved	ug/L	-/-	Comp	ND < 1.5	U
Arsenic	ug/L	-/-	Comp	ND < 10	UJ (B)
Arsenic, dissolved	ug/L	-/-	Comp	ND < 7.0	U
Beryllium	ug/L	-/-	Comp	ND < 4.5	U
Beryllium, dissolved	ug/L	-/-	Comp	ND < 0.90	U
Boron	mg/L	1.0/-	Comp	ND < 0.10	U
Boron, dissolved	mg/L	-/-	Comp	ND < 0.054	U (B)
Cadmium	ug/L	3.1/-	Comp	ND < 0.50	U
Cadmium, dissolved	ug/L	-/-	Comp	ND < 0.50	U
Calcium	mg/L	-/-	Comp	17	--
Calcium, Dissolved	mg/L	-/-	Comp	14	--
Chromium	ug/L	-/-	Comp	16	J (DNQ)
Chromium, dissolved	ug/L	-/-	Comp	ND < 2.0	U
Chromium VI	ug/L	-/-	Grab	ND < 0.25	*
Copper	ug/L	14/-	Comp	18	--
Copper, dissolved	ug/L	-/-	Comp	3.6	J (DNQ)

See attached notes for abbreviations, definitions,
and other explanations for the data presented.

CNA - Due to laboratory error, constituent not analyzed.

OUTFALL 008 (Happy Valley Drainage)

ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	4/13/2012		
			SAMPLE TYPE	RESULT	VALIDATION QUALIFIER
Iron	mg/L	-/-	Comp	16	--
Iron, dissolved	mg/L	-/-	Comp	0.66	--
Lead	ug/L	5.2/-	Comp	10	--
Lead, dissolved	ug/L	-/-	Comp	ND < 1.0	U
Magnesium	mg/L	-/-	Comp	6.3	--
Magnesium, Dissolved	mg/L	-/-	Comp	2.0	--
Mercury	ug/L	0.13/-	Comp	ND < 0.10	U
Mercury, dissolved	ug/L	-/-	Comp	ND < 0.10	U
Nickel	ug/L	100/-	Comp	20	J (DNQ)
Nickel, dissolved	ug/L	-/-	Comp	2.7	J (DNQ)
Selenium	ug/L	5/-	Comp	ND < 2.5	UJ (I)
Selenium, dissolved	ug/L	-/-	Comp	ND < 2.5	U
Silver	ug/L	-/-	Comp	ND < 30	U
Silver, dissolved	ug/L	-/-	Comp	ND < 6.0	U
Thallium	ug/L	2.0/-	Comp	ND < 1.0	U
Thallium, dissolved	ug/L	-/-	Comp	1.2	J (DNQ)
Vanadium	ug/L	-/-	Comp	30	J (DNQ)
Vanadium, dissolved	ug/L	-/-	Comp	ND < 3.0	U
Zinc	ug/L	159/-	Comp	64	J (DNQ)
Zinc, Dissolved	ug/L	-/-	Comp	ND < 6.0	U
ORGANICS					
Benzene	ug/L	-/-	Grab	ND < 0.28	*
Carbon Tetrachloride	ug/L	-/-	Grab	ND < 0.28	*
Chloroform	ug/L	-/-	Grab	ND < 0.33	*
1,1-Dichloroethane	ug/L	-/-	Grab	ND < 0.40	*
1,2-Dichloroethane	ug/L	-/-	Grab	ND < 0.28	*
1,1-Dichloroethene	ug/L	-/-	Grab	ND < 0.42	*
Ethylbenzene	ug/L	-/-	Grab	ND < 0.25	*
Tetrachloroethene	ug/L	-/-	Grab	ND < 0.32	*
Toluene	ug/L	-/-	Grab	ND < 0.36	*
Xylenes (Total)	ug/L	-/-	Grab	ND < 0.90	*
1,1,1-Trichloroethane	ug/L	-/-	Grab	ND < 0.30	*
1,1,2-Trichloroethane	ug/L	-/-	Grab	ND < 0.30	*
Trichloroethene	ug/L	-/-	Grab	ND < 0.26	*
Trichlorofluoromethane	ug/L	-/-	Grab	ND < 0.34	*
Vinyl chloride	ug/L	-/-	Grab	ND < 0.40	*
ADDITIONAL ANALYTES					
1,1,2,2-Tetrachloroethane	ug/L	-/-	Grab	ND < 0.30	*
1,2,4-Trichlorobenzene	ug/L	-/-	Comp	ND < 0.0948	U
1,2,3-Trichloropropane	ug/L	-/-	Grab	ND < 0.40	*
1,2-Dibromoethane (EDB)	ug/L	-/-	Grab	ND < 0.40	*
1,2-Dichlorobenzene	ug/L	-/-	Grab	ND < 0.32	*

See attached notes for abbreviations, definitions,
and other explanations for the data presented.

CNA - Due to laboratory error, constituent not analyzed.

OUTFALL 008 (Happy Valley Drainage)

ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	4/13/2012		
			SAMPLE TYPE	RESULT	VALIDATION QUALIFIER
1,2-Dichlorobenzene	ug/L	-/-	Comp	ND < 0.0948	U
1,2-Dichloropropane	ug/L	-/-	Grab	ND < 0.35	*
1,2-Diphenylhydrazine/Azobenzene	ug/L	-/-	Comp	ND < 0.190	U
1,3-Dichlorobenzene	ug/L	-/-	Comp	ND < 0.0948	U
1,3-Dichlorobenzene	ug/L	-/-	Grab	ND < 0.35	*
1,4-Dichlorobenzene	ug/L	-/-	Comp	ND < 0.190	U
1,4-Dichlorobenzene	ug/L	-/-	Grab	ND < 0.37	*
2,4,6-Trichlorophenol	ug/L	-/-	Comp	ND < 0.0948	U
2,4-Dichlorophenol	ug/L	-/-	Comp	ND < 0.190	U
2,4-dimethylphenol	ug/L	-/-	Comp	ND < 0.284	U
2,4-dinitrophenol	ug/L	-/-	Comp	ND < 0.853	U
2,4-Dinitrotoluene	ug/L	-/-	Comp	ND < 0.190	U
2,6-Dinitrotoluene	ug/L	-/-	Comp	ND < 0.0948	U
2-Butanol	ug/L	-/-	Grab	ND < 6.5	*
2-Chloroethylvinylether	ug/L	-/-	Grab	ND < 1.8	*
2-Chloronaphthalene	ug/L	-/-	Comp	ND < 0.0948	U
2-chlorophenol	ug/L	-/-	Comp	ND < 0.190	U
2-Methyl-4,6-dinitrophenol	ug/L	-/-	Comp	ND < 0.284	U
2-Methylnaphthalene	ug/L	-/-	Comp	ND < 0.190	U
2-Methylphenol	ug/L	-/-	Comp	ND < 0.0948	U
2-nitrophenol	ug/L	-/-	Comp	ND < 0.0948	U
3,3'-Dichlorobenzidine	ug/L	-/-	Comp	ND < 0.474	U
4,4'-DDD	ug/L	-/-	CNA	CNA	CNA
4,4'-DDE	ug/L	-/-	CNA	CNA	CNA
4,4'-DDT	ug/L	-/-	CNA	CNA	CNA
4-Bromophenylphenylether	ug/L	-/-	Comp	ND < 0.190	U
4-Chloro-3-methylphenol	ug/L	-/-	Comp	ND < 0.190	U
4-Chloroaniline	ug/L	-/-	Comp	ND < 0.284	U
4-Chlorophenylphenylether	ug/L	-/-	Comp	ND < 0.190	U
4-nitrophenol	ug/L	-/-	Comp	ND < 2.37	U
Acenaphthene	ug/L	-/-	Comp	ND < 0.190	U
Acenaphthylene	ug/L	-/-	Comp	ND < 0.190	U
Acrolein	ug/L	-/-	Grab	ND < 4.0	*
Acrylonitrile	ug/L	-/-	Grab	ND < 1.2	*
Acute Toxicity	% SURVIVAL	70-100/-	Comp	100	--
Aldrin	ug/L	-/-	CNA	CNA	CNA
alpha-BHC	ug/L	-/-	CNA	CNA	CNA
Aniline	ug/L	-/-	Comp	ND < 0.284	U
Anthracene	ug/L	-/-	Comp	ND < 0.0948	U
Aroclor-1016	ug/L	-/-	CNA	CNA	CNA
Aroclor-1221	ug/L	-/-	CNA	CNA	CNA
Aroclor-1232	ug/L	-/-	CNA	CNA	CNA

See attached notes for abbreviations, definitions,
and other explanations for the data presented.

CNA - Due to laboratory error, constituent not analyzed.

OUTFALL 008 (Happy Valley Drainage)

ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	4/13/2012		
			SAMPLE TYPE	RESULT	VALIDATION QUALIFIER
Aroclor-1242	ug/L	-/-	CNA	CNA	CNA
Aroclor-1248	ug/L	-/-	CNA	CNA	CNA
Aroclor-1254	ug/L	-/-	CNA	CNA	CNA
Aroclor-1260	ug/L	-/-	CNA	CNA	CNA
Benzidine	ug/L	-/-	Comp	ND < 0.948	UJ (C)
Benzo(a)anthracene	ug/L	-/-	Comp	ND < 0.0948	U
Benzo(a)pyrene	ug/L	-/-	Comp	ND < 0.0948	U
Benzo(b)fluoranthene	ug/L	-/-	Comp	ND < 0.0948	U
Benzo(g,h,i)Perylene	ug/L	-/-	Comp	ND < 0.0948	U
Benzo(k)fluoranthene	ug/L	-/-	Comp	ND < 0.190	U
Benzoic acid	ug/L	-/-	Comp	ND < 2.84	UJ (C)
Benzyl alcohol	ug/L	-/-	Comp	ND < 0.0948	U
beta-BHC	ug/L	-/-	CNA	CNA	CNA
bis (2-Chloroethyl) ether	ug/L	-/-	Comp	ND < 0.0948	U
bis (2-ethylhexyl) Phthalate	ug/L	-/-	Comp	1.87	J (DNQ)
Bis(2-Chloroethoxy) methane	ug/L	-/-	Comp	ND < 0.0948	U
Bis(2-Chloroisopropyl) Ether	ug/L	-/-	Comp	ND < 0.0948	U
Bromodichloromethane	ug/L	-/-	Grab	ND < 0.30	*
Bromoform	ug/L	-/-	Grab	ND < 0.40	*
Bromomethane	ug/L	-/-	Grab	ND < 0.42	*
Butylbenzylphthalate	ug/L	-/-	Comp	ND < 0.664	U
Chlordane	ug/L	-/-	CNA	CNA	CNA
Chlorobenzene	ug/L	-/-	Grab	ND < 0.36	*
Chloroethane	ug/L	-/-	Grab	ND < 0.40	*
Chloromethane	ug/L	-/-	Grab	ND < 0.40	*
Chronic Toxicity	TUC	1/-	Comp	1.0	*
Chrysene	ug/L	-/-	Comp	ND < 0.0948	U
cis-1,2-Dichloroethene	ug/L	-/-	Grab	ND < 0.32	*
cis-1,3-Dichloropropene	ug/L	-/-	Grab	ND < 0.22	*
delta-BHC	ug/L	-/-	CNA	CNA	CNA
Diazinon	ug/L	-/-	Comp	ND < 0.038	*
Dibenzo(a,h)anthracene	ug/L	-/-	Comp	ND < 0.0948	U
Dibenzofuran	ug/L	-/-	Comp	ND < 0.0948	U
Dibromochloromethane	ug/L	-/-	Grab	ND < 0.40	*
Dieldrin	ug/L	-/-	CNA	CNA	CNA
Diethylphthalate	ug/L	-/-	Comp	0.166	J (DNQ)
Diisopropyl ether	ug/L	-/-	Grab	ND < 0.25	*
Dimethylphthalate	ug/L	-/-	Comp	ND < 0.190	U
Di-n-butylphthalate	ug/L	-/-	Comp	ND < 0.284	U
Di-n-octylphthalate	ug/L	-/-	Comp	ND < 0.190	U
Endosulfan I	ug/L	-/-	CNA	CNA	CNA
Endosulfan II	ug/L	-/-	CNA	CNA	CNA

See attached notes for abbreviations, definitions,
and other explanations for the data presented.

CNA - Due to laboratory error, constituent not analyzed.

OUTFALL 008 (Happy Valley Drainage)

ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	4/13/2012		
			SAMPLE TYPE	RESULT	VALIDATION QUALIFIER
Endosulfan Sulfate	ug/L	-/-	CNA	CNA	CNA
Endrin	ug/L	-/-	CNA	CNA	CNA
Endrin Aldehyde	ug/L	-/-	CNA	CNA	CNA
Ethyl tert-Butyl Ether (ETBE)	ug/L	-/-	Grab	ND < 0.28	*
Fluoranthene	ug/L	-/-	Comp	ND < 0.0948	U
Fluorene	ug/L	-/-	Comp	ND < 0.0948	U
Heptachlor	ug/L	-/-	CNA	CNA	CNA
Heptachlor Epoxide	ug/L	-/-	CNA	CNA	CNA
Hexachlorobenzene	ug/L	-/-	Comp	ND < 0.0948	U
Hexachlorobutadiene	ug/L	-/-	Comp	ND < 0.190	U
Hexachlorocyclopentadiene	ug/L	-/-	Comp	ND < 0.0948	UJ (C)
Hexachloroethane	ug/L	-/-	Comp	ND < 0.190	U
Indeno(1,2,3-cd)pyrene	ug/L	-/-	Comp	ND < 0.0948	U
Isophorone	ug/L	-/-	Comp	ND < 0.0948	U
Lindane (gamma-BHC)	ug/L	-/-	CNA	CNA	CNA
Methylene chloride	ug/L	-/-	Grab	ND < 0.95	*
Methyl-tert-butyl ether	ug/L	-/-	Grab	ND < 0.32	*
m-Nitroaniline	ug/L	-/-	Comp	ND < 0.948	U
Naphthalene	ug/L	-/-	Comp	ND < 0.0948	U
Naphthalene	ug/L	-/-	Grab	ND < 0.41	*
Nitrobenzene	ug/L	-/-	Comp	ND < 0.0948	U
n-Nitrosodimethylamine	ug/L	-/-	Comp	ND < 0.0948	U
n-Nitroso-di-n-propylamine	ug/L	-/-	Comp	ND < 0.0948	U
N-Nitrosodiphenylamine	ug/L	-/-	Comp	ND < 0.0948	U
o-Nitroaniline	ug/L	-/-	Comp	ND < 0.0948	U
p-Cresol	ug/L	-/-	Comp	ND < 0.190	U
Pentachlorophenol	ug/L	-/-	Comp	ND < 0.379	U
Phenanthrene	ug/L	-/-	Comp	ND < 0.0948	U
Phenol	ug/L	-/-	Comp	ND < 0.284	UJ (C)
p-Nitroaniline	ug/L	-/-	Comp	ND < 0.474	U
Pyrene	ug/L	-/-	Comp	ND < 0.0948	U
tert-Amyl Methyl Ether (TAME)	ug/L	-/-	Grab	ND < 0.33	*
Toxaphene	ug/L	-/-	CNA	CNA	CNA
trans-1,2-Dichloroethene	ug/L	-/-	Grab	ND < 0.30	*
trans-1,3-Dichloropropene	ug/L	-/-	Grab	ND < 0.32	*

See attached notes for abbreviations, definitions,
and other explanations for the data presented.

CNA - Due to laboratory error, constituent not analyzed.

OUTFALL 008 (Happy Valley Drainage)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

**Sample Type Composite
Sample Date April 13, 2012**

ANALYTE	LAB LOD (ug/L)	LAB RL (ug/L)	LAB RESULT (ug/L)	VALIDATION QUALIFIER	1998 WHO TEF	BEF Great Lakes Water Quality Initiative	TCDD Equivalent (w/out DNQ Values) (ug/L)
1,2,3,4,6,7,8-HpCDD	4.60E-07	5.00E-05	ND	U (B)	0.01	0.05	ND
1,2,3,4,6,7,8-HpCDF	1.30E-07	5.00E-05	ND	U (B)	0.01	0.01	ND
1,2,3,4,7,8,9-HpCDF	1.60E-07	5.00E-05	ND	U (B)	0.01	0.4	ND
1,2,3,4,7,8-HxCDD	4.00E-08	5.00E-05	ND	U (B)	0.1	0.3	ND
1,2,3,4,7,8-HxCDF	4.00E-08	5.00E-05	ND	U (B)	0.1	0.08	ND
1,2,3,6,7,8-HxCDD	4.00E-08	5.00E-05	ND	U (B)	0.1	0.1	ND
1,2,3,6,7,8-HxCDF	4.00E-08	5.00E-05	ND	U (B)	0.1	0.2	ND
1,2,3,7,8,9-HxCDD	4.00E-08	5.00E-05	ND	U (B)	0.1	0.1	ND
1,2,3,7,8,9-HxCDF	4.00E-08	5.00E-05	ND	U (B)	0.1	0.6	ND
1,2,3,7,8-PeCDD	6.50E-07	5.00E-05	ND	UJ (*III)	1	0.9	ND
1,2,3,7,8-PeCDF	4.60E-07	5.00E-05	ND	U (B)	0.05	0.2	ND
2,3,4,6,7,8-HxCDF	4.00E-08	5.00E-05	ND	U (B)	0.1	0.7	ND
2,3,4,7,8-PeCDF	4.90E-07	5.00E-05	ND	U (B)	0.5	1.6	ND
2,3,7,8-TCDD	6.70E-07	1.00E-05	ND	U	1	1	ND
2,3,7,8-TCDF	2.20E-06	1.00E-05	ND	U	0.1	0.8	ND
OCDD	1.60E-06	1.00E-04	5.20E-04	--	0.0001	0.01	5.20E-10
OCDF	3.20E-07	1.00E-04	ND	U (B)	0.0001	0.02	ND

TCDD TEQ w/out DNQ Values	5.20E-10
----------------------------------	-----------------

TCDD TEQ PERMIT LIMIT = 2.80E-08

See attached notes for abbreviations, definitions, and other explanations for the data presented in this table.

OUTFALL 008 (Happy Valley Drainage)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	04/13/2012 (Comp)		
			RESULT	MDA	VALIDATION QUALIFIER
RADIOACTIVITY					
Gross Alpha	pCi/L	15/-	1.32 ± 0.66	1	J (C, DNQ)
Gross Beta	pCi/L	50/-	5.44 ± 0.84	1.12	--
Strontium-90	pCi/L	8.0/-	-0.049 ± 0.44	1.06	UJ (L)
Total Combined Radium-226 & Radium 228	pCi/L	5.0/-	0.93 ± 0.44	1.07	U
Tritium	pCi/L	20000/-	-4.64 ± 90	153	U
Uranium, Total	pCi/L	20/-	0.642 ± 0.069	0.018	J (L, DNQ)
Potassium-40	pCi/L	-/-	-7.82 ± 37	66.2	U
Cesium 137	pCi/L	200/-	0.091 ± 2.6	4.54	U


OUTFALL 008 (Happy Valley Drainage)

**ANNUAL 2012 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**


January 1 through December 31, 2012

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	4/13/2012		
			Sample Type	Result	Concentration Result Validation Qualifier
Max Discharge for event	MGD	17.8	Meas	0.074665	
Ammonia as Nitrogen (N)	LBS/DAY	1,500/-	Comp	ND	*
Chloride	LBS/DAY	22,268/-	Comp	2.62	*
Fluoride	LBS/DAY	238/-	Comp	0.06	*
Nitrate + Nitrite as Nitrogen (N)	LBS/DAY	1,188/-	Comp	0.37	*
Nitrate as Nitrogen (N)	LBS/DAY	1,190/-	Comp	0.37	*
Nitrite as Nitrogen (N)	LBS/DAY	148/-	Comp	ND	*
Oil & Grease	LBS/DAY	2,227/-	Grab	ND	*
Perchlorate	LBS/DAY	0.89/-	Comp	ND	U
Sulfate	LBS/DAY	44,536/-	Comp	2.49	*
Total Cyanide	LBS/DAY	1.4/-	Comp	ND	*
Total Dissolved Solids	LBS/DAY	141,029/-	Comp	68.50	*
Antimony	LBS/DAY	0.89/-	Comp	ND	U
Boron	LBS/DAY	148/-	Comp	ND	U
Cadmium	LBS/DAY	0.46/-	Comp	ND	U
Copper	LBS/DAY	2.1/-	Comp	0.01	--
Lead	LBS/DAY	0.77/-	Comp	0.01	--
Mercury	LBS/DAY	0.02/-	Comp	ND	U
Nickel	LBS/DAY	14.9/-	Comp	0.01	J (DNQ)
Selenium	LBS/DAY	0.7/-	Comp	ND	UJ (I)
Thallium	LBS/DAY	0.3/-	Comp	ND	U
Zinc	LBS/DAY	24/-	Comp	0.04	J (DNQ)
TCDD TEQ_NoDNQ	LBS/DAY	4.20E-09/-	Comp	3.24E-13	--


2012: OUTFALL 008 ANTIMONY




2012: OUTFALL 008 BORON




2012: OUTFALL 008 CADMIUM




2012: OUTFALL 008 COPPER




2012: OUTFALL 008 LEAD




2012: OUTFALL 008 MERCURY




2012: OUTFALL 008 NICKEL




2012: OUTFALL 008 SELENIUM




2012: OUTFALL 008 THALLIUM




2012: OUTFALL 008 ZINC




2012: OUTFALL 008 ACUTE TOXICITY




2012: OUTFALL 008 AMMONIA AS NITROGEN (N)




2012: OUTFALL 008 CHLORIDE




2012: OUTFALL 008 CHRONIC TOXICITY




2012: OUTFALL 008 FLUORIDE




2012: OUTFALL 008 NITRATE + NITRITE AS NITROGEN (N)




2012: OUTFALL 008 NITRATE AS NITROGEN (N)




2012: OUTFALL 008 NITRITE AS NITROGEN (N)




2012: OUTFALL 008 OIL & GREASE




2012: OUTFALL 008 PERCHLORATE




2012: OUTFALL 008 PH (FIELD)




2012: OUTFALL 008 SULFATE




2012: OUTFALL 008 TEMPERATURE




2012: OUTFALL 008 TOTAL CYANIDE




2012: OUTFALL 008 TOTAL DISSOLVED SOLIDS




2012: OUTFALL 008 CESIUM 137




2012: OUTFALL 008 GROSS ALPHA




2012: OUTFALL 008 GROSS BETA




2012: OUTFALL 008 STRONTIUM-90




2012: OUTFALL 008 TOTAL COMBINED RADIUM-226 & RADIUM 228



2012: OUTFALL 008 TRITIUM



2012: OUTFALL 008 URANIUM, TOTAL



2012: Outfall 008 TCDD

