

OUTFALL 018 (R-2 Spillway)

ANNUAL 2009 REPORTING SUMMARY THE BOEING COMPANY SANTA SUSANA FIELD LABORATORY NPDES PERMIT CA0001309

January 1 through December 31, 2009

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	2/16/2009	
			RESULT	VALIDATION QUALIFIER
Ammonia as Nitrogen (N)	mg/L	10.1/-	0.56	*
Biochemical Oxygen Demand (BOD 5 day)	mg/L	30/-	0.88	J* (DNQ)
Chloride	mg/L	150/-	14	*
Specific Conductivity (Lab)	umhos/cm	-/-	250	--
Surfactants (MBAS)	mg/L	0.5/-	ND < 0.025	*
Fluoride	mg/L	1.6/-	0.10	B*
Nitrate + Nitrite as Nitrogen (N)	mg/L	8.0/-	ND < 0.15	*
Nitrate as Nitrogen (N)	mg/L	8.0/-	0.089	J* (DNQ)
Nitrite-N	mg/L	1.0/-	ND < 0.090	*
Oil & Grease	mg/L	15/-	2.0	J* (DNQ)
Perchlorate	ug/L	6.0/-	ND < 0.90	*
pH (Field)	pH units	6.5-8.5/-	8.2	*
Total Settleable Solids	ml/L	0.3/-	0.10	*
Sulfate	mg/L	300/-	33	*
Temperature	deg. F	86/-	46	*
Total Cyanide	ug/L	8.5/-	ND < 2.2	*
Total Dissolved Solids	mg/L	950/-	220	*
Hardness	mg/L	-/-	23	--
Hardness, dissolved	mg/L	-/-	6.9	--
Total Organic Carbon	mg/L	-/-	2.5	--
Total Residual Chlorine	mg/L	0.1/-	ND < 0.10	HFT*
Total Suspended Solids	mg/L	45/-	150	--
Turbidity	NTU	-/-	210	--
Volume Discharged	MGD	160/-	1.278105	*
METALS				
Antimony	ug/L	6.0/-	ND < 2.0	U (B)
Antimony, dissolved	ug/L	-/-	ND < 2.0	U (B)
Arsenic	ug/L	10/-	8.3	J (DNQ)
Arsenic, dissolved	ug/L	-/-	ND < 7.0	U
Barium	mg/L	1.0/-	0.062	--
Barium, dissolved	mg/L	-/-	ND < 0.0060	U
Beryllium	ug/L	4.0/-	ND < 0.90	U
Beryllium, dissolved	ug/L	-/-	ND < 0.90	U
Boron	mg/L	-/-	ND < 0.020	U
Boron, dissolved	mg/L	-/-	ND < 0.020	U
Cadmium	ug/L	3.1/-	0.27	J (DNQ)
Cadmium, dissolved	ug/L	-/-	ND < 0.11	U
Calcium	mg/L	-/-	4.7	--
Calcium, Dissolved	mg/L	-/-	2.3	--
Chromium	ug/L	16.3/-	ND < 15	U (B)
Chromium, dissolved	ug/L	-/-	2.0	J (DNQ)
Chromium VI	ug/L	16.3/-	ND < 0.25	*
Cobalt	ug/L	-/-	3.5	J (DNQ)
Cobalt, dissolved	ug/L	-/-	ND < 2.0	U
Copper	ug/L	14.0/-	9.6	J (*III)
Copper, dissolved	ug/L	-/-	4.1	--
Iron	mg/L	0.3/-	12	--
Iron, dissolved	mg/L	-/-	1.5	--
Lead	ug/L	5.2/-	8.2	--

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2009 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2009

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	2/16/2009	
			RESULT	VALIDATION QUALIFIER
Lead, dissolved	ug/L	-/-	0.78	J (DNQ)
Magnesium	mg/L	-/-	2.6	--
Magnesium, Dissolved	mg/L	-/-	0.27	--
Manganese	ug/L	50/-	140	--
Manganese, dissolved	ug/L	-/-	9.0	J (DNQ)
Mercury	ug/L	0.10/-	0.033	J (DNQ)
Mercury, dissolved	ug/L	-/-	ND < 0.027	U
Nickel	ug/L	96/-	ND < 10	U (B)
Nickel, dissolved	ug/L	-/-	ND < 2.0	U
Selenium	ug/L	8.2/-	0.47	J (*III, DNQ)
Selenium, dissolved	ug/L	-/-	ND < 2.0	U (B)
Silver	ug/L	4.1/-	ND < 0.30	U
Silver, dissolved	ug/L	-/-	ND < 0.30	U
Thallium	ug/L	2.0/-	ND < 0.20	U
Thallium, dissolved	ug/L	-/-	ND < 0.20	U
Vanadium	ug/L	-/-	27	--
Vanadium, dissolved	ug/L	-/-	ND < 3.0	U
Zinc	ug/L	119/-	63	--
Zinc, dissolved	ug/L	-/-	ND < 20	UJ (B,*III)
ORGANICS				
Benzene	ug/L	-/-	0.84	--
Carbon Tetrachloride	ug/L	-/-	ND < 0.28	U
Chloroform	ug/L	-/-	19	--
1,1-Dichloroethane	ug/L	-/-	ND < 0.40	U
1,2-Dichloroethane	ug/L	-/-	2.4	--
1,1-Dichloroethene	ug/L	6.0/-	ND < 0.42	U
1,4-Dioxane	ug/L	-/-	ND < 1.0	*
Ethylbenzene	ug/L	-/-	ND < 0.25	U
Tetrachloroethene	ug/L	-/-	ND < 0.32	U
Toluene	ug/L	-/-	ND < 0.36	U
Xylenes (Total)	ug/L	-/-	ND < 0.90	U
1,1,1-Trichloroethane	ug/L	-/-	ND < 0.30	U
1,1,2-Trichloroethane	ug/L	-/-	ND < 0.30	U
Trichloroethene	ug/L	5.0/-	ND < 0.26	U
Trichlorofluoromethane	ug/L	-/-	ND < 0.34	U
Trichlorotrifluoroethane (Freon 113)	ug/L	-/-	ND < 0.50	UJ (C)
Vinyl Chloride	ug/L	-/-	ND < 0.40	U
TPH				
DRO (C13 - C28)	mg/L	-/-	ND < 0.047	*
GRO (C4 - C12)	mg/L	-/-	ND < 0.030	*
ADDITIONAL ANALYTES				
1,2-Dichloro-1,1,2-trifluoroethane	ug/L	-/-	ND < 2.5	UJ (*III)
2,4,5-Trichlorophenol	ug/L	-/-	ND < 0.19	U
1,1,1,2,2-Tetrachloroethane	ug/L	-/-	ND < 0.30	U
1,2,4-Trichlorobenzene	ug/L	-/-	ND < 0.095	U
1,2-Dichlorobenzene (EPA 625)	ug/L	-/-	ND < 0.32	U
1,2-Dichlorobenzene (EPA 624)	ug/L	-/-	ND < 0.095	U
1,2-Dichloropropane	ug/L	-/-	ND < 0.35	U
1,2-Diphenylhydrazine/Azobenzene	ug/L	-/-	ND < 0.095	U
1,3-Dichlorobenzene (EPA 624)	ug/L	-/-	ND < 0.095	U

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2009 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2009

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	2/16/2009	
			RESULT	VALIDATION QUALIFIER
1,3-Dichlorobenzene (EPA 625)	ug/L	-/-	ND < 0.35	U
1,4-Dichlorobenzene (EPA 624)	ug/L	-/-	ND < 0.19	U
1,4-Dichlorobenzene (EPA 625)	ug/L	-/-	ND < 0.37	U
2,4,6-Trichlorophenol	ug/L	13.0/-	ND < 0.095	U
2,4-Dichlorophenol	ug/L	-/-	ND < 0.19	U
2,4-Dimethylphenol	ug/L	-/-	ND < 0.29	U
2,4-Dinitrophenol	ug/L	-/-	ND < 0.86	U
2,4-Dinitrotoluene	ug/L	18.3/-	ND < 0.19	U
2,6-Dinitrotoluene	ug/L	-/-	ND < 0.095	UJ (*III)
2-Chloroethylvinylether	ug/L	-/-	ND < 1.8	U
2-Chloronaphthalene	ug/L	-/-	ND < 0.095	U
2-Chlorophenol	ug/L	-/-	ND < 0.19	U
2-Methyl-4,6-dinitrophenol	ug/L	-/-	ND < 0.19	U
2-Methylnaphthalene	ug/L	-/-	ND < 0.095	U
2-Methylphenol	ug/L	-/-	ND < 0.095	UJ (*III)
2-Nitrophenol	ug/L	-/-	ND < 0.095	U
3,3'-Dichlorobenzidine	ug/L	-/-	ND < 4.8	U
4,4'-DDD	ug/L	-/-	ND < 0.0019	UJ (C)
4,4'-DDE	ug/L	-/-	ND < 0.0028	UJ (C)
4,4'-DDT	ug/L	-/-	ND < 0.0038	UJ (C)
4-Bromophenylphenylether	ug/L	-/-	ND < 0.095	U
4-Chloro-3-methylphenol	ug/L	-/-	ND < 0.19	U
4-Chloroaniline	ug/L	-/-	ND < 0.095	UJ (*III)
4-Chlorophenylphenylether	ug/L	-/-	ND < 0.095	U
4-Nitrophenol	ug/L	-/-	ND < 2.4	U
Acenaphthene	ug/L	-/-	ND < 0.095	U
Acenaphthylene	ug/L	-/-	ND < 0.095	U
Acrolein	ug/L	-/-	ND < 4.0	UJ (C)
Acrylonitrile	ug/L	-/-	ND < 0.70	UJ (C)
Acute Toxicity	% SURVIVAL	70-100/-	100	*
Aldrin	ug/L	-/-	ND < 0.0014	UJ (C)
alpha-BHC	ug/L	0.03/-	ND < 0.0053	UJ (H)
Aniline	ug/L	-/-	ND < 0.29	U
Anthracene	ug/L	-/-	ND < 0.095	U
Aroclor-1016	ug/L	-/-	ND < 0.24	*
Aroclor-1221	ug/L	-/-	ND < 0.24	*
Aroclor-1232	ug/L	-/-	ND < 0.24	*
Aroclor-1242	ug/L	-/-	ND < 0.24	*
Aroclor-1248	ug/L	-/-	ND < 0.24	*
Aroclor-1254	ug/L	-/-	ND < 0.24	*
Aroclor-1260	ug/L	-/-	ND < 0.24	*
Benzidine	ug/L	-/-	ND < 4.8	U
Benzo(a)anthracene	ug/L	-/-	ND < 0.095	U
Benzo(a)pyrene	ug/L	-/-	ND < 0.095	U
Benzo(b)fluoranthene	ug/L	-/-	ND < 0.095	U
Benzo(g,h,i)perylene	ug/L	-/-	ND < 0.095	U
Benzo(k)fluoranthene	ug/L	-/-	ND < 0.095	U
Benzoic acid	ug/L	-/-	ND < 2.9	U
Benzyl alcohol	ug/L	-/-	ND < 0.095	UJ (*III)
beta-BHC	ug/L	-/-	ND < 0.0038	U

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2009 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2009

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	2/16/2009	
			RESULT	VALIDATION QUALIFIER
bis (2-Chloroethyl) ether	ug/L	-/-	ND < 0.095	U
bis (2-ethylhexyl) Phthalate	ug/L	4.0/-	1.6	J (DNQ)
bis(2-Chloroethoxy) methane	ug/L	-/-	ND < 0.095	UJ (*III)
bis(2-Chloroisopropyl) ether	ug/L	-/-	ND < 0.095	U
Bromodichloromethane	ug/L	-/-	1.2	--
Bromoform	ug/L	-/-	ND < 0.40	UJ (C)
Bromomethane	ug/L	-/-	ND < 0.42	U
Butylbenzylphthalate	ug/L	-/-	ND < 4.8	U (B)
Chlordane	ug/L	-/-	ND < 0.038	U
Chlorobenzene	ug/L	-/-	ND < 0.36	U
Chloroethane	ug/L	-/-	ND < 0.40	U
Chloromethane	ug/L	-/-	ND < 0.40	U
Chronic Toxicity	TUC	1.0/-	1.0	*
Chrysene	ug/L	-/-	ND < 0.095	U
cis-1,2-Dichloroethene	ug/L	-/-	ND < 0.32	*
cis-1,3-Dichloropropene	ug/L	-/-	ND < 0.22	U
Cyclohexane	ug/L	-/-	ND < 2.5	UJ (*III)
delta-BHC	ug/L	-/-	ND < 0.0033	UJ (C)
Dibenzo(a,h)anthracene	ug/L	-/-	ND < 0.095	U
Dibenzofuran	ug/L	-/-	ND < 0.095	U
Dibromochloromethane	ug/L	-/-	0.98	J (C)
Dieldrin	ug/L	-/-	ND < 0.0019	UJ (C)
Diethylphthalate	ug/L	-/-	0.11	J (DNQ)
Dimethylphthalate	ug/L	-/-	ND < 0.095	U
Di-n-butylphthalate	ug/L	-/-	ND < 0.19	U
Di-n-octylphthalate	ug/L	-/-	ND < 0.095	U
Endosulfan I	ug/L	-/-	ND < 0.0019	UJ (C)
Endosulfan II	ug/L	-/-	ND < 0.0028	UJ (C)
Endosulfan sulfate	ug/L	-/-	ND < 0.0028	UJ (C)
Endrin	ug/L	-/-	ND < 0.0019	UJ (C)
Endrin aldehyde	ug/L	-/-	ND < 0.0019	UJ (C)
Endrin ketone	ug/L	-/-	ND < 0.0028	UJ (C)
Fluoranthene	ug/L	-/-	ND < 0.095	U
Fluorene	ug/L	-/-	ND < 0.095	U
Heptachlor	ug/L	-/-	ND < 0.0028	UJ (C)
Heptachlor epoxide	ug/L	-/-	ND < 0.0024	UJ (C)
Hexachlorobenzene	ug/L	-/-	ND < 0.095	U
Hexachlorobutadiene	ug/L	-/-	ND < 0.19	U
Hexachlorocyclopentadiene	ug/L	-/-	ND < 0.095	U
Hexachloroethane	ug/L	-/-	ND < 0.19	U
Hydrazine	ug/L	-/-	ND < 0.60	UJ (C)
Unsymmetrical Dimethyl Hydrazine	ug/L	-/-	ND < 1.42	U
Indeno(1,2,3-cd)pyrene	ug/L	-/-	ND < 0.095	U
Isophorone	ug/L	-/-	ND < 0.095	UJ (*III)
Lindane (gamma-BHC)	ug/L	-/-	ND < 0.0028	UJ (C)
Methoxychlor	ug/L	-/-	ND < 0.0033	UJ (C)
Methylene Chloride	ug/L	-/-	ND < 0.95	U
m-Nitroaniline	ug/L	-/-	ND < 0.19	U
Monomethyl Hydrazine	ug/L	-/-	ND < 1.70	U
Naphthalene	ug/L	-/-	ND < 0.095	U

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2009 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2009

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	2/16/2009	
			RESULT	VALIDATION QUALIFIER
Nitrobenzene	ug/L	-/-	ND < 0.095	U
n-Nitrosodimethylamine	ug/L	16.3/-	ND < 0.095	U
n-Nitroso-di-n-propylamine	ug/L	-/-	ND < 0.095	UJ (*III)
n-Nitrosodiphenylamine	ug/L	-/-	ND < 0.095	U
o-Nitroaniline	ug/L	-/-	ND < 0.095	U
p-Cresol	ug/L	-/-	ND < 0.19	U
Pentachlorophenol	ug/L	16.5/-	ND < 0.095	U
Phenanthrene	ug/L	-/-	ND < 0.095	U
Phenol	ug/L	-/-	ND < 0.29	U
p-Nitroaniline	ug/L	-/-	ND < 0.48	UJ (*III)
Pyrene	ug/L	-/-	ND < 0.095	U
Toxaphene	ug/L	-/-	ND < 0.24	U
trans-1,2-Dichloroethene	ug/L	-/-	ND < 0.30	U
trans-1,3-Dichloropropene	ug/L	-/-	ND < 0.32	U

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2009 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

Sample Date February 16, 2009

ANALYTE	LAB LOD (ug/L)	LAB RL (ug/L)	LAB RESULT (ug/L)	VALIDATION QUALIFIER	1998 WHO TEF	TCDD Equivalent (w/out DNQ Values) (ug/L)
1,2,3,4,6,7,8-HpCDD	0.00E+00	2.50E-05	2.06E-04	--	0.01	2.06E-06
1,2,3,4,6,7,8-HpCDF	0.00E+00	2.50E-05	3.02E-05	--	0.01	3.02E-07
1,2,3,4,7,8,9-HpCDF	3.97E-06	2.50E-05	ND	U	0.01	ND
1,2,3,4,7,8-HxCDD	2.34E-06	2.50E-05	ND	U	0.1	ND
1,2,3,4,7,8-HxCDF	1.43E-06	2.50E-05	ND	U	0.1	ND
1,2,3,6,7,8-HxCDD	0.00E+00	2.50E-05	8.01E-06	J (DNQ)	0.1	ND
1,2,3,6,7,8-HxCDF	1.36E-06	2.50E-05	ND	U	0.1	ND
1,2,3,7,8,9-HxCDD	0.00E+00	2.50E-05	5.51E-06	J (DNQ)	0.1	ND
1,2,3,7,8,9-HxCDF	2.26E-06	2.50E-05	ND	U	0.1	ND
1,2,3,7,8-PeCDD	1.42E-06	2.50E-05	ND	U	1	ND
1,2,3,7,8-PeCDF	7.97E-07	2.50E-05	ND	U	0.05	ND
2,3,4,6,7,8-HxCDF	0.00E+00	2.50E-05	1.84E-06	J (DNQ)	0.1	ND
2,3,4,7,8-PeCDF	8.12E-07	2.50E-05	ND	U	0.5	ND
2,3,7,8-TCDD	5.31E-07	5.00E-06	ND	U	1	ND
2,3,7,8-TCDF	4.59E-07	5.00E-06	ND	U	0.1	ND
OCDD	0.00E+00	5.00E-05	2.39E-03	--	0.0001	2.39E-07
OCDF	0.00E+00	5.00E-05	7.74E-05	--	0.0001	7.74E-09

TCDD TEQ w/out DNQ Values	2.61E-06
----------------------------------	-----------------

TCDD TEQ PERMIT LIMIT = 2.80E-08

See attached notes for abbreviations, definitions, and other explanations for the data presented in this table.

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2009 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2009

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	2/16/2009		
			RESULT	MDA	VALIDATION QUALIFIER
RADIOACTIVITY					
Gross Alpha	pCi/L	15/-	2.2 ± 1.9	3	UJ (H,C)
Gross Beta	pCi/L	50/-	3.4 ± 1.5	2.1	J (H,DNQ)
Strontium-90	pCi/L	8.0/-	0.05 ± 0.25	0.44	U
Total Combined Radium-226 & Radium 228	pCi/L	5.0/-	0.62 ± 0.39	0.81	U
Tritium	pCi/L	20000/-	740 ± 230	310	--
Uranium, Total	pCi/L	20/-	0.475 ± 0.055	0.21	J (H,DNQ)
Potassium-40	pCi/L	-/-	-90 ± 18000	300	UJ (H)
Cesium 137	pCi/L	200/-	-0.6 ± 7.8	15	UJ (H)

OUTFALL 018 (R-2 Spillway)

**ANNUAL 2009 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

January 1 through December 31, 2009

ANALYTE	UNITS	Permit Limit Daily Max/Monthly Avg	2/16/2009	
			Result	CONCENTRATION RESULT VALIDATION QUALIFIER
Ammonia as Nitrogen (N)	LBS/DAY	13,500/-	5.97	*
Biochemical Oxygen Demand (BOD 5 day)	LBS/DAY	40,032/-	9.38	J* (DNQ)
Chloride	LBS/DAY	200,160/-	149.23	*
Surfactants (MBAS)	LBS/DAY	667/-	ND	*
Fluoride	LBS/DAY	2,135/-	1.07	B*
Nitrate + Nitrite as Nitrogen (N)	LBS/DAY	10,700/-	ND	*
Nitrate as Nitrogen (N)	LBS/DAY	10,700/-	0.95	J* (DNQ)
Nitrite-N	LBS/DAY	1,334/-	ND	*
Oil and Grease	LBS/DAY	20,016/-	21.32	J* (DNQ)
Perchlorate	LBS/DAY	8/-	ND	*
Sulfate	LBS/DAY	400,320/-	351.76	*
Total Cyanide	LBS/DAY	11.3/-	ND	*
Total Dissolved Solids	LBS/DAY	1,270,000/-	2345.07	*
Total Residual Chlorine	LBS/DAY	133/-	ND	HFT*
Total Suspended Solids	LBS/DAY	60,048/-	1598.91	--
METALS				
Antimony	LBS/DAY	8.01/-	ND	U (B)
Arsenic	LBS/DAY	66.7/-	0.09	J (DNQ)
Barium	LBS/DAY	1,330/-	0.66	--
Beryllium	LBS/DAY	5.34/-	ND	U
Cadmium	LBS/DAY	4.14/-	0.003	J (DNQ)
Chromium IV	LBS/DAY	21.8/-	ND	*
Copper	LBS/DAY	18.7/-	0.10	J (*III)
Iron	LBS/DAY	400/-	127.91	--
Lead	LBS/DAY	6.94/-	0.09	--
Manganese	LBS/DAY	66.7/-	1.49	--
Mercury	LBS/DAY	0.13/-	0.0004	J (DNQ)
Nickel	LBS/DAY	128/-	ND	U (B)
Selenium	LBS/DAY	10.9/-	0.01	J (*III, DNQ)
Silver	LBS/DAY	5.5/-	ND	U
Thallium	LBS/DAY	2.7/-	ND	U
Zinc	LBS/DAY	159/-	0.67	--
ORGANICS				
1,1-Dichloroethene	LBS/DAY	8/-	ND	U
Trichloroethene	LBS/DAY	6.7/-	ND	U
ADDITIONAL ANALYTES				
2,4,6-Trichlorophenol	LBS/DAY	17/-	ND	U
2,4-Dinitrotoluene	LBS/DAY	24/-	ND	U
alpha-BHC	LBS/DAY	0.04/-	ND	UJ (H)
bis (2-ethylhexyl) Phthalate	LBS/DAY	5.3/-	0.02	J (DNQ)
n-Nitrosodimethylamine	LBS/DAY	21.8/-	ND	U
Pentachlorophenol	LBS/DAY	22/-	ND	U
TCDD TEQ_NoDNQ	LBS/DAY	3.70E-08/-	2.78E-08	--


**BMP EFFECTIVENESS
OUTFALL 018 (R-2 Spillway)**

**ANNUAL 2009 REPORTING SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**


January 1 through December 31, 2009

SAMPLE NAME	Sample Type	SAMPLE DATE	ANALYTE	UNITS	RESULT
018 EFF-1	Grab	02/16/09	Density	g/cc	1.0*
018 EFF-1	Grab	02/16/09	Sediment	mg/L	ND <10*
018 EFF-2	Grab	02/16/09	Density	g/cc	1.0*
018 EFF-2	Grab	02/16/09	Sediment	mg/L	ND <10*


2009: OUTFALL 018 ANTIMONY




2009: OUTFALL 018 ARSENIC




2009: OUTFALL 018 BARIUM




2009: OUTFALL 018 BERYLLIUM




2009: OUTFALL 018 CADMIUM




2009: OUTFALL 018 CHROMIUM




2009: OUTFALL 018 COPPER




2009: OUTFALL 018 IRON




2009: OUTFALL 018 LEAD




2009: OUTFALL 018 MANGANESE




2009: OUTFALL 018 MERCURY




2009: OUTFALL 018 NICKEL




2009: OUTFALL 018 SELENIUM




2009: OUTFALL 018 SILVER




2009: OUTFALL 018 THALLIUM




2009: OUTFALL 018 ZINC




2009: OUTFALL 018 ACUTE TOXICITY




2009: OUTFALL 018 AMMONIA AS NITROGEN (N)




2009: OUTFALL 018 BIOCHEMICAL OXYGEN DEMAND (BOD 5 DAY)




2009: OUTFALL 018 CHLORIDE




2009: OUTFALL 018 CHROMIUM VI




2009: OUTFALL 018 CHRONIC TOXICITY




2009: OUTFALL 018 FLUORIDE




2009: OUTFALL 018 NITRATE + NITRITE AS NITROGEN (N)




2009: OUTFALL 018 NITRATE AS NITROGEN (N)




2009: OUTFALL 018 NITRITE-N




2009: OUTFALL 018 OIL & GREASE




2009: OUTFALL 018 PERCHLORATE




2009: OUTFALL 018 PH (FIELD)




2009: OUTFALL 018 SULFATE




2009: OUTFALL 018 SURFACTANTS (MBAS)




2009: OUTFALL 018 TEMPERATURE




2009: OUTFALL 018 TOTAL CYANIDE




2009: OUTFALL 018 TOTAL DISSOLVED SOLIDS




2009: OUTFALL 018 TOTAL RESIDUAL CHLORINE




2009: OUTFALL 018 TOTAL SETTLEABLE SOLIDS




2009: OUTFALL 018 TOTAL SUSPENDED SOLIDS




2009: OUTFALL 018 ALPHA-BHC




2009: OUTFALL 018 GROSS ALPHA




2009: OUTFALL 018 GROSS BETA




2009: OUTFALL 018 STRONTIUM-90




2009: OUTFALL 018 TOTAL COMBINED RADIUM-226 & RADIUM 228




2009: OUTFALL 018 TRITIUM




2009: OUTFALL 018 URANIUM, TOTAL



2009: OUTFALL 018 2,4,6-TRICHLOROPHENOL



2009: OUTFALL 018 2,4-DINITROTOLUENE



2009: Outfall 018TCDD

