132

# Del Mar Analytical (949) 261-1022 Version 3/20/06 CHAIN OF CUSTODY FORM

IPD 0261



Client Name/Address:

MWH-Pasadena
300 North Lake Avenue, Suite 1200
Pasadena, CA 91101

Project Manager: Dixie Hambrick

Sampler: Joan Dolmat
Ramon Roman

Project: Boeing-SSFL
**Offsite Storm water Samples**
Project Number:
Location: Palo Comado

Phone Number:
(626) 568-6691
Fax Number:
(626) 568-6515

ANALYSIS REQUIRED

| Sample ID | Sample Matrix | Container Type | # of Cont. | Date Collected | Time Collected | Preservative | Total Recoverable Metals | NO2 + NO3-N, pH, TSS | Ammonia-N | HOLD | | | | | | | | | | Comments |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PCC-SW-1 | W | 500 mL Poly | 2 | 4/4/06 | 11:50 | HNO3 | X | | | | | | | | | | | | | EPA#WL078 |
| PCC-SW-1 | W | Poly-500ml | 1 | 4/4/06 | 11:50 | None | | X | | | | | | | | | | | | " |
| PCC-SW-1 | W | Poly-500 ml | 1 | 4/4/06 | 11:50 | H2SO4 | | | X | | | | | | | | | | | " |
| | | | | | | | | | | | | | | | | | | | | ER |
| | | | | | | | | | | | | | | | | | | | | 1730 |

| Relinquished By | Date/Time: | Received By | Date/Time: |
|---|---|---|---|
| Joan Dolmat | 4/4/06 1501 | [illegible] | 4/4/06 1501 |
| [illegible] | 4-4-06 1805 | | |
| | | Eduardo Ring | 4/4/06 1805 |

Turn around Time: (check)
24 Hours ____ 5 Days ____
48 Hours ____ 10 Days ____
72 Hours ____ Normal X
Lab Pick-up ____

Sample Integrity: (Check)
Intact ✓ On Ice: 4°C