

4B 03/13/00

Page 1 of 1

# CHAIN OF CUSTODY FORM

Version 1.9.08

Client Name/Address:

Project: Boeing-SSFL

### Offsite Storm water Samples

Project Number:

Location:

Palo Comado

Phone Number:

(626) 568-6691

**Fax Number:**  
**(626) 568-6515**

Sampler:

Joan Dolmat

APR 10  
WL 069  
AS 03/13/06

17886 986 717

[illegible]

**F A X****MWH**9444 Farnham St., Suite 300  
San Diego, California 92123

Date: 03/13/06

Tel: 858-751-1200  
Fax: 858-751-1201

To: Michele Chamberlin/ Del Mar Analytical

Fax No: 949-261-1228

From: Anca Brasoveanu

sign: 

Subject: Chain-of-Custody Form Analytical Request Change

No. of Pages: 2  
(including cover)**Per Request:**

Please make the changes listed below to the chain-of-custody analytical request form. Include this form with the final deliverables for these samples.

| COC No.             | EPA Sample ID(s)   | MWH Sample ID(s) | Date Collected | Originally Requested Analyses      | Change (s) and Method (s) Now Requested                     |
|---------------------|--------------------|------------------|----------------|------------------------------------|---|
| No COC_No. assigned | No EPA_ID assigned | PCC-1            | 3/11/06        | TSS, NO2/NO3 and pH. Standard TAT. | New COC_No. = WL069<br>New EPA_ID = WL069<br>Same analysis. |
|                     |                    |                  |                |                                    |   |
|                     |                    |                  |                |                                    |   |
|                     |                    |                  |                |                                    |   |
|                     |                    |                  |                |                                    |   |
|                     |                    |                  |                |                                    |   |
|                     |                    |                  |                |                                    |   |
|                     |                    |                  |                |                                    |   |
|                     |                    |                  |                |                                    |   |

The reason for these changes:

*Incorrectly marked on COC form**Lack of sample volume**MWH office personnel require this change**Other: Containers mislabeled*☒

Thank you

