

Friedman Memorial

IATA/ICAO CODE: SUN/KSUN  
CITY: Hailey  
STATE: ID  
COUNTRY: USA

AIRPORT CONTACT

Information updated by the airport 2/2011

Name:	Richard Baird	Peter R. Kramer
Title:	Airport Manager	Chief, Emergency Services/Airfield Operations
Airport:	Friedman Memorial Airport	Friedman Memorial Airport
Address:	Box 929 Haily ID 83333	Box 929 Haily ID 83333
Phone:	+1 208 788 4956 (Airport Operations +1 208 720 5186)	
Fax:	+1 208 788 9852	
Email:		
Airport Web Site:	<a href="http://www.flyma.com">www.flyma.com</a>	

ELEVATION: 5318.5 ft.

RUNWAY INFORMATION				
Orientation	Length (ft)	Displaced Threshold (ft)	Glide Slope(deg)	Width (ft)
13/31	7550	13/1701	-	100
Effective 29 June 1999, Friedman Memorial Airport implemented a Declared Distances Program. <a href="#">Check FAA Airport Diagrams for current information.</a>				
	Runway 13 (feet) 7550	Runway 31 (feet) 7550		
Take-off run available (TORA)	7150	5850		
Take-off distance available (TODA)	7550	7550		
Accelerate stop distance available (ASDA)	7150	6631		
Landing distance available (LDA)	5450	6631		

NOISE ABATEMENT PROCEDURES

Contact the Airport Manager (208) 788 4956 or Airport Ops (208)720-5186  
[Click here to go to the airport's web site NAPs for Departures](#)  
[Click here to go to the airport's web site NAPs for Landings](#)

**CONTINUOUS DESCENT ARRIVAL (CDA) - [NONE](#)**

**AIRPORT CURFEWS**

Aircraft are requested not to operate between the hours of 11:00 p.m. and 6:00 a.m., local time, under any circumstance, except medical emergencies.

**PREFERENTIAL RUNWAYS**

Departures Rwy 13  
Arrivals Rwy 31  
Contact the Airport Manager (208) 788 4956

**OPERATING QUOTA - [NONE](#)**

**ENGINE RUN-UP RESTRICTIONS**

Contact the Airport Manager (208) 788 4956 or Airport Ops (208) 720-5186.

**APU OPERATING RESTRICTIONS**

30 minutes maximum, no exceptions.

**NOISE BUDGET RESTRICTIONS - [NONE](#)**

**NOISE SURCHARGE - [NONE](#)**

**NOISE MITIGATION/LAND USE PLANNING PROGRAM INFORMATION**

Type of Program	Date Implemented	Status
Sound Insulation (Residences and Public Buildings)	-	-
Purchase Assurance for Homeowners Located Within the Airport Noise Contours	-	-
Avigation Easements	-	-
Zoning Laws	-	-
Real Estate/Property Disclosure Laws	-	-
Acquire Land for Noise Compatibility to date	-	-
Population within each noise contour level relative to aircraft operations	-	-
Airport Noise Contour Overlay Maps	-	-
Total Cost of Noise Mitigation Programs to Date	-	-
Source of Noise Mitigation Program Funding for Aircraft	-	-

Noise		
-------	--	--

NOISE MONITORING SYSTEM - [NONE](#)

FLIGHT TRACK MONITORING SYSTEM - [NONE](#)

NOISE LEVEL LIMITS - [NONE](#)

STAGE 2 RESTRICTIONS

[U.S. Stage 2 Phase out complete as of 12/31/1999 \(CFR Part 91.801\). Stage 2 airplanes >75,000 lbs are prohibited from operating at airports within the 48 contiguous states.](#)

STAGE 2 PHASEOUT

Stage 2 airplanes >75,000 lbs are prohibited from operating at airports within the 48 contiguous states.

STAGE 3 RESTRICTIONS - [NONE](#)

COMMENTS

Attended dawn–dusk. Fuel avbl after dusk PPR 208–788–9511. Bird activity SE end Rwy 31. When twr closed land Rwy 31—tkf Rwy 13 due to opposite direction traffic; use landing lights in traffic pattern. Due to opposite traffic: approach Rwy 31 along E side of valley: depart Rwy 13 along W side of valley: show landing light. Ctc aprt manager 208–788–4956 or 208–788–3702 for noise abatement procedures. APU ops ltd to 30 minutes maximum run time. Not recommended for night use or in marginal weather by unfamiliar pilots due to mountainous terrain. Twy A open between Twys A2 and A3 daylight hours only. Twys A–5 and B–5 restricted to acft with wingspans of 49' or less (Acft Design Group I) only. PPR for all unscheduled acft ops utilizing acft with a type certificate for more than 30 passenger seats. PPR for all scheduled air carrier ops between 0600–1300Z† call arpt manager 208–788–4956. No locked brake turns. ACTIVATE HIRL Rwy 13–31—CTAF when twr clsd. PAPI Rwy 31 opr 24 hrs. Ldg fee for acft greater than 6,000 lbs.